

ELKAY

International Residential Product Guide | International Commercial Product Guide Product list effective November 2020.



Innovation for Today, Tomorrow, Forever

Elkay[®] makes plumbing products that are at the heart of life's moments. Whether it's a new sink feature to enhance the workspace or a more hygienic approach to water delivery, our customers' needs are what inspire our innovation. And with hygiene and sustainability top of mind, we're committed to building solutions for a safer, healthier life. That's Elkay.

Flip through this price guide and discover our expansive portfolio of plumbing products.



Limited lifetime warranty on select products.

Connect With Us!









RESIDENTIAL




Table of Contents

Residential Products

Sink Quick Reference Guide Practical Ingenuity in Action Stainless Steel Sink Finishes Sink Colors Faucet Finishes Care and Cleaning	R-1 R-2 R-3 R-4 R-5
Product Overview Lustertone® Classic Crosstown® Quartz Luxe® Quartz Classic® Fireclay Asana® Custom Stainless Solutions Residential FIltration	R-7 R-11 R-14 R-17 R-20 R-22 R-23 R-24
Stainless Single Bowl Undermount Sinks Lusterone Iconix Stainless MultiBowl	R-25 R-26
Undermount Sinks Lusterone Iconix	
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown	R-26
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown Stainless Single Bowl Drop-in Sinks Lusterone Classic	R-26 R-79 R-80 R-124

Fireclay Fireclay	R-197 R-198
Bathroom Sinks	R-204
Drains and Accessories Drains	R-211 R-212
Dayton [®]	R-241
Dayton®	R-242
Accessories	R-265
Terms and Conditions	Inside Back Cover

Reserve Selection Elkay's Reserve Selection is an exclusive,

handpicked assortment of sinks sold through Elkay traditional wholesale distribution partners and their showrooms.

Sinks include: Lustertone Iconix (R-11, R-73), Quartz Luxe with Perfect Drain (R-26, R-235) and Fireclay workstation sink kits (R-32, R-271).

Note: Reserve Selection includes sinks and sink kits. Accessories sold separately are not part of Reserve Selection and can be purchased online.

Sink Quick Reference Guide

Practical Ingenuity in Action



Perfect Drain®

Sinks featuring the Elkay Perfect Drain[®] have a seamless look and feel. The edgeless design eliminates the collar around the drain for a cleaner sink. Food has nowhere to go but down the drain.



Aqua Divide[™]

Elkay sinks featuring Aqua Divide[™] offer flexibility at the sink. They have a low center wall that allows pan handles to extend over the middle. Use it as two separate bowls or fill the sink high with water to wash larger items, like baking sheets, across both bowls.



Water Deck[™]

Sinks featuring Water Deck[™] have a lowered faucet deck that directs water into the sink. This helps to keep the countertop dry and prevents mold and residue from building up. Available on Crosstown sinks.



Workstation Sinks

Available in stainless steel, fireclay or quartz, our workstations sinks are designed to fit all kitchen styles and are engineered for convenience. Slide custom accessories along the built-in ledge to streamline kitchen tasks and maximize your workspace. Accessories transform your sink into your ideal workstation.




Interchangeable Apron[™]

Our exclusive interchangeable apron offers the stylish look of a farmhouse sink with the ability to change the color and material of the apron from day to night, or whenever the mood strikes you. Available for select Crosstown sinks; sink and interchangeable aprons sold separately.

Did you know?

Sinks with tight corners and a flat bottom provide more usable space in the bowl. They generally hold more than sinks with wide corners, and items like wine glasses are less likely to tip over and break.



Stainless Steel Sink Finishes

(See individual sink SKUs for finish availability.)



Lustrous Satin

This striking uniform finish is scratch resistant to heavy-duty use. Deep scratches are repairable with an Elkay stainless steel restoration kit. The fine linear grain reflects light evenly for high shine. Available on Lustertone Classic sinks.



Hammered Mirror

Mirrored stainless steel is the base for this finish that features a random hammered pattern that is achieved by hand.



Luminous Satin

A resilient finish that is scratch resistant, standing up to everyday use. Deep scratches are repairable. The linear grain radiates the light. Available on Lustertone lconix sinks.



Polished Satin

A soft, linear grain provides a radiant finish. Available on Crosstown sinks.



Brushed Satin A light, linear grain lends a subdued, casual feel to this finish. Available on Celebrity sinks.



Rugged Texture A semireflective finish of bold, random semicircles is applied by hand for a unique texture and look.

Sink Colors

(See individual sink SKUs for color availability.)

Quartz Luxe





Caviar (CA)

Charcoal (CH) Chestnut (CN)

Quartz Classic







Bisque (BQ)

Black (BK)

Dusk Gray (GY)





Jubilee (JB)

Maraschino (MA) Mint Creme (MT)









Greige (GR)

Greystone (GS)

Mocha (MC)





Parchment (PA)

Ricotta (RT)

Silvermist (SM)





Putty (PT)

White (WH)

Fireclay









White (WH)

Faucet Finishes

(See individual faucet SKUs for finish availability.)



Antique Steel (AS)



Black Stainless (BK)



Black Stainless/Chrome (BK/CR)



Brushed Nickel (NK)



Chrome (CR)



Lustrous Steel (LS)



Matte Black (MB)



Matte Black/Chrome (MB/CR)



Oil-rubbed Bronze (RB)



Polished Nickel (PN)



Satin Stainless Steel (SSS)

Care and Cleaning

For complete care and cleaning guides, visit helpcenter.elkay.com and select the "Sinks (Commercial & Residential)" module to view our comprehensive care and cleaning guides.

General Sink Care and Cleaning

- For daily cleaning, use an ordinary mild detergent and soft cloth to rinse and dry the sink to prevent buildup of mineral deposits from the water. **DO NOT** use steel wool pads.
- Soft abrasive cleaners may be used when necessary (blue Scotch-Brite[™] Non-Scratch pads). **DO NOT** use strong abrasive cleaners (green Scotch-Brite pads) as they will scratch and dull the surface.
- It is recommended to use an Elkay bottom grid or rinsing basket to protect your sink. **DO NOT** use dish mats as these can trap soap and dirt making sink maintenance more time-consuming and susceptible to cultivating harmful bacteria.
- Run cold water while pouring boiling water into sink.
- Avoid storing open containers of household cleaners and chemicals that have chloride beneath the sink: bleach, acid, drain cleaners and toilet bowl cleaner. Vapor emission from chlorides can cause corrosion and pitting to the exposed stainless steel and other metals, such as faucet water supply lines.
- **DO NOT** leave standing water in your sink, especially if the water contains anything that could stain the sink (i.e. coffee or tea).

Stainless Steel Sinks

- **DO NOT** use steel soap pads, steel wool or wire brushes; particles can adhere to a stainless steel sink surface and will eventually rust. If an abrasive pad must be used, Elkay recommends the blue Scotch-Brite Non-Scratch pads.
- **DO NOT** use cleaners containing ammonia, bleach or other harsh chemicals. Chemicals containing chlorides (bleach) are particularly damaging to stainless. If used, rinse the surface immediately to prevent corrosion.



Care and Cleaning

Quartz Sinks

- Use mild abrasive cleaners to clean your quartz sink. Strong abrasive cleaners can dull the color and finish of your sink.
- **DO NOT** use abrasive pads like steel wool or wire brushes, as these can damage the finish of the sink. The only abrasive Elkay recommends is the blue Scotch-Brite Non-Scratch scrub sponge.
- Stubborn stains and water marks can be wiped with the eraser pad in Elkay's cleaning kit or a Mr. Clean[®] Magic Eraser either with water or a 50/50 white vinegar and water solution. Towel dry with a cotton cloth.
- **DO NOT** leave dirty dishes, coffee grounds or other staining materials in your quartz sink as they can negatively impact the color and finish of your sink.

Fireclay Sinks

- For difficult stains, a 50/50 water-bleach solution or nonabrasive cleaners (follow cleaner manufacturer's instructions) can be used. Rinse and towel dry the sink afterward. **DO NOT** leave bleach or bleach solution sitting in the sink.
- **DO NOT** set hot pans directly into sink.
- Though fireclay sinks are resilient, they can be chipped or cracked with metal or stone objects. Use caution and never throw or drop anything into a fireclay sink.
- Stubborn stains and water marks can be wiped with the eraser pad in Elkay's cleaning kit or a Mr. Clean[®] Magic Eraser either with water or a 50/50 white vinegar and water solution. Towel dry with a cotton cloth.

General Faucet Care and Cleaning

- For daily cleaning, wipe faucet well with a damp cloth and dry thoroughly with a soft towel. Drying helps prevent water spots.
- **DO NOT** use cleaning products containing ammonia, bleach, alcohol or other harsh chemicals. **DO NOT** use any form of abrasives (e.g. abrasive sponges or steel wool), which are damaging to metal surfaces.
- Faucet spray faces may become dirty over time. But with Elkay's easy-clean rubber spray face, simply run a finger against it to get it clean. Recommended daily.

Chrome Faucets

• For chrome-finished faucets, common household cleaners (e.g. dish soap) can be used. However, cleaners should be rinsed off thoroughly and the faucet should be dried.

Oil-rubbed Bronze Faucets

• For oil-rubbed bronze faucets, Windex[®] Original can be used. However, cleaners should be rinsed off thoroughly and the faucet should be dried.





Finish



up to 12"



Perfect Drain

(Select models)



Stainless Steel

Construction

LUSTERTONE® CLASSIC

The versatile look and durability of stainless steel has made it a popular choice for decades. Elkay's Lustertone Classic sink has a fine linear grain and lustrous finish which reflects light evenly for a high shine. Sinks have a rich, uniform finish that is scratch resistant to heavy-duty use. For deeper scratches, Elkay offers a stainless steel restoration kit. Elkay's Lustertone Classic sinks are proudly built in the USA.

Features vary by model:

- Select from undermount, drop-in, dual mount and farmhouse models
- Sound-deadening pad(s) minimizes sound and vibration for a quieter time at the sink
- Select models available as value kits with drain(s) and bottom grid(s) included; DBG suffix
- Available in ADA depths





Undermount Double Bowl Sinks



LKHSR2509RPD R-93, R-155



LKHSR33229PD R-93, R-156



ELUH31229RPD R-94



ELUHAQD3218 R-97



ELUHAQD32179 R-97



ELUH3116 R-98



ELUH3220PD R-104



ELUH3120RPD R-106



ELUH3119L R-108



ELUH3118PD R-113





ELUH311810L R-115



Drop-in Single Bowl Sinks



LRS3322 R-115



LR3122PD R-131



LSR2722 R-40, R-133



LR2522PD R-134



DLR252212 R-136



LR2521 R-138



LR2222 R-140



LR2219PD R-141



LR2022 R-143



LR1919PD R-144





LR1918 R-147



BLR15 R-152





LKHSR2509RPD R-87, R-168



LR1722PD

R-147

LKHSR33229PD R-87, R-169



LR1720 R-149

LR3322PD

R-169



LR1716 R-150



LR1517 R-151



LR3321 R-179

LR3319 R-173




LR2922 R-174



DLR251910 R-175





up to 10"



Polished Satin

Finish

Sound

Deadening

CROSSTOWN®

The ultimate mix of beauty, function and contemporary styling. Tight corners, combined with creased accent lines in the sink bowl, offer a fresh geometric aesthetic that makes an impact in any kitchen or bar area. Features vary by model:

• Choose from undermount, drop-in, dual mount and farmhouse models

Construction

- Available in 15 mm (5/8") or zero radius (90°) corners
- Select undermount models available with Water Deck, a lowered faucet deck that directs water into sink
- Ultrathin Slim Rim[™] design on dual mount models virtually eliminates the barrier between the sink and counter for a clean drop-in design
- Workstation models have built-in ledge to accommodate included, custom accessories: wood cutting board, wood-handled colander, roll-up drying rack, bottom grid and drain
- Interchangeable Apron offers the option to change the color and material of the apron; compatible with select sinks
- Select models available as value kits with a drain and bottom grid(s) included; C or DBG suffix
- · Available in ADA depths



ECTRUF30179RC R-28

Farmhouse Double Bowl Sinks



ECTRUF32179RC

R-76



ECTRUFA32179C

R-76



ECTRUFA32179 R-76

Undermount Single Bowl Sinks



ECTRU35179TC R-31



EFRU311610TC R-32



ECTRU30179RTC R-33



EFU281610TC

R-38

EFU211510TC R-52



EFRU211510TC R-53



EFRU2816TC

R-38

EFRU2115TC R-53



EFRU281610TC

R-39

ECTRU21179TC R-54



ECTRU24179RTC


R-46

EFRU191610T R-55



ECTRU17179TC R-57











Colors



Protection



Stain

Resistant



Heat Safe



Scratch Resistant

QUARTZ LUXE®

Featuring a variety of striking colors that make a statement, Quartz Luxe is a great way to achieve beautiful aesthetic in your space. But these sinks are beyond attractive – they're exceptionally tough, and like our Quartz Classic sinks, designed with hygiene in mind. With Luxe, though, you get a tighter formulation of ultrafine, rounded particles. This creates an ultrasmooth, nonporous surface that resists, dirt, food and stains. Features vary by model:

- Select from undermount, drop-in, dual mount, farmhouse and workstation models
- · Dual mount sinks can be installed as an undermount or drop-in
- Proprietary manufacturing process combines natural quartz with high-performance acrylic resins
- UV-stable resins retain their rich color over time
- Hard enough to resist scratches and chips, but resilient enough to reduce breakage of glassware and fine dinnerware
- Prescored faucet holes for easy faucet installation
- Bowl depths up to 10"
- Natural sound-dampening properties minimize noise
- Quartz Luxe sinks with Perfect Drain are part of Elkay's Reserve Selection (see Table of Contents for details)





ELX2522 R-182

Drop-in Double Bowl Sinks



ELX250R R-171



ELXLB3322 R-169

Quartz Luxe Sink Colors (Select Models)



Caviar (CA)



Charcoal (CH)



Chestnut (CN)



Jubilee (JB)

Maraschino (MA)



Mint Creme (MT)






Ricotta (RT)



Silvermist (SM)



QUARTZ CLASSIC®

Our original quartz sinks have a smooth surface and UV-stable colors with a visible depth to the structure. They offer the look of authentic stone. Quartz offers durability and the option of adding an unexpected pop of color to the kitchen. Features vary by model:

- Select from undermount, drop-in and dual mount models
- Dual mount sinks can be installed as an undermount or drop-in
- · Laundry and ADA-compliant sinks available
- · Molded from natural quartz and high-performance acrylic resins
- UV-stable resins retain their color over time
- Hard enough to resist scratches and chips, but resilient enough to reduce breakage of glassware and fine dinnerware
- Prescored faucet holes for easy faucet installation
- Nonporous surface prevents stains, is hygienic and easy to clean
- Bowl depths up to 10"
- · Natural sound-dampening properties minimize noise

Undermount Single Bowl Sinks



ELXRU13322 R-173



ELX1616 R-174, C-92



ELGU251912PD R-185



ELGU2522 R-185



ELX2522 R-175, R-181



R-186

Undermount Double Bowl Sinks



ELGU250R R-176



ELG3322 R-177



ELXH3322R R-177





ELGU3322C R-178, C-96

ELGU3322 R-188



ELGHU3322R R-173

Drop-in Single Bowl Sinks



ELGS3322R R-175



ELG1616 R-180



ELG252212PD R-186



ELG3322 R-191













Farmhouse Models

Reversible Design

Beautifully Finished

Quiet

Durable

FIRECLAY

From traditional décor to cozy urban design, fireclay sinks have timeless appeal. They offer long-lasting durability and shine. Features vary by model:

- Molded from fireclay for either a glossy glaze or a striking matte gray
- Available as undermount, farmhouse and workstation
- Farmhouse models available in a reversible style, offering the option of a traditional flat apron front or an apron front with a decorative bar feature across the front
- Bowl depths up to 9-5/8"
- Dense material naturally dampens sound and reduces condensation
- Fireclay workstation sink kits are part of Elkay's Reserve Selection (see Table of Contents for details)

ELKAY.

Farmhouse Sinks





SWUF28179 R-194

SWUF2520 R-195



SWUF32189 R-197



SWUF3320 R-198

Undermount Sink



SWU1517 R-196







up to 8"



Dual Mount Models

Limited Lifetime Warranty

ASANA®

Introduce inspired beauty into the bathroom. With a choice of either crisp lines or smooth curves, Asana creates a compelling presence without overpowering the senses. Features vary by model:

- Available in undermount, drop-in, dual mount or vessel models
- Dual mount sinks can be installed as either undermount or drop-in
- 16-, 18- or 20-gauge stainless steel
- Sound-deadening materials minimize sound and vibration









Location

14 gauge

16 gauge

Gauge



Bowl Configuration

CUSTOM STAINLESS SOLUTIONS

Can't find what you're looking for? Whether you need a sink modification or a custom sink, Elkay can help. We are America's No. 1 selling kitchen sink company. Put our experience to work for you.

Sink Modifications

- Select SKUs from our catalog may be modified
- Only die-drawn, machine-driven products
- 18 gauge; Type 304 or Type 316

Custom Fabrication

- Hand-fabricated sinks and sink tops for residential and commercial applications
- One piece seamlessly crafted to your specifications
- 14 or 16 gauge; Type 304 or Type 316



Download custom or modification forms at elkay.com/custom.

ELKAY.



RESIDENTIAL FILTRATION

Elkay provides homes with clean drinking water and addresses a wide range of household needs. A sustainable solution to cleaner water is available and it utilizes Elkay's innovative purification technology, high efficiency and outstanding quality.





WSP35000

STAINLESS SINGLE BOWL UNDERMOUNTS

Lustertone Iconix Single Bowl Undermount ELUHH3017TPD






OFFSET DRAIN

Drain placement provides more usable space on the bottom of the sink and in the cabinet below. *Available on select models.*

FORGIVING FINISH

Finish is scratch resistant, standing up to everyday use. Deep scratches are repairable. Grain radiates light for a luminous look.



LUSTERTONE ICONIX

ENGINEERED FOR STYLE

The corners of a Lustertone lconix sink are engineered to give you a modern look. They also make the sink easy to clean.

SLEEK MODERN DESIGN

The clean lines of this modern sink add a touch of sophistication to the kitchen.

FORGIVING FINISH

Finish offers scratch forgiveness, standing up to everyday use. Deep scratches are repairable with an Elkay[®] stainless restoration kit.

HIGHLIGHTED SATIN

A brightly polished rim around the top of the bowl provides a beautiful, crowning touch.

EXCLUSIVELY ELKAY®

The edgeless design of our Perfect Drain® eliminates the gap around the drain for a cleaner, more hygienic sink. Food and waste go right down the drain.

> 16 or 18 gauge 304 type

STAINLESS STEEL CONSTRUCTION

Premium 16- and 18-gauge thickness and Type 304 stainless steel for immense durability, performance and beauty.



EFRUFF3417RDBG



- Dimensions: 35-7/8" x 20-1/4" x 9"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

EFRUFF3417R




- •Dimensions: 35-7/8" x 20-1/4" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

CS60CWK



- •Dimensions: 59-1/2" x 20-1/2" x 10"
- 16 gauge
- •Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom




Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" Single Bowl Tall Farmhouse Sink Kit


Includes: EFRUFF3417R sink, CTXFBG3316 bottom grid, LKDD deep strainer drain

Ship dims: 40" x 25" x 12" Approx. ship weight: 59 lbs.

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" Single Bowl Tall Farmhouse Sink



Elkay Circuit Chef Stainless Steel 59-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Cherry Wood Boards



Includes: CS60LC Large Colander, CS60BG Bottom Grid, CS60CW Cherry Wood Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a custom cabinet for installation and a 1/2" reveal in order for the cutting board to sit flush with the countertop. Built in USA

Extended Lead Time

Ship dims: 61-5/16" x 22-3/16" x 14-5/8" **Approx. ship weight:** 95 lbs.



CS60BPK



- •Dimensions: 59-1/2" x 20-1/2" x 10"
- •16 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom

CS60WPK



- •Dimensions: 59-1/2" x 20-1/2" x 10"
- 16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom

CS45CWK




- •Dimensions: 45-1/2" x 20-1/2" x 10"
- 16 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- •48" minimum cabinet size

Elkay Circuit Chef Stainless Steel 59-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Black Polymer Boards

Elkay Circuit Chef Stainless Steel 59-1/2" x 20-1/2" x 10", Single Bowl

Undermount Sink Kit with White Polymer Boards



Includes: CS60LC Large Colander, CS60BG Bottom Grid, CS60BP Black Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a custom cabinet for installation and a 1/2" reveal in order for the cutting board to sit flush with the countertop. Built in USA

Extended Lead Time

Ship dims: 61-5/16" x 22-3/16" x 14-5/8" **Approx. ship weight:** 95 lbs.


5 (127mm) (127mm)

Includes: CS60LC Large Colander, CS60BG Bottom Grid, CS60WP White Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a custom cabinet for installation and a 1/2" reveal in order for the cutting board to sit flush with the countertop.

Built in USA Extended Lead Time

Ship dims: 61-5/16" x 22-3/16" x 14-5/8" **Approx. ship weight:** 95 lbs.

Elkay Circuit Chef Stainless Steel 45-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Cherry Wood Boards



Includes: CS3045SC Small Colander, CS45BG Bottom Grid, CS45CW Cherry Wood Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop. Built in USA

Extended Lead Time

Ship dims: 47-3/16" x 22-3/16" x 14-1/4" **Approx. ship weight:** 76 lbs.

ELKAY

CS45BPK



- •Dimensions: 45-1/2" x 20-1/2" x 10"
- 16 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Full spray sides and bottom
- •48" minimum cabinet size

CS45WPK



- •Dimensions: 45-1/2" x 20-1/2" x 10"
- •16 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Full spray sides and bottom
- •48" minimum cabinet size


EFU411510DBT



- •Dimensions: 43-1/2" x 18-1/4" x 10"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •48" minimum cabinet size

Undermount Sink Kit with White Polymer Boards Includes: CS3045SC Small Colander, (127mm) 5" (127mm) A

Elkay Circuit Chef Stainless Steel 45-1/2" x 20-1/2" x 10", Single Bowl




CS45BG Bottom Grid, CS45WP White Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop. **Built in USA**

Extended Lead Time

Ship dims: 47-3/16" x 22-3/16" x 14-1/4" Approx. ship weight: 76 lbs.

43-1/2" (1105mm) 41" (1041mm) 20" (508mm) 21" (533mm) CTXBG1914 Drain 18-1/4" (464mm) LKDD 15-3/4" LK35 (400mm)



Single Bowl Undermount Sink

Special Note: Zero radius sink features tight corners.


Optional Accessories

Bottom grid

Elkay Crosstown 16 Gauge Stainless Steel, 43-1/2" x 18-1/4" x 10"

Ship dims: 19-15/16" x 12-3/16" x 49-7/8" Approx. ship weight: 35 lbs.

Elkay Circuit Chef Stainless Steel 45-1/2" x 20-1/2" x 10", Single Bowl **Undermount Sink Kit with Black Polymer Boards**



Includes: CS3045SC Small Colander, CS45BG Bottom Grid, CS45BP Black Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop. **Built in USA**

Extended Lead Time

Ship dims: 47-3/16" x 22-3/16" x 14-1/4" Approx. ship weight: 76 lbs.



CS30CWK



- Dimensions: 32-1/2" x 20-1/2" x 10"
- 16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- •36" minimum cabinet size

CS30BPK




- Dimensions: 32-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- •36" minimum cabinet size

CS30WPK



- •Dimensions: 32-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- •36" minimum cabinet size

Elkay Circuit Chef Stainless Steel 32-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Cherry Wood Boards




Includes: CS3045SC Small Colander, CS30BG Bottom Grid, CS30CW Cherry Wood Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop. Built in USA

Extended Lead Time

Ship dims: 34-5/16" x 22-3/16" x 15-1/2" **Approx. ship weight:** 60 lbs.

Elkay Circuit Chef Stainless Steel 32-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Black Polymer Boards




Includes: CS3045SC Small Colander, CS30BG Bottom Grid, CS30BP Black Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop. Built in USA

Extended Lead Time

Ship dims: 34-5/16" x 22-3/16" x 15-1/2" **Approx. ship weight:** 60 lbs.

Elkay Circuit Chef Stainless Steel 32-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with White Polymer Boards



Includes: CS3045SC Small Colander, CS30BG Bottom Grid, CS30WP White Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop. Built in USA

Extended Lead Time

Ship dims: 34-5/16" x 22-3/16" x 15-1/2" **Approx. ship weight:** 60 lbs.




EFRU30169RTWC



- Dimensions: 31-1/2" x 18-1/2" x 9"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening • Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Workstation

ECTRU30169RTWC



1/2" x 9", Single Bowl Undermount Sink Kit

Includes: CTXBG2814 bottom grid, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, LKDD drain


Ship dims: 37-3/16" x 25-13/16" x 12-1/2" Approx. ship weight: 49 lbs.

Elkay Crosstown 18 Gauge Workstation Stainless Steel, 31-1/2" x 18-1/2" x 9" Single Bowl Undermount Sink Kit

Elkay Crosstown 16 Gauge Workstation Stainless Steel 31-1/2" x 18-



- •Dimensions: 31-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- •Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Workstation



9" (229mm) R9/16" (15mm)

Includes: CTXBG2814 bottom grid, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, LKDD drain

Ship dims: 37-3/16" x 25-13/16" x 12-1/2" Approx. ship weight: 46 lbs.




DLSR272210PD



- •Dimensions: 27" x 22" x 10"
- •18 gauge
- •Lustertone finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •30" minimum cabinet size
- Features: Perfect Drain, Slim Rim

Elkay Lustertone Classic Stainless Steel 27" x 22" x 10", Single Bowl Dual Mount Sink with Perfect Drain

Elkay Crosstown 18 Gauge Workstation Stainless Steel, 25-1/2" x 18-



Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWBG2416SS **Cutting board** CB1713 CBS1316 **Rinsing basket** LKWRB2416SS LKWERBSS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 25 lbs.

ECTRU24169RTWC




- Dimensions: 25-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
 30" minimum cabinet size
- 30 minimum cabinet si
- Features: Workstation

EFU211510T



- Dimensions: 23-1/2" x 18-1/4" x 10"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads




1/2" x 9" Single Bowl Undermount Sink Kit

Includes: CTXBG2214 bottom grid, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, LKDD drain

Ship dims: 30-1/8" x 25-13/16" x 12-7/8" **Approx. ship weight:** 43 lbs.

Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink



Special Note: Zero radius sink features tight corners.

Optional Accessories

Bottom grid CTXOBG1914

- Drain
- LKDD
- LK35
- **Ship dims:** 19-15/16" x 12-13/16" x 29-7/8" **Approx. ship weight:** 30 lbs.



CTXF134179RC



- Dimensions: 35-7/8" x 20-5/16" x 9"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size
- · Features: Interchangeable Apron

CTXF134179R




- Dimensions: 35-7/8" x 20-5/16" x 9"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size
- Features: Interchangeable Apron

ECTRUF30179RC



- Dimensions: 35-7/8" x 20-1/4" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown Stainless Steel 33-7/8" x 17" x 9" Single Bowl Farmhouse Sink Kit for Interchangeable Apron




Includes: CTXF134179R sink, CTXFBG3316 grid, one LKDD drain Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately. Optional Accessories

Drain

LK995 LK35 Ship dims: 39-1/2" x 24" x 12" Approx. ship weight: 45 lbs.

Elkay Crosstown Stainless Steel 33-7/8" x 17" x 9" Single Bowl Farmhouse Sink for Interchangeable Apron



Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately.

Optional Accessories

Bottom grid CTXFBG3316

Drain


LKDD

LK99S

LK35

Ship dims: 39-1/2" x 24" x 12" **Approx. ship weight:** 45 lbs.

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", Single Bowl Farmhouse Sink Kit



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag. Optional Accessories Bottom grid

CTXBG2916 Ship dims: 38-3/4" x 28-3/8" x 11-1/4" Approx. ship weight: 45 lbs.



ECTRUF30179R

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", Single Bowl Farmhouse Sink



- Dimensions: 35-7/8" x 20-1/4" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

ELUHFS2816DBG




- Dimensions: 33" x 20-1/2" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

ELUHFS2816




- Dimensions: 33" x 20-1/2" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size




Optional Accessories Bottom grid CTXBG2916 Drain LKDD LK35 LK99S Ship dims: 38-3/4" x 28-3/8" x 11-1/4" Approx. ship weight: 40 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 8", Single Bowl Farmhouse Sink Kit



Includes: ELUHFS2816 sink, LKWOBG2816SS bottom grid, LK99 drain Built in USA Optional Accessories Cutting board CB1713* CBS1316* Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 36 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 8", Single Bowl Farmhouse Sink



Made in USA Optional Accessories Bottom grid LKWOBG2816SS Cutting board CB1713* CB51316* Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 30 lbs. *1/2" sink reveal required for proper fit.



ELUHF2520DBG




- Dimensions: 25" x 20-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

ELUHF2520



- Dimensions: 25" x 20-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 20-1/2" x 7-7/8", Single Bowl Farmhouse Sink Kit




Includes: ELUHF2520 sink, LKWOBG2115SS bottom grid, LK99 drain Built in USA Optional Accessories Cutting board CB1516* Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 28 lbs.

*1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 25" x 20-1/2" x 7-7/8", Single Bowl Farmhouse Sink



Made in USA Optional Accessories Bottom grid LKWOBG211555 Cutting board CB1516* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 25 lbs.

*1/2" sink reveal required for proper fit.



ECTRU35179TC



- Dimensions: 36-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 39" minimum cabinet size

ECTRU35179T



- Dimensions: 36-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 39" minimum cabinet size

ECTSRS33229TBG



- Dimensions: 33" x 22" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5, FR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

t (127mm) R9/16" (159mm) 16-3/4" (425mm) (

Includes: ECTSRS33229T Sink, CTXBG2915 Bottom Grid

Ship dims: 44" x 25-9/16" x 10-13/16"

Approx. ship weight: 37 lbs.

Optional Accessories

Optional Accessories Bottom grid

CTXBG3416 Drain

LKDD LK35

Drain LKDD LK35 Ship dims: 38" x 24-1/2" x 10-13/16" Approx. ship weight: 34 lbs.




Elkay Crosstown Stainless Steel 36-1/2" x 18-1/2" x 9", Single Bowl

17" (432mm)

9" (229mm)

Elkay Crosstown Stainless Steel 33" x 22" x 9", Single Bowl Dual

18-1/2" (470mm)





Undermount Sink

35" (889mm)

36-1/2" (927mm)

5" (127mm)

> R9-16" (15mm)

Mount Sink Kit

R9-16" (15mm) Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag. Optional Accessories Cutting board

LKCBF17HW Ship dims: 44-5/8" x 26-1/16" x 10-1/16" Approx. ship weight: 42 lbs.





EFRU311610TC




- Dimensions: 32-1/2" x 18" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

EFRU311610T



- Dimensions: 32-1/2" x 18" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 32-1/2" x 18" x 10", Single Bowl Undermount Sink Kit




Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board

LKCBF2816HW Ship dims: 37-1/2" x 26-1/16" x 12-1/16" Approx. ship weight: 32 lbs.

Elkay Crosstown 16 Gauge Stainless Steel 32-1/2" x 18" x 10", Single Bowl Undermount Sink

10" (254mm)



R9/16" (15mm) Optional Accessories Bottom grid CTXBG2914 Drain LKDD LK35 Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 36 lbs.



ECTRU30179RTC



- Dimensions: 31-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

ECTRU30179RT



- Dimensions: 31-1/2" x 18-1/2" x 9"
- 18 gauge

- •

5" (127mm) 5 (127mm) 17 (432mm) R9-16" (15mm) 18-1/2" (470mm) + 30" (762mm) 31-1/2" (800mm




Undermount Sink Kit

Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag. **Optional Accessories Cutting board**

LKCBF17HW Ship dims: 37-1/2" x 26-1/16" x 10-1/16" Approx. ship weight: 42 lbs.

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", Single Bowl **Undermount Sink**

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", Single Bowl



Optional Accessories Bottom grid CTXBG2815 Drain LKDD LK35 Ship dims: 38-9/16" x 25-3/16" x 10-13/16" Approx. ship weight: 37 lbs.

Polished Satin finish	


- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size .

PODUH2816



- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening •
- · Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Pursuit Stainless Steel 30-1/2" x 18-1/2" x 7-1/2", Single Bowl **Undermount Outdoor Sink**



(229mm

R9-16" (15mm)



Special Note: Made with Type 316 Stainless Steel Made in USA **Optional Accessories Bottom grid** LKWOBG2816SS **Cutting board** CB1713 CBS1316 Drain LK335 LK372 Ship dims: 23-5/16" x 9-13/16" x 38-15/16" Approx. ship weight: 19 lbs.



ELUH2816PDBG



- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size
- Features: Perfect Drain

ELUH2816PD




- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size
- Features: Perfect Drain

ELUH2816DBG



- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size


Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 7-1/2", Single Bowl Undermount Sink Kit w/Perfect Drain



LKWOBG2816SS bottom grid, one LKPD1 Perfect Drain and strainer. Built in USA Optional Accessories Cutting board CB1713* CBS1316* Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 29 lbs. *1/2" sink reveal required for proper fit.


Includes: ELUH2816PD sink, one

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 7-1/2", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. **Built in USA** Models also available with ADA depths **Optional Accessories** Bottom grid LKWOBG2816SS **Cutting board** CB1713* CBS1316* Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 24 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 7-1/2", Single Bowl Undermount Sink Kit



Includes: ELUH2816 sink, LKWOBG2816SS bottom grid, LK99 drain Built in USA Optional Accessories Cutting board CB1713* CBS1316* Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 25 lbs. *1/2" sink reveal required for proper fit.





- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

ELUH281610PDBG




- Dimensions: 30-1/2" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size
- · Features: Perfect Drain

ELUH281610PD



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size
- Features: Perfect Drain



Models also available with ADA depths **Optional Accessories Bottom grid** LKWOBG2816SS **Cutting board** CB1713* CBS1316* **Drain** LK99 **Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 22 lbs.

*1/2" sink reveal required for proper fit.

5" 18.1/2" (470mm) 16" 1-3/4" R (44mm) 28" (44mm) 30-1/2" 10" (775mm) 11-1/2" (284mm) 11-1/2" (224mm) (224mm)

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink Kit with Perfect Drain

Includes: ELUH281610PD sink, one LKWOBG2816SS bottom grid, one LKPD1 Perfect Drain and strainer. Built in USA

- **Optional Accessories**
- Cutting board CB1713*

CBS1316*

Drain


LKPDVR18B

LKDS99 LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 32 lbs.

*1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink with Perfect Drain



1-3/4" R (44mm) (254mm) (292mm) (292mm) Includes: One LKPD1 Perfect Drain and strainer. Built in USA Optional Accessories Bottom grid LKWOBG2816SS Cutting board CB1713* CBS1316* Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 26 lbs.

*1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 7-1/2", Single Bowl Undermount Sink

Made in USA



ELUH281610DBG



- Dimensions: 30-1/2" x 18-1/2" x 10"
- . 18 gauge
- Lustrous Satin finish
- . 3-1/2" (89mm) drain opening
- · Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

ELUH281610



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening •
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

ELUH281612DBG



- Dimensions: 30-1/2" x 18-1/2" x 11-1/2"
- 18 gauge •
- Lustrous Satin finish •
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size




Made in USA **Optional Accessories Bottom grid** LKWOBG2816SS **Cutting board** CB1713* CBS1316* Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 25 lbs. *1/2" sink reveal required for proper fit.

1-3/4" R (44mm) (254mm)


Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 11-1/2", Single Bowl Undermount Sink Kit

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 10",



LKWOBG2816SS bottom grid, LK99 drain **Built in USA Optional Accessories Cutting board** CB1713* CBS1316* Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 29 lbs. *1/2" sink reveal required for proper fit.

Includes: ELUH281612 sink.



Single Bowl Undermount Sink Kit

Includes: ELUH281610 sink, LKWOBG2816SS bottom grid, LK99 drain **Built in USA Optional Accessories Cutting board** CB1713* CBS1316* Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 29 lbs.

*1/2" sink reveal required for proper fit.





- Dimensions: 30-1/2" x 18-1/2" x 11-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

PLAFRU281610




- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

PLAUH281612




- Dimensions: 30-1/2" x 18-1/2" x 11-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 11-1/2", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2816SS Cutting board CB1713* CBS1316* Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 27 lbs. *1/2" sink reveal required for proper fit.

Elkay Pursuit Stainless Steel 30-1/2" x 18-1/2" x 10", Single Bowl Undermount Laundry Sink



Special Note: Made with Type 316 Stainless Steel

Optional Accessories Cutting board LKCBF2816HW Drain LK335 LK372 Ship dims: 19-15/16" x 12-13/16" x 38-5/8" Approx. ship weight: 32 lbs.



Elkay Pursuit Stainless Steel 30-1/2" x 18-1/2" x 11-1/2", Single Bowl Undermount Laundry Sink

 1-3/4" R
 1-3/4" R

 (44mm)
 16"

 30.1/2"
 30.1/2"

 (715mm)
 11-1/2"

 (28"
 11-1/2"

 (24" R
 (28")

 (715mm)
 11-1/2"

 (290mm)
 11-1/2"

Steel Made in USA Optional Accessories Bottom grid LKWOBG2816SS Cutting board CB1713 CBS1316 Drain LK335

Special Note: Made with Type 316 Stainless

LK372 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 23 lbs.



EFU281610TC

Elkay Crosstown 16 Gauge Stainless Steel, 30-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink Kit



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

EFU281610T




- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

EFRU2816TC



- Dimensions: 30-1/2" x 18-1/2" x 8"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size






Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag. Special Note: Zero radius sink features tight corners. Optional Accessories Cutting board

Cutting board

LKCBF2816HW Ship dims: 37-1/2" x 26-1/16" x 12-1/16" Approx. ship weight: 37 lbs.

Elkay Crosstown 16 Gauge Stainless Steel, 30-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink



Special Note: Zero radius sink features tight corners. Optional Accessories

Optional Acce Bottom grid CTXBG2614


- Drain
- LKDD

LK35

Ship dims: 19-15/16" x 12-13/16" x 38-5/8" **Approx. ship weight:** 32 lbs.

Elkay Crosstown 16 Gauge Stainless Steel 30-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink Kit

10" (254mm)



9/16" (15mm) **Includes:** Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Cutting board LKCBF2816HW Ship dims: 37-1/2" x 26-1/16" x 10-1/16"

Approx. ship weight: 36 lbs.



EFRU2816T

Elkay Crosstown 16 Gauge Stainless Steel 30-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink



- Dimensions: 30-1/2" x 18-1/2" x 8"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

EFRU281610TC




- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

EFRU281610T




- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size



9/16" (15mm) Optional Accessories Bottom grid CTXBG2614 Drain LKDD LK35 Ship dims: 19-15/16" x 12-13/16" x 38-5/8" Approx. ship weight: 32 lbs.

Elkay Crosstown 16 Gauge Stainless Steel, 30-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink Kit

8" (209mm)




Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Cutting board LKCBF2816HW Ship dims: 37-1/2" x 26-1/16" x 12-1/16" Approx. ship weight: 43 lbs.



Elkay Crosstown 16 Gauge Stainless Steel, 30-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink



R9/16" (254mm)

Optional Accessories

Bottom grid CTXBG2614 Drain LKDD LK35

Ship dims: 19-15/16" x 12-13/16" x 29-7/8" **Approx. ship weight:** 38 lbs.



LSR2722




- Dimensions: 27" x 22" x 8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom
- pads
- 30" minimum cabinet size
- Features: Slim Rim

DLSR272210




- Dimensions: 27" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- Features: Slim Rim

Elkay Lustertone Classic Stainless Steel 27" x 22" x 8", Single Bowl Dual Mount Sink



Made in USA Optional Accessories Bottom grid LKWBG2416SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 25 lbs.

Elkay Lustertone Classic Stainless Steel 27" x 22" x 10", Single Bowl Dual Mount Sink





Made in USA Optional Accessories Bottom grid LKWBG2416SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 25 lbs.




ELUH2416PD



- Dimensions: 26-1/2" x 18-1/2" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- Features: Perfect Drain

ELUH2416



Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWOBG2416SS **Cutting board** CB1713* CBS1316* Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 25 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 26-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink

Elkay Lustertone Classic Stainless Steel 26-1/2" x 18-1/2" x 8",

Single Bowl Undermount Sink with Perfect Drain




- Dimensions: 26-1/2" x 18-1/2" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

ELUH241610PD




- Dimensions: 26-1/2" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- Features: Perfect Drain



Made in USA Optional Accessories Bottom grid LKWOBG2416SS Cutting board CB1713* CBS1316* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 23 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 26-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. Built in USA Optional Accessories Bottom grid LKWOBG2416SS Cutting board CB1713* CBS1316* Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 25 lbs.

*1/2" sink reveal required for proper fit.





- Dimensions: 26-1/2" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

ELUH2317PD



- Dimensions: 25-1/2" x 19-1/4" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- Features: Perfect Drain

5' (127mm) 19-1/4" (489mm) 16-3/4" R (44mm) 25-1/2" (648mm) 25-1/2" (648mm) 1-3/4" R (203mm) 9-1/2" (241mm)

ss Steel 25-1/2" x 19-1/4" x 8", th Perfect Drain Includes: One LKPD1 Perfect Drain and strainer. Built in USA Optional Accessories Bottom grid LKWOBG2317SS Cutting board LKCB2317HW Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-13/16" x 26-7/16" x 12-11/16" Approx. ship weight: 25 lbs.

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

*1/2" sink reveal required for proper fit.


Approx. ship weight: 23 lbs.

ELUH2317L



- Dimensions: 25-1/2" x 19-1/4" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2317LSS Cutting board LKCB2317HW* Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 31-3/16" Approx. ship weight: 20 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 8", Single Bowl Undermount Sink with Perfect Drain

Elkay Lustertone Classic Stainless Steel 26-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink

Made in USA Optional Accessories

Bottom grid


LKWOBG2416SS

Cutting board

CB1713* CBS1316*

Drain

LK99





ELUH2317R

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 8", Single Bowl Undermount Sink



- Dimensions: 25-1/2" x 19-1/4" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH2317




- Dimensions: 25-1/2" x 19-1/4" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH231710PD




- Dimensions: 25-1/2" x 19-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- Features: Perfect Drain




Made in USA Optional Accessories Bottom grid LKWOBG2317RSS Cutting board LKCB2317HW* Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 31-3/16" Approx. ship weight: 20 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2317SS Cutting board LKCB2317HW* Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 31-3/16" Approx. ship weight: 20 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 10", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. Built in USA Optional Accessories Bottom grid LKWOBG2317SS Cutting board LKCB2317HW Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-13/16" x 26-7/16" x 14-3/16" Approx. ship weight: 25 lbs.



ELUH231710L



- Dimensions: 25-1/2" x 19-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH231710R




- Dimensions: 25-1/2" x 19-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH231710



- Dimensions: 25-1/2" x 19-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size




Single Bowl Undermount Sink

Made in USA Optional Accessories Bottom grid LKWOBG2317LSS Cutting board LKCB2317HW* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 23 lbs. *1/2" sink reveal required for proper fit.


Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 10", Single Bowl Undermount Sink

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 10",



Made in USA Optional Accessories Bottom grid LKWOBG2317RSS Cutting board LKCB2317HW* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 23 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 10", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2317SS Cutting board LKCB2317HW* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 23 lbs. *1/2" sink reveal required for proper fit.

ELKAY


ELUH231712L

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 12", Single Bowl Undermount Sink



- Dimensions: 25-1/2" x 19-1/4" x 12"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH231712R



Made in USA Optional Accessories Bottom grid LKWOBG2317LSS Cutting board LKCB2317HW* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 26 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 12", Single Bowl Undermount Sink

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 12",



- Dimensions: 25-1/2" x 19-1/4" x 12"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size


5" (127mm) 5" (127mm) 19-1/4" (489mm) 16-3/4" (425mm) 16-3/4" (425mm) (425mm) (425mm) 1-3/4" R (305mm) (44mm)

Made in USA Optional Accessories Bottom grid LKWOBG2317RSS Cutting board LKCB2317HW* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 26 lbs. *1/2" sink reveal required for proper fit.

ELUH231712



- Dimensions: 25-1/2" x 19-1/4" x 12"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size



Single Bowl Undermount Sink

Made in USA Optional Accessories Bottom grid LKWOBG2317SS Cutting board LKCB2317HW* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 26 lbs. *1/2" sink reveal required for proper fit.



ECTRU24179RTC

Elkay Crosstown Stainless Steel 25-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink Kit

5" (127mm)

> 17" (432mm)

> > 18-1/2" (470mm)

5" (127mm)

> 24" (609mm)

25-1/2" (648mm)

R9-16" (15mm)

R9-16" (15mm)

(229mm)



- Dimensions: 25-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 30" minimum cabinet size

ECTRU24179RT



R9-16" (229mm) R9-16" (229mm) R9-16" (15mm) R9-16" (127mm) (127mm)

Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag. Optional Accessories

Cutting board LKCBF17HW Ship dims: 30-7/16" x 26-1/16" x 10-1/16" Approx. ship weight: 36 lbs.

Elkay Crosstown Stainless Steel 25-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink

Optional Accessories Bottom grid CTXBG2215 Drain LKDD LK35 Ship dims: 32-11/16" x 25-9/16" x 10-13/16" Approx. ship weight: 31 lbs.


- Dimensions: 25-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 30" minimum cabinet size

ECTSRAD25226TBG

Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit



- Dimensions: 25" x 22" x 6"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 30" minimum cabinet size



Includes: ECTSRAD25226T Sink, CTXBG2115 Bottom Grid ADA Compliant Optional Accessories Drain LKAD35 LK35 Ship dims: 33" x 24-1/2" x 13"

Approx. ship weight: 24 lbs.



ECTSR25229TBG

Elkay Crosstown Stainless Steel 25" x 22" x 9", Single Bowl Dual **Mount Sink Kit**



- ٠ Dimensions: 25" x 22" x 9"
- ٠ 18 gauge
- Polished Satin finish ٠
- Available in 1, 2, 3, 4, 5 faucet holes
- 3-1/2" (89mm) drain opening ٠
- Sound deadening: Sound Guard
- 30" minimum cabinet size

ELUH2118PD




- Dimensions: 23-5/8" x 21-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- Features: Perfect Drain

ELUH2118DBG




- Dimensions: 23-5/8" x 21-1/4" x 7-1/2"
- ٠ 18 gauge
- ٠ Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size



Includes: ECTSR25229T Sink, CTXBG2115 Bottom Grid **Optional Accessories** Drain LKDD LK35 Ship dims: 33" x 24-1/2" x 13" Approx. ship weight: 24 lbs.


Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 7-1/2", Single Bowl Undermount Sink with Perfect Drain



7-1/2" | (191mm) 9" (228mm) 2" R (51mm)

Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWOBG2118SS **Cutting board** CB2213 **Rinsing basket** LKWERBSS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 14 lbs.

Elkay Lustertone Classic Stainless Steel, 23-5/8" x 21-1/4" x 7-1/2", **Single Bowl Undermount Sink**





Includes: ELUH2118 sink, LKWOBG2118SS bottom grid, LK99 drain **Built in USA Optional Accessories Cutting board** CB2213* **Rinsing basket** LKWERBSS **Ship dims:** 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 19 lbs.

*1/2" sink reveal required for proper fit.





- Dimensions: 23-5/8" x 21-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH211810PD




- Dimensions: 23-5/8" x 21-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- Features: Perfect Drain

ELUH211810DBG




- Dimensions: 23-5/8" x 21-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 7-1/2", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2118SS Cutting board CB2213* Rinsing basket LKWERBSS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 14 lbs. *1/2" sink reveal required for proper fit.


Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 10", Single Bowl Undermount Sink with Perfect Drain





Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWOBG2118SS **Cutting board** CB2213 **Rinsing basket LKWERBSS** Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 19 lbs.

Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 10", Single Bowl Undermount Sink Kit



Includes: ELUH211810 sink, LKWOBG2118SS bottom grid, LK99 drain Built in USA Optional Accessories Cutting board CB2213* Rinsing basket LKWERBSS Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 19 lbs. *1/2" sink reveal required for proper fit.






- Dimensions: 23-5/8" x 21-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

PLAUH2115




- Dimensions: 23-1/2" x 18-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 10", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2118SS Cutting board CB2213* Rinsing basket LKWERBSS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 19 lbs. *1/2" sink reveal required for proper fit.

Elkay Pursuit Stainless Steel 23-1/2" x 18-1/4" x 7-1/2", Single Bowl Undermount Laundry Sink





Special Note: Made with Type 316 Stainless Steel

Made in USA Optional Accessories Bottom grid LKWOBG2115SS Cutting board CB1516 Drain LK335 LK372 Ship dims: 19-9/16" x 9-13/16" x 29-7/16" Approx. ship weight: 15 lbs.



PLAUH211510




- Dimensions: 23-1/2" x 18-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH2115PD



- Dimensions: 23-1/2" x 18-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- Features: Perfect Drain

Undermount Laundry Sink Spec (127mm) 1-3/4" R (44mm) (400mm) (400mm)




Special Note: Made with Type 316 Stainless Steel Made in USA Optional Accessories Bottom grid LKWOBG2115SS Cutting board CB1516* Drain LK335 LK372 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 18 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 7-1/2", Single Bowl Undermount Sink with Perfect Drain

strainer.

Elkay Pursuit Stainless Steel 23-1/2" x 18-1/4" x 10", Single Bowl



Built in USA Models also available with ADA depths Optional Accessories Bottom grid LKWOBG2115SS Cutting board CB1516* Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 20 lbs. *1/2" sink reveal required for proper fit.


Includes: One LKPD1 Perfect Drain and

ELUH2115DBG



- Dimensions: 23-1/2" x 18-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 7-1/2", Single Bowl Undermount Sink Kit





Includes: ELUH2115 sink, LKWOBG2115SS bottom grid, LK99 drain Built in USA Optional Accessories Cutting board CB1516* Ship dims: 19-9/16" x 9-13/16" x 29-7/16" Approx. ship weight: 20 lbs. *1/2" sink reveal required for proper fit.





- Dimensions: 23-1/2" x 18-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH211510PD




- Dimensions: 23-1/2" x 18-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- Features: Perfect Drain


ELUH211510DBG



- Dimensions: 23-1/2" x 18-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size




Made in USA



Models also available with ADA depths Optional Accessories Bottom grid LKWOBG2115SS Cutting board CB1516* Drain LK99 Ship dims: 19-9/16" x 9-13/16" x 29-7/16" Approx. ship weight: 14 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 10", Single Bowl Undermount Sink with Perfect Drain






Includes: One LKPD1 Perfect Drain and strainer.

Built in USA Optional Accessories Bottom grid LKWOBG2115SS Cutting board CB1516* Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 22 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 10", Single Bowl Undermount Sink Kit





Includes: ELUH211510 sink, LKWOBG2115SS bottom grid, LK99 drain Built in USA Optional Accessories Cutting board CB1516* Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 23 lbs. *1/2" sink reveal required for proper fit.





- Dimensions: 23-1/2" x 18-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH211512




- Dimensions: 23-1/2" x 18-1/4" x 12"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

EFU211510TC




- Dimensions: 23-1/2" x 18-1/4" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 10", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2115SS Cutting board CB1516* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 17 lbs. *1/2" sink reveal required for proper fit.


Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 12", Single Bowl Undermount Sink



Made in USA Models also available with ADA depths Optional Accessories Bottom grid LKWOBG2115SS Cutting board CB1516* Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 18 lbs.

*1/2" sink reveal required for proper fit.

Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink Kit



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Special Note: Zero radius sink features tight corners.

Optional Accessories

Cutting board

LKCBF2115HW Ship dims: 30-7/16" x 26-1/16" x 12-1/16" Approx. ship weight: 34 lbs.



EFRU211510T

Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink



- Dimensions: 23-1/2" x 18-1/4" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

EFRU2115TC




- Dimensions: 23-1/2" x 18-1/4" x 8"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

EFRU211510TC



- Dimensions: 23-1/2" x 18-1/4" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size






Optional Accessories

Bottom grid CTXOBG1914 Drain LKDD LK35 Ship dims: 19-15/16" x 12-13/16" x 29-7/8" Approx. ship weight: 28 lbs.

Elkay Crosstown 16 Gauge Stainless Steel 23-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink Kit




Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board LKCBF2115HW Ship dims: 30-7/16" x 26-1/16" x 12-1/16" Approx. ship weight: 29 lbs.



Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink Kit



R9/16" (254mm)

Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Cutting board LKCBF2115HW Ship dims: 30-7/16" x 26-1/16" x 10-1/16" Approx. ship weight: 32 lbs.



EFRU2115T


Elkay Crosstown 16 Gauge Stainless Steel 23-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink



- Dimensions: 23-1/2" x 18-1/4" x 8"
- 16 gauge
- Polished Satin finish

ECTRU21179TC

- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size




Optional Accessories Bottom grid CTXOBG1914 Drain LKDD LK35 Ship dims: 19-15/16" x 12-13/16" x 29-7/8" Approx. ship weight: 24 lbs.

0

- Dimensions: 22-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

Undermount Sink Kit Includes: Custom fit bottom grid, deep

Elkay Crosstown Stainless Steel 22-1/2" x 18-1/2" x 9", Single Bowl



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board

LKCBF17HW

Ship dims: 30-7/16" x 26-1/16" x 12-1/16" **Approx. ship weight:** 30 lbs.



ECTRU21179T



- Dimensions: 22-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

PLAFRU191610




- Dimensions: 21-1/2" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

EFRU191610T



- Dimensions: 21-1/2" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size




Undermount Sink

Optional Accessories Bottom grid (470mm) CTXBG1915

Drain LKDD LK35 Ship dims: 30" x 25-9/16" x 10-13/16" Approx. ship weight: 25 lbs.

Elkay Pursuit Stainless Steel 21-1/2" x 18-1/2" x 10", Single Bowl Undermount Laundry Sink

Elkay Crosstown Stainless Steel 22-1/2" x 18-1/2" x 9", Single Bowl




Steel Optional Accessories Cutting board LKCBF1916HW Drain LK335 LK372 Ship dims: 19-15/16" x 12-13/16" x 29-7/8"

Special Note: Made with Type 316 Stainless

Approx. ship weight: 28 lbs.

Elkay Crosstown 16 Gauge Stainless Steel, 21-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink





Optional Accessories

Bottom grid CTXBG1815 Drain LKDD LK35 Ship dims: 19-15/16" x 12-13/16" x 29-7/8" Approx. ship weight: 27 lbs.





- Dimensions: 21-1/2" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH191612




- Dimensions: 21-1/2" x 18-1/2" x 12"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

ELUH1814PD




- Dimensions: 20-1/2" x 16-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 21-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink Kit




Made in USA Optional Accessories Cutting board CB1713* CBS1316* Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 16 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 21-1/2" x 18-1/2" x 12", Single Bowl Undermount Sink



Made in USA Optional Accessories Cutting board CBS1316* Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 17 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel, 20-1/2" x 16-1/2" x 7-7/8", Single Bowl Undermount Sink with Perfect Drain





Includes: One LKPD1 Perfect Drain and strainer. Built in USA Optional Accessories Cutting board CBS1418* Rinsing basket LKWRB1418SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx.ship weight: 17 lbs.

*1/2" sink reveal required for proper fit.






- Dimensions: 20-1/2" x 16-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size

ECTRU17179TC



- Dimensions: 18-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 24" minimum cabinet size

Elkay Crosstown Stainless Steel 18-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink Kit



R9-16" (15mm)

(229mm)

Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag. **Optional Accessories**

Ship dims: 20-13/16" x 9-5/16" x 27-15/16"

*1/2" sink reveal required for proper fit.

Approx. ship weight: 13 lbs.

- Cutting board
- LKCBF17HW


Ship dims: 26-1/16" x 24" x 10-1/16" **Approx. ship weight:** 30 lbs.

ECTRU17179T



- Dimensions: 18-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 24" minimum cabinet size

Elkay Crosstown Stainless Steel 18-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink



Optional Accessories

Bottom grid CTXBG1515 Drain

LKDD

LK35

Ship dims: 25-9/16" x 25-9/16" x 10-13/16" **Approx. ship weight:** 25 lbs.

Elkay Lustertone Classic Stainless Steel 20-1/2" x 16-1/2" x 7-7/8", Single Bowl Undermount Sink

Made in USA Optional Accessories

CBS1418*


Drain

LK99

Cutting board

Rinsing basket

LKWRB1418SS





ELUH1616DBG



- Dimensions: 18-1/2" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size

ELUH1616




- Dimensions: 18-1/2" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size

ELUH16FBDBG




- Dimensions: 18-3/8" x 18-3/8" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
 Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 18-1/2" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink Kit



Includes: ELUH1616 sink, LKWOBG1616SS bottom grid, LK99 drain Built in USA Optional Accessories Cutting board CB1713* CBS1316* Rinsing basket LKWRB1316SS Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 19 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 18-1/2" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink




Made in USA

Models also available with ADA depths Optional Accessories Bottom grid LKWOBG1616SS Cutting board CB1713* CBS1316* Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 12 lbs.

*1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Undermount Sink Kit





Includes: ELUH16FB sink, LKWRBG16SS bottom grid, LK99 drain Built in USA Optional Accessories Rinsing basket LKWRBG16SS Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 17 lbs.



ELUH16FB



- Dimensions: 18-3/8" x 18-3/8" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

ELUH16




- Dimensions: 18-3/8" x 18-3/8" x 8"
- 18 gauge
- Lustrous Satin finish
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

PODUH141810




- Dimensions: 16-1/2" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size


Elkay Lustertone Classic Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWRBG16SS Rinsing basket LKWRBG16SS Drain LK99 Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 15 lbs.


Elkay Asana Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Undermount Bathroom Sink





Made in USA

Elkay Pursuit Stainless Steel 16-1/2" x 20-1/2" x 9-7/8", Single Bowl Undermount Outdoor Sink





Special Note: Made with Type 316 Stainless Steel Made in USA Optional Accessories Bottom grid LKWOBG1418SS Cutting board CBS1418 Rinsing basket LKWRB1418SS Drain LK335 LK372

Ship dims: 26-1/4" x 24-1/4" x 12-1/2" **Approx. ship weight:** 13 lbs.




ELUH1418PD



- Dimensions: 16-1/2" x 20-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 7-7/8", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. **Built in USA** Models also available with ADA depths **Optional Accessories Bottom grid** LKWOBG1418SS **Cutting board** CBS1418* **Rinsing basket** LKWRB1418SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 17 lbs. *1/2" sink reveal required for proper fit.

ELUH1418DBG



- Dimensions: 16-1/2" x 20-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

ELUH1418



- Dimensions: 16-1/2" x 20-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

(127mm) (127mm) (127mm) (127mm) (137mm) (457mm) (457mm) (457mm) (521mm) (521mm) (521mm) (521mm) Cutto Cutto

16-1/2" (419mm) (449mm) (44mm) (44mm) (200mm)


Single Bowl Undermount Sink Kit

Includes: ELUH1418 sink, LKWOBG1418SS bottom grid, LK99 drain Built in USA Optional Accessories Cutting board CBS1418* Rinsing basket LKWRB1418SS Ship dims: 23-5/16" x 9-13/16" x 23-3/16" Approx. ship weight: 17 lbs.

*1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel, 16-1/2" x 20-1/2" x 7-7/8", Single Bowl Undermount Sink

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 7-7/8",



1-3/4" R (44mm) (44mm)

Made in USA Optional Accessories Bottom grid LKWOBG1418SS Cutting board CBS1418* Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 23-3/16" Approx. ship weight: 16 lbs. *1/2" sink reveal required for proper fit.



ELUH141810PD



- ٠ Dimensions: 16-1/2" x 20-1/2" x 9-7/8"
- ٠ 18 gauge
- ٠ Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size
- Features: Perfect Drain

ELUH141810DBG



- Dimensions: 16-1/2" x 20-1/2" x 9-7/8" ٠
- ٠ 18 gauge
- Lustrous Satin finish ٠
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom ٠ pads
- 21" minimum cabinet size


4-3/4" (121mm) 18" (457mm) 19-1/2" (495mm) 1-3/4" R (44mm) (356mm) 15-1/2" (394mm) 9-7/8" (251mm) 11-1/2" (292mm) 1-3/4" R (44mm)

strainer. **Built in USA Optional Accessories Bottom grid** LKWOBG1418SS **Cutting board** CBS1418* **Rinsing basket** LKWRB1418SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 26-1/4" x 24-1/4" x 14" Approx. ship weight: 15 lbs.

Includes: One LKPD1 Perfect Drain and

*1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel, 16-1/2" x 20-1/2" x 9-7/8", **Single Bowl Undermount Sink Kit**




Includes: ELUH141810 sink, LKWOBG1418SS bottom grid, LK99 drain **Built in USA Optional Accessories Cutting board** CBS1418* **Rinsing basket** LKWRB1418SS Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 17 lbs. *1/2" sink reveal required for proper fit.

ELUH141810



- Dimensions: 16-1/2" x 20-1/2" x 9-7/8"
- ٠ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- ٠ Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 9-7/8", **Single Bowl Undermount Sink**



LKWRB1418SS Drain LK99

Made in USA

Optional Accessories Bottom grid LKWOBG1418SS **Cutting board** CBS1418* **Rinsing basket** Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 17 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 9-7/8", Single Bowl Undermount Sink with Perfect Drain



SCF16FBSH



- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Hammered Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

SCF16FBSM




- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

SCF16FBSR




- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Rugged Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Hammered Mirror




Optional Accessories Bottom grid LKWRBG14SS Drain LK99 Ship dims: 25-3/16" x 9-5/8" x 22-13/16" Approx. ship weight: 14 lbs.

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Mirror



Optional Accessories Bottom grid LKWRBG14SS Drain LK99 Ship dims: 25-11/16" x 9-7/8" x 22-5/8" Approx. ship weight: 10 lbs.

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Rugged Textured



Optional Accessories Bottom grid

LKWRBG14SS Drain LK99 Ship dims: 26-1/8" x 22-1/2" x 9-5/8" Approx. ship weight: 9 lbs.



EFU131610TC



- Dimensions: 16" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 21" minimum cabinet size

EFU131610T




- Dimensions: 16" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 21" minimum cabinet size

(10^m) (13-1/2" (13/3mm) (13-1/2" (127mm) (127mm) (127mm) (18-1/2" (406mm) (468mm) (468mm)

Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag. Special Note: Zero radius sink features tight corners. Optional Accessories Cutting board LKCBF1316HW Ship dims: 26-1/16" x 24" x 12-1/16" Approx. ship weight: 24 lbs.

Elkay Crosstown 16 Gauge Stainless Steel 16" x 18-1/2" x 10", Single Bowl Undermount Sink



Special Note: Zero radius sink features tight corners.


Optional Accessories Bottom grid CTXBG1214 Drain LKDD LK35 Ship dims: 17-15/16" x 12-3/16" x 26-7/8" Approx. ship weight: 19 lbs.

EFRU131610T



- Dimensions: 16" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 21" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 16" x 18-1/2" x 10", Single Bowl Undermount Sink



Optional Accessories

Bottom grid CTXBG1214 Drain

LKDD

LK35

Ship dims: 17-15/16" x 26-7/8" x 12-3/16" Approx. ship weight: 20 lbs.

Elkay Crosstown 16 Gauge Stainless Steel 16" x 18-1/2" x 10", Single Bowl Undermount Sink Kit




ELUH1316PDBG



- Dimensions: 16" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink Kit with Perfect Drain




Includes: ELUH1316PD sink, one LKWOBG1316SS bottom grid, one LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Cutting board** CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 16 lbs. *1/2" sink reveal required for proper fit.




ELUH1316PD



- Dimensions: 16" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size
- Features: Perfect Drain






Includes: One LKPD1 Perfect Drain and strainer. **Built in USA** Models also available with ADA depths **Optional Accessories Bottom grid** LKWOBG1316SS **Cutting board** CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 13 lbs. *1/2" sink reveal required for proper fit.

ELUH1316DBG



- Dimensions: 16" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink Kit



bottom grid, LK99 drain Built in USA Optional Accessories Cutting board CB1613* CB51316* Rinsing basket LKWRB1316SS Ship dims: 19-5/16" x 9-5/16" x 24-15/16" Approx. ship weight: 15 lbs. *1/2" sink reveal required for proper fit.

Includes: ELUH1316 sink, LKWOBG1316SS

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink with Perfect Drain



ELUH1316



- Dimensions: 16" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

SCUH1416SH




- Dimensions: 16" x 18" x 7-1/2"
- 18 gauge
- Hammered Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

ECTSR15159TBG




- Dimensions: 15" x 15" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 18" minimum cabinet size
- Features: Slim Rim

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink



Made in USA Models also available with ADA depths **Optional Accessories** Bottom grid LKWOBG1316SS **Cutting board** CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1316SS Drain I K99 Ship dims: 19-5/16" x 9-5/16" x 24-15/16" Approx. ship weight: 12 lbs. *1/2" sink reveal required for proper fit.


Elkay Stainless Steel 16" x 18" x 7-1/2", Single Bowl Undermount Bar Sink





Optional Accessories Cutting board CB1516 Rinsing basket LKWERBSS Drain LK99 Ship dims: 26-1/8" x 22-1/2" x 9-5/8" Approx. ship weight: 10 lbs.

Elkay Crosstown Stainless Steel 15" x 15" x 9", Single Bowl Dual Mount Sink Kit



Includes: ECTSR15159T Sink, CTXBG118 Bottom Grid

Optional Accessories

Drain LKDD LK35 Ship dims: 33" x 24-1/2" x 13" Approx. ship weight: 19 lbs.

ELKAY

ELUH1212PD



- Dimensions: 14-1/2" x 14-1/2" x 7"
- ٠ 18 gauge
- ٠ Lustrous Satin finish
- ٠ 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size ٠
- Features: Perfect Drain

ELUH1212




- Dimensions: 14-1/2" x 14-1/2" x 7"
- 18 gauge ٠
- Lustrous Satin finish ٠
- 3-1/2" (89mm) drain opening ٠
- ٠ Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

ELUH129DBG



- Dimensions: 14-1/2" x 11-3/4" x 7"
- ٠ 18 gauge
- Lustrous Satin finish
- 2" (51mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14-1/2" x 14-1/2" x 7", **Single Bowl Undermount Sink with Perfect Drain**



strainer. **Built in USA Optional Accessories Cutting board** CB912 **Rinsing basket** LKWRB1209SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 23-11/16" x 19-15/16" x 12-11/16" Approx. ship weight: 13 lbs.


Includes: One LKPD1 Perfect Drain and

Elkay Lustertone Classic Stainless Steel 14-1/2" x 14-1/2" x 7", **Single Bowl Undermount Sink**

Made in USA


Optional Accessories

Cutting board




CB912* **Rinsing basket** LKWRB1209SS Drain I K99 Ship dims: 16-5/16" x 9-3/16" x 21-7/16" Approx. ship weight: 10 lbs. *1/2" sink reveal required for proper fit.

Models also available with ADA depths



Elkay Lustertone Classic Stainless Steel 14-1/2" x 11-3/4" x 7", **Single Bowl Undermount Bar Sink Kit**



Includes: ELUH129 sink, LKWBG1209SS bottom grid, LK36 drain **Built in USA Optional Accessories Cutting board** CB912* **Rinsing basket** LKWRB1209SS Ship dims: 16-5/16" x 9-3/16" x 21-7/16" Approx. ship weight: 9 lbs. *1/2" sink reveal required for proper fit.



ELUH129



- Dimensions: 14-1/2" x 11-3/4" x 7"
- 18 gauge
- Lustrous Satin finish
- 2" (51mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

ELUH12FBDBG




- Dimensions: 14-3/8" x 14-3/8" x 6"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

ELUH12FB



- Dimensions: 14-3/8" x 14-3/8" x 6"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14-1/2" x 11-3/4" x 7", Single Bowl Undermount Bar Sink



Made in USA Optional Accessories Bottom grid LKWBG1209SS Cutting board CB912* Rinsing basket LKWRB1209SS Drain LK36 Ship dims: 16-5/16" x 9-3/16" x 21-7/16" Approx. ship weight: 7 lbs. *1/2" sink reveal required for proper fit.

Elkay Lustertone Classic Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Undermount Sink Kit






Includes: ELUH12FB sink, LKWRBG12SS bottom grid, LK99 drain ADA Compliant Built in USA

Ship dims: 24-1/4" x 19-3/4" x 9-1/2" **Approx. ship weight:** 9 lbs.

Elkay Lustertone Classic Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Undermount Sink





ADA Compliant Made in USA Optional Accessories Bottom grid LKWRBG12SS Drain LK99 LKAD35 Ship dims: 23-5/16" x 19-9/16" x 9-1/16" Approx. ship weight: 10 lbs.

ELKAY.

ELUH12





- Dimensions: 14-3/8" x 14-3/8" x 6"
- 18 gauge
- Lustrous Satin finish
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

ELUH1113DBG




- Dimensions: 14-1/4" x 15-3/4" x 5-15/16"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

ELUH1113




- Dimensions: 14-1/4" x 15-3/4" x 5-15/16"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size



ADA Compliant Made in USA Optional Accessories Drain LK36 Ship dims: 23-5/16" x 19-9/16" x 9-1/16" Approx. ship weight: 9 lbs.


Elkay Lustertone Classic Stainless Steel, 14-1/4" x 15-3/4" x 5-15/16", Single Bowl Undermount Sink Kit



Includes: ELUH1113 sink, LKWOBG1113SS bottom grid, LK99 drain ADA Compliant Built in USA

Ship dims: 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.

Elkay Lustertone Classic Stainless Steel, 14-1/4" x 15-3/4" x 5-15/16", Single Bowl Undermount Sink



(25mm)

ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1113SS Drain LK99 LKAD35 Ship dims: 23-1/2" x 19-3/4" x 8-1/2" Approx. ship weight: 8 lbs.



SCUH1212SH



- Dimensions: 14-1/8" x 14-1/8" x 6-1/2"
- 18 gauge
- Hammered Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 18" minimum cabinet size

ELUH1116DBG




- Dimensions: 14" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

ELUH1116




- Dimensions: 14" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

Elkay Stainless Steel 14-1/8" x 14-1/8" x 6-1/2", Single Bowl Undermount Bar Sink



Optional Accessories Drain LK99 Ship dims: 26-1/8" x 8-3/4" x 23-3/8" Approx. ship weight: 8 lbs.


Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink Kit



Includes: ELUH1116 sink, LKWOBG1116SS bottom grid, LK99 drain Built in USA

Ship dims: 19-5/16" x 9-5/16" x 24-15/16" **Approx. ship weight:** 14 lbs.

Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink



1-3/4" R (44mm) Made in USA Optional Accessories Bottom grid LKWOBG1116SS Drain LK99 Ship dims: 19-5/16" x 9-5/16" x 24-15/16" Approx. ship weight: 11 lbs.



ELUH1317DBG



- Dimensions: 14" x 17-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

ELUH1317




- Dimensions: 14" x 17-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

ECTRU12179TC



- Dimensions: 13-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 18" minimum cabinet size


Elkay Lustertone Classic Stainless Steel 14" x 17-1/2" x 7-1/2", Single Bowl Undermount Sink Kit



Includes: ELUH1317 sink, LKWOBG1115SS bottom grid, LK99 drain Built in USA


Ship dims: 18-13/16" x 9-11/16" x 21-3/16" Approx. ship weight: 13 lbs.

Elkay Lustertone Classic Stainless Steel 14" x 17-1/2" x 7-1/2", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG1115SS Drain LK99 Ship dims: 18-13/16" x 9-11/16" x 21-3/16" Approx. ship weight: 11 lbs.

Elkay Crosstown Stainless Steel 13-1/2" x 18-1/2" x 9", Single Bowl Undermount Bar Sink Kit



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag. **Optional Accessories**

Cutting board

LKCBF17HW Ship dims: 26-1/16" x 24" x 12-1/16" Approx. ship weight: 22 lbs.



ECTRU12179T



- Dimensions: 13-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 18" minimum cabinet size

ECTSR13169TBG




- Dimensions: 13" x 16" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 18" minimum cabinet size
- Features: Slim Rim

SCUH1012SH




- Dimensions: 12" x 14" x 6-1/2"
- 18 gauge
- Hammered Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 15" minimum cabinet size

Elkay Crosstown Stainless Steel 13-1/2" x 18-1/2" x 9", Single Bowl Undermount Bar Sink




Optional Accessories Bottom grid CTXBG1015 Drain LKDD LK35 Ship dims: 20-11/16" x 25-9/16" x 10-13/16" Approx. ship weight: 17 lbs.


Elkay Crosstown Stainless Steel 13" x 16" x 9", Single Bowl Dual Mount Sink Kit



Includes: ECTSR13169T Sink, CTXBG99 Bottom Grid Optional Accessories Drain LKDD LK35 Ship dims: 19-15/16" x 23-11/16" x 10-11/16" Approx. ship weight: 15 lbs.



Elkay Stainless Steel 12" x 14" x 6-1/2", Single Bowl Undermount Bar Sink



Optional Accessories Cutting board CB912 Drain LK99 Ship dims: 12" x 14" x 6-1/2" Approx. ship weight: 6 lbs.




EFRU718T



- Dimensions: 10" x 20-1/2" x 6"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 15" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 10" x 20-1/2" x 6", Single Bowl Undermount Sink



ADA Compliant Optional Accessories Bottom grid CTXBG617 Drain LKAD35 LK35 Ship dims: 26" x 10" x 9" Approx. ship weight: 11 lbs.

STAINLESS MULTIBOWLS UNDERMOUNTS

50

0

Crosstown Workstation ECTRU30169RTWC



Flat bottom offers more space inside, and means glassware is less likely to tip over. The slightly rounded corners make the sink easy to clean, while the creased accent lines in the bowl give the sink a professional appearance. The innova

The innovative built-in sink ledge was designed to streamline kitchen tasks with our customers' needs in mind. Effortlessly go from meal prep to cleaning up by sliding accessories along the ledge.

CROSSTOWN



Sound-deadening material minimizes sound and vibration for a quieter time at the sink.



ECTRUF32179RC



- Dimensions: 35-7/8" x 20-1/4" x 9"
- ◆18 gauge
- Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size

ECTRUFA32179C




- •Dimensions: 35-7/8" x 20-1/4" x 9"
- ♦18 gauge
- Polished Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size
- •Features: Aqua Divide

ECTRUF32179R



- •Dimensions: 35-7/8" x 20-1/4" x 9"
- 18 gauge
- Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size


Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", 60/40 Double Bowl Farmhouse Sink Kit



Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Ship dims: 38-3/4" x 28-3/8" x 11-1/4" **Approx. ship weight:** 47 lbs.


Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", Equal Double Bowl Farmhouse Sink Kit with Aqua Divide



Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Ship dims: 38-3/4" x 28-3/8" x 11-1/4" **Approx. ship weight:** 47 lbs.

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", 60/40 Double Bowl Farmhouse Sink



Optional Accessories

Drain LKDD LK35 LK99S Ship dims: 38-3/4" x 28-3/8" x 11-1/4" Approx. ship weight: 42 lbs.




DLSR272210PD



- Dimensions: 27" x 22" x 10"
- 18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •30" minimum cabinet size
- Features: Perfect Drain, Slim Rim

Elkay Lustertone Classic Stainless Steel 27" x 22" x 10", Single Bowl Dual Mount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWBG2416SS **Cutting board** CB1713 CBS1316 **Rinsing basket** LKWRB2416SS **LKWERBSS** Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 25 lbs.

ECTRU24169RTWC




- •Dimensions: 25-1/2" x 18-1/2" x 9"
- •18 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •30" minimum cabinet size
- Features: Workstation

EFU211510T



- Dimensions: 23-1/2" x 18-1/4" x 10" • 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •27" minimum cabinet size


Elkay Crosstown 18 Gauge Workstation Stainless Steel, 25-1/2" x 18-1/2" x 9" Single Bowl Undermount Sink Kit



Includes: CTXBG2214 bottom grid, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, LKDD drain

Ship dims: 30-1/8" x 25-13/16" x 12-7/8" **Approx. ship weight:** 43 lbs.

Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink



Special Note: Zero radius sink features tight corners.

- Optional Accessories
- Bottom grid CTXOBG1914
- Drain
- LKDD
- LK35

Ship dims: 19-15/16" x 12-13/16" x 29-7/8" **Approx. ship weight:** 30 lbs.



CTXF234179C




- •Dimensions: 35-7/8" x 20-5/16" x 9"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Interchangeable Apron

CTXFA34179C



- •Dimensions: 35-7/8" x 20-5/16" x 9"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
 36" minimum cabinet size
- Features: Aqua Divide, Interchangeable Apron

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-5/16" x 9" Double Bowl Farmhouse Sink Kit for Interchangeable Apron




Includes: CTXF234179 sink, CTXFBG1316 grid, CTXFBG1816 grid, two LKDD drains Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately.

Optional Accessories

Drain LK99S LK35 Ship dims: 39-1/2" x 24" x 12" Approx. ship weight: 56 lbs.

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-5/16" x 9" Double Bowl Farmhouse Sink Kit with Aqua Divide for Interchangeable Apron



Includes: CTXFA34179 sink, two CTXFBG1516 grids, two LKDD drains Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately.

Optional Accessories

Drain LK99S LK35 Ship dims: 39-1/2" x 24" x 12"

Approx. ship weight: 55 lbs.



CTXF234179




- •Dimensions: 35-7/8" x 20-5/16" x 9"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Interchangeable Apron

CTXFA34179



- •Dimensions: 35-7/8" x 20-5/16" x 9"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Aqua Divide, Interchangeable Apron

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-5/16" x 9" Double Bowl Farmhouse Sink for Interchangeable Apron




Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately.

Optional Accessories

Bottom grid CTXFBG1816 CTXFBG1316 Drain LKDD LK99S LK35 Ship dims: 39-1/2" x 24" x 12" Approx. ship weight: 49 lbs.

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-5/16" x 9" Double Bowl Farmhouse Sink with Aqua Divide for Interchangeable Apron



Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately.

Optional Accessories Bottom grid CTXFBG1516 Drain LKDD LK99S LK35

Ship dims: 39-1/2" x 24" x 12" **Approx. ship weight:** 47 lbs.



EFRUFF23417DBG

- Dimensions: 35-7/8" x 20-1/4" x 9"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

EFRUFFA3417DBG




- Dimensions: 35-7/8" x 20-1/4" x 9"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- 36" minimum cabinet size • Features: Aqua Divide


EFRUFF23417



- •Dimensions: 35-7/8" x 20-1/4" x 9"
- •16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size




Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9"



Includes: EFRUFF23417 sink, CTXFBG1316 bottom grid, CTXFBG1816 bottom grid, two LKDD deep strainer drains

Ship dims: 40" x 25" x 12" Approx. ship weight: 59 lbs.


Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" Equal Double Bowl Tall Farmhouse Sink Kit with Aqua Divide



Includes: EFRUFFA3417 sink, two CTXFBG1516 bottom grids, two LKDD deep strainer drains

Ship dims: 40" x 25" x 12" Approx. ship weight: 59 lbs.

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" Double Bowl Tall Farmhouse Sink





EFRUFFA3417



- Dimensions: 35-7/8" x 20-1/4" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Aqua Divide

ECTSRO33229RTBG




- •Dimensions: 33" x 22" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Slim Rim

EFRUAQ31169TWC




- •Dimensions: 31-1/2" x 18-1/2" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" Equal Double Bowl Tall Farmhouse Sink with Aqua Divide



Optional Accessories Bottom grid CTXFBG1516 Drain LKDD LK35 LK99 Ship dims: 40" x 25" x 12" Approx. ship weight: 45 lbs.


Elkay Crosstown 18 Gauge Stainless Steel 33" x 22" x 9", 60/40 Double Bowl Dual Mount Sink Kit



Includes: ECTSRO33229RT sink, CTXBG1415 Grid, CTXBG1216 Grid

Optional Accessories Drain LKDD LK35 Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 34 lbs.

Elkay Crosstown 16 Gauge Workstation Stainless Steel, 31-1/2" x 18-1/2" x 9" Equal Double Bowl Sink Kit with Aqua Divide



Includes: Two CTXBG1314 bottom grids, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, two LKDD drains

Ship dims: 37-3/16" x 25-13/16" x 12-1/2" **Approx. ship weight:** 51 lbs.




ECTRUAQ31169TWC



- Dimensions: 31-1/2" x 18-1/2" x 9"
- •18 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Workstation

Elkay Crosstown 18 Gauge Workstation Stainless Steel, 31-1/2" x 18-1/2" x 9" Equal Double Bowl Sink Kit with Aqua Divide



Includes: Two CTXBG1314 bottom grids, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, two LKDD drains

Ship dims: 37-3/16" x 25-13/16" x 12-1/2" **Approx. ship weight:** 46 lbs.



ELUHF3320DBG



- Dimensions: 33" x 20-1/2" x 7-7/8"18 gauge
- •Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUHF3320




- Dimensions: 33" x 20-1/2" x 7-7/8"
 18 gauge
- Lustrous Satin finish
- *3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUHF332010DBG



- •Dimensions: 33" x 20-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size


Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 7-7/8", Equal Double Bowl Farmhouse Sink Kit



LKWOBG1316SS bottom grid, one LK99 drain Built in USA Optional Accessories Cutting board CB1613* CB1713* CBS1316* Rinsing basket LKWRB1316SS \$21 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 33 lbs.


Includes: ELUHF3320 sink, one

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 7-7/8", Equal Double Bowl Farmhouse Sink



Made in USA Optional Accessories Bottom grid LKWOBG1316SS Cutting board CB1613* CB1713* CBS1316* Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 31 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 10", Equal Double Bowl Farmhouse Sink Kit



Includes: ELUHF332010 sink, one LKWOBG1316SS bottom grid, one LK99 drain Built in USA Optional Accessories Cutting board CB1613* CB51316* Rinsing basket LKWRB1316SS Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 26 lbs.




ECTRUFA32179




- •Dimensions: 35-7/8" x 20-1/4" x 9"
- 18 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sound Guard
- •36" minimum cabinet size

◆Features: Aqua Divide

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", Equal Double Bowl Farmhouse Sink with Aqua Divide





Special Note: Aqua Divide height: 4-11/16" (119mm)

Optional Accessories

- Drain
- LKDD
- LK35 LK99S
 - 192

Ship dims: 38-3/4" x 28-3/8" x 11-1/4" **Approx. ship weight:** 42 lbs.

ELKAY

ELUHF332010



- •Dimensions: 33" x 20-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

EFU471810DBT



Elkay Crosstown 16 Gauge Stainless Steel, 47-1/4" x 18-1/2" x 10", 60/40 Double Bowl Undermount Sink with Drainboard

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 10", Equal

20-1/2" (521mm)

8" Apron (203mm)

Side View

16" (406mm)

Made in USA

Bottom grid LKWOBG1316SS

Cutting board

LKWRB1316SS


CB1613*

CB1713* CBS1316* Rinsing basket

Drain

LK99

Optional Accessories



Double Bowl Farmhouse Sink

33" (838mm)

13-1/2" (343mm)

1-3/4" (44mm) R

> 1-5/8"+ (41mm)

15-1/2" (394mm)

13-1/2" (343mm)

1-3/4" R (44mm)

10" (254mm

Bowl

Optional Accessories Bottom grid CTXBG1414

CTXBG1014 Drain LKDD LK35 Ship dims: 21-15/

Ship dims: 21-15/16" x 12-13/16" x 46-3/8" Approx. ship weight: 47 lbs.

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 23 lbs.

- Dimensions: 47-1/4" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •51" minimum cabinet size

ELUH4221LDBG




•Dimensions: 41-1/2" x 20-1/2" x 9-1/2"

- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads

•45" minimum cabinet size

1-1/2* (38mm) 1/2* (13mm) 1/2* (13mm) 1/2* (13mm) 1/2* (13mm) 1/2* (13mm) 1/2* (13mm)

Elkay Lustertone Classic Stainless Steel, 41-1/2" x 20-1/2" x 9-1/2", 40/60 Double Bowl Undermount Sink Kit



Includes: ELUH4221L sink, one LKWOBG1618SS bottom grid, one LK99 drain Built in USA

Optional Accessories

Cutting board CB1713* CBS1316* Ship dims: 48-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 40 lbs.



ELUH4221L



- *Dimensions: 41-1/2" x 20-1/2" x 9-1/2"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •45" minimum cabinet size

ELUH4221RDBG



- Dimensions: 41-1/2" x 20-1/2" x 9-1/2"
- 18 gauge
- ◆Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •45" minimum cabinet size


ELUH4221R



- •Dimensions: 41-1/2" x 20-1/2" x 9-1/2"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads

•45" minimum cabinet size


Elkay Lustertone Classic Stainless Steel, 41-1/2" x 20-1/2" x 9-1/2", 40/60 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG1618SS Cutting board CB1713* CBS1316* Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 38 lbs.


60/40 Double Bowl Undermount Sink Kit Includes: ELUH4221R sink, one

Elkay Lustertone Classic Stainless Steel 41-1/2" x 20-1/2" x 9-1/2",



Includes: ELUH4221R sink, one LKWOBG1618SS bottom grid, one LK99 drain Built in USA Optional Accessories Cutting board CB1713* CBS1316* Ship dims: 48-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 40 lbs.

Elkay Lustertone Classic Stainless Steel 41-1/2" x 20-1/2" x 9-1/2", 60/40 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG1618SS Cutting board CB1713* CBS1316* Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 38 lbs.



ELUH3621LDBG

Elkay Lustertone Classic Stainless Steel, 36-1/4" x 21-1/8" x 7-1/2", Offset 40/60 Double Bowl Undermount Sink Kit



- •Dimensions: 36-1/4" x 21-1/8" x 7-1/2"
- 18 gauge
- Lustrous Satin finish +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads •42" minimum cabinet size

ELUH3621L



Dimensions: 36-1/4" x 21-1/8" x 7-1/2"


- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •42" minimum cabinet size

ELUH3621RDBG




- Dimensions: 36-1/4" x 21-1/8" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads

•42" minimum cabinet size




Includes: ELUH3621L sink, one LKWOBG2118SS bottom grid, one LK99 drain **Built in USA Optional Accessories Bottom grid** LKWOBG1113SS **Cutting board** CB2213* Ship dims: 44-7/8" x 26-1/4" x 10-1/2" Approx. ship weight: 26 lbs.

Elkay Lustertone Classic Stainless Steel, 36-1/4" x 21-1/8" x 7-1/2", Offset 40/60 Double Bowl Undermount Sink



Made in USA **Optional Accessories Bottom grid** LKWOBG2118SS (large bowl) LKWOBG1113SS (small bowl) **Cutting board** CB2213* Drain LK99 **Ship dims:** 44-7/8" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.

Elkay Lustertone Classic Stainless Steel, 36-1/4" x 21-1/8" x 7-1/2", Offset 60/40 Double Bowl Undermount Sink Kit



Includes: ELUH3621R sink, one LKWOBG2118SS bottom grid, one LK99 drain **Built in USA Optional Accessories Bottom grid**

LKWOBG1113SS **Cutting board**

CB2213*

Ship dims: 44-7/8" x 26-1/4" x 10-1/2" Approx. ship weight: 26 lbs.



ELUH3621R



- Dimensions: 36-1/4" x 21-1/8" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •42" minimum cabinet size

ELUH362110LDBG



- Dimensions: 36-1/4" x 21-1/8" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •42" minimum cabinet size


ELUH362110L



- •Dimensions: 36-1/4" x 21-1/8" x 10"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads


•42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 7-1/2", Offset 60/40 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2118SS (large bowl) LKWOBG1113SS (small bowl) Cutting board CB2213* Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.

Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 10", Offset 40/60 Double Bowl Undermount Sink Kit




Includes: ELUH362110L sink, one LKWOBG2118SS bottom grid, one LK99 drain Built in USA Optional Accessories Bottom grid LKWOBG1113SS Cutting board CB2213*

Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 31 lbs.

.

Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 10", Offset 40/60 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2118SS (large bowl) LKWOBG1113SS (small bowl) Cutting board CB2213* Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 26 lbs.



ELUH362110RDBG



- •Dimensions: 36-1/4" x 21-1/8" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- ◆42" minimum cabinet size

ELUH362110R




- •Dimensions: 36-1/4" x 21-1/8" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •42" minimum cabinet size

ELUH361710DBG



- •Dimensions: 35-3/4" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- *Sound deadening: Sides and Bottom pads

•39" minimum cabinet size



10" (254mm)

Offset 60/40 Double Bowl Undermount Sink Kit


Includes: ELUH362110R sink, one LKWOBG2118SS bottom grid, one LK99

Built in USA Optional Accessories Bottom grid LKWOBG1113SS Cutting board CB2213* Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 31 lbs.

Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 10", Offset 60/40 Double Bowl Undermount Sink


5-15/16" (151mm)


Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 10",



Made in USA Optional Accessories Bottom grid LKWOBG2118SS (large bowl) LKWOBG1113SS (small bowl) Cutting board CB2213* Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 27 lbs.

Elkay Lustertone Classic Stainless Steel 35-3/4" x 18-1/2" x 10", Equal Double Bowl Undermount Sink Kit





Includes: ELUH361710 sink, one LKWOBG1616SS bottom grid, one LK99 drain Built in USA Optional Accessories Cutting board CB1713* CBS1316* Rinsing basket LKWRB1316SS Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 32 lbs.



ELUH361710



- *Dimensions: 35-3/4" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •39" minimum cabinet size

ELUH3520LDBG



- •Dimensions: 35-1/4" x 20-1/2" x 9-7/8"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •39" minimum cabinet size


ELUH3520L



- •Dimensions: 35-1/4" x 20-1/2" x 9-7/8"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads


•39" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 35-3/4" x 18-1/2" x 10", Equal Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG1616SS \$187 Cutting board CB1713* CBS1316* Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 27 lbs.

Elkay Lustertone Classic Stainless Steel 35-1/4" x 20-1/2" x 9-7/8", Offset 40/60 Double Bowl Undermount Sink Kit



Includes: ELUH3520L sink, one LKWOBG2018SS bottom grid, one LK99 drain Built in USA

Optional Accessories Bottom grid


LKWOBG1116SS

Cutting board

CBS1418*

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 34 lbs.

Elkay Lustertone Classic Stainless Steel, 35-1/4" x 20-1/2" x 9-7/8", Offset 40/60 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2018SS (large bowl) LKWOBG1116SS (small bowl) Cutting board CBS1418* Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 32 lbs.



ELUH3520RDBG




- Dimensions: 35-1/4" x 20-1/2" x 9-7/8"18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •39" minimum cabinet size

ELUH3520R




- •Dimensions: 35-1/4" x 20-1/2" x 9-7/8" •18 gauge
- To gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •39" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 35-1/4" x 20-1/2" x 9-7/8", Offset 60/40 Double Bowl Undermount Sink Kit



Includes: ELUH3520R sink, one LKWOBG2018SS bottom grid, one LK99 drain Built in USA Optional Accessories Bottom grid LKWOBG1116SS Cutting board CBS1418* Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 34 lbs.

Elkay Lustertone Classic Stainless Steel, 35-1/4" x 20-1/2" x 9-7/8", Offset 60/40 Double Bowl Undermount Sink




Made in USA Optional Accessories Bottom grid LKWOBG2018SS (large bowl) LKWOBG1116SS (small bowl) Cutting board CBS1418* Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 29 lbs.





ECTSRAD33226TBG




- •Dimensions: 33" x 22" x 6"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard •36" minimum cabinet size












Includes: ECTSRAD33226T Sink, two CTXBG1315 Bottom Grids **Optional Accessories** Drain LKDD LK35 Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 34 lbs.

ECTSR33229TBG



- •Dimensions: 33" x 22" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5, FR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆36" minimum cabinet size
- Features: Slim Rim


Elkay Crosstown Stainless Steel 33" x 22" x 9", Equal Double Bowl **Dual Mount Sink Kit**



CTXBG1315 Bottom Grids **Optional Accessories** Drain LKDD LK35

Includes: ECTSR33229TBG Sink, two

Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 34 lbs.





ECTSRA33229TBG

Elkay Crosstown Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink Kit with Aqua Divide

5" (127mm)

I.

22" (559mm)



16-3/4" (425mm)

(229mm)

R9/16" (15mm)

15-1/4"

(387mm)

R9/16

(15mm)

14-3/4" (374mm) 14-3/4" (374mm)

33" (838mm)

15-9/16" (395mm) 15-1/4"

(387mm)

- •Dimensions: 33" x 22" x 9"
- ◆18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size
- •Features: Aqua Divide

LKHSR2509RPD




•Dimensions: 33" x 22" x 9"

- 18 gauge
- Lustrous Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- •3-3/8" (86mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- ◆Features: Perfect Drain, Slim Rim

LKHSR33229PD



- •Dimensions: 33" x 22" x 9"
- ♦18 gauge
- Lustrous Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- Features: Perfect Drain, Slim Rim




Includes: ECTSRA33229TBG Sink, CTXBG1315 Bottom Grid Optional Accessories Bottom grid CTXBG1315 Drain LKDD LK35 Ship dims: 38" x 24-1/2" x 10-13/16" Approx. ship weight: 34 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 9", 60/40 Double Bowl Dual Mount Sink with Perfect Drain

strainers. Built in USA Optional Accessories Bottom grid LKWOBG1819SS (left bowl) LKWOBG1118SS (right bowl) Cutting board LKCB1520LUHW LKCB1520LUHW LKCB1520LTHW Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 23 lbs.

Includes: Two LKPD1 Perfect Drains and

Elkay Lustertone Classic Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories Bottom grid** LKWOBG1520LSS (left bowl) LKWOBG1520RSS (right bowl) **Cutting board** LKCB1520LUHW LKCB1520LTHW Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 23 lbs.



ELUH31229RPD



- •Dimensions: 32-3/4" x 21" x 9"
- 18 gauge
- Lustrous Satin finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- Features: Perfect Drain


ECTRUD31199LDBG



- •Dimensions: 32-1/2" x 20-1/2" x 9"
- 18 gauge
- •Polished Satin finish
- Available in 1, 2, 3, S2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sound Guard
- •36" minimum cabinet size
- •Features: Water Deck

_ R9/16" (15mm) 5" (127mm) 20-1/2" (521mm) 16" (406mm) 5" 127mm 19" (483mm) 14" (356mm) 16" (406mm) 14-1/2" (368mm) 16-1/2" (419mm) 32-1/2" (826mm) 1 R9/16" (15mm) 9" (229mm) 7 16" (406mm)

Elkay Lustertone Classic Stainless Steel 32-3/4" x 21" x 9", 60/40 Double Bowl Undermount Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. Built in USA Optional Accessories Bottom grid LKWOBG1819SS (left bowl) LKWOBG1118SS (right bowl) Rinsing basket LKWRB1819SS (left bowl) Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 21 lbs.

Elkay Crosstown Stainless Steel 32-1/2" x 20-1/2" x 9", Offset Double Bowl Undermount Sink Kit with Water Deck

Includes: ECTRUD31199L sink, GFOBG1619SS bottom grid, GFOBG1416SS bottom grid, two LK35 drains

Ship dims: 40" x 27-9/16" x 10-13/16" **Approx. ship weight:** 43 lbs.



ECTRUD31199L

Elkay Crosstown Stainless Steel 32-1/2" x 20-1/2" x 9", Offset Double Bowl Undermount Sink with Water Deck



- •Dimensions: 32-1/2" x 20-1/2" x 9"
- ♦18 gauge
- Polished Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size
- •Features: Water Deck

ECTRUD31199RDBG




- •Dimensions: 32-1/2" x 20-1/2" x 9"
- ◆18 gauge
- Polished Satin finish
- Available in 1, 2, 3, S2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size
- Features: Water Deck

ECTRUD31199R




- •Dimensions: 32-1/2" x 20-1/2" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆36" minimum cabinet size
- Features: Water Deck



Optional Accessories

Drain LKDD LK35 Ship dims: 40" x 27-9/16" x 10-13/16" Approx. ship weight: 38 lbs.


Elkay Crosstown Stainless Steel 32-1/2" x 20-1/2" x 9", Offset Double Bowl Undermount Sink Kit with Water Deck



Includes: ECTRUD31199R sink, GFOBG1619SS bottom grid, GFOBG1416SS bottom grid, two LK35 drains

Ship dims: 40" x 27-9/16" x 10-13/16" **Approx. ship weight:** 43 lbs.

Elkay Crosstown Stainless Steel 32-1/2" x 20-1/2" x 9", Offset Double Bowl Undermount Sink with Water Deck



Optional Accessories

Drain LKDD

LK35

Ship dims: 40" x 27-9/16" x 10-13/16" **Approx. ship weight:** 38 lbs.



EAQDUH3118

1-1-1

- Dimensions: 32-1/2" x 18-1/8" x 8"19 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Bottom only pads
- •36" minimum cabinet size
- Features: Aqua Divide

ELUH3219DBG




- •Dimensions: 32-1/4" x 18-1/4" x 7-3/4"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size


ELUH3219



- Dimensions: 32-1/4" x 18-1/4" x 7-3/4"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size



Double Bowl Undermount Sink with Aqua Divide




Optional Accessories Cutting board

CB1713

Elkay Lustertone Classic Stainless Steel 32-1/2" x 18-1/8" x 8", Equal

- Rinsing basket LKWRB1414SS Drain LK99
- Ship dims: 37-1/2" x 24" x 10-1/8" Approx. ship weight: 24 lbs.

Elkay Lustertone Classic Stainless Steel 32-1/4" x 18-1/4" x 7-3/4", 30/70 Double Bowl Undermount Sink Kit




Includes: ELUH3219 sink, one LKWBG2115SS bottom grid, one LK99 drain Special Note: Reversible design, sink can be rotated so small bowl is on the left or right Built in USA Optional Accessories Cutting board CB1516*

CB816*

CBS715* Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 24 lbs.

Elkay Lustertone Classic Stainless Steel 32-1/4" x 18-1/4" x 7-3/4", 30/70 Double Bowl Undermount Sink



Special Note: Reversible design, sink can be rotated so small bowl is on the left or right **Made in USA**

Optional Accessories Bottom grid

LKWBG2115SS (large bowl) Rinsing basket

LKWRB2115SS (large bowl)

LKWRB715SS (small bowl)

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 19 lbs.

Stainless Multibowl Undermounts R-101



EFRU321910T



- Dimensions: 32-1/4" x 18-1/4" x 10"16 gauge
- Polished Satin finish
- *3-1/2" (89mm) drain opening
- •Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

ELUHAQD3218



- Dimensions: 32-1/16" x 18-1/2" x 8"
- ♦18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Aqua Divide


ELUHAQD32179



- •Dimensions: 32-1/16" x 18-1/2" x 9"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size


Features: Aqua Divide

Elkay Crosstown 16 Gauge Stainless Steel, 32-1/4" x 18-1/4" x 10" 30/70 Double Bowl Undermount Sink




Special Note: Reversible design, sink can be rotated so small bowl is on the left or right Optional Accessories Bottom grid CTXBG1914 CTXBG614 Drain LKDD LK35 Ship dims: 19-15/16" x 12-13/16" x 38-5/8" Approx. ship weight: 40 lbs.

Elkay Lustertone Classic Stainless Steel 32-1/16" x 18-1/2" x 8", Equal Double Bowl Undermount Sink with Aqua Divide



Optional Accessories Bottom grid LKWOBG1416SS Cutting board LKCB1216HW* Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 22 lbs.

Elkay Lustertone Classic Stainless Steel 32-1/16" x 18-1/2" x 9", 40/60 Double Bowl Undermount Sink with Aqua Divide



Special Note: Reversible design, sink can be rotated so large bowl is on the left or right **Optional Accessories**

Bottom grid

LKWOBG1716SS (large bowl) LKWBG1216SS (small bowl)

Cutting board

LKCB1216HW*

Rinsing basket

LKWRB1716SS (large bowl) LKWRB1216SS (small bowl)

Drain

LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 22 lbs.



ELUH3232



- •Dimensions: 32" x 32" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH3116DBG




- Dimensions: 31-3/4" x 16-1/2" x 7-1/2"
- ♦18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH3116




- Dimensions: 31-3/4" x 16-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size



Made in USA Optional Accessories Cutting board CB1613* CB51316* Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 28-15/16" x 53-13/16" x 10-11/16" Approx. ship weight: 35 lbs.


Elkay Lustertone Classic Stainless Steel 31-3/4" x 16-1/2" x 7-1/2", Equal Double Bowl Undermount Sink Kit

Elkay Lustertone Classic Stainless Steel 32" x 32" x 7-7/8", Equal



Includes: ELUH3116 sink, one LKWBG1414SS bottom grid, one LK99 drain Built in USA Optional Accessories Cutting board CB1613* \$133.00 Rinsing basket LKWRB1414SS \$218.00 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 22 lbs.

Elkay Lustertone Classic Stainless Steel 31-3/4" x 16-1/2" x 7-1/2", Equal Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWBG1414SS Cutting board CB1613* Rinsing basket LKWRB1414SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 19 lbs.



ELUH3221LDBG

Elkay Lustertone Classic Stainless Steel, 31-1/2" x 21-1/8" x 7-1/2", 30/70 Offset Double Bowl Undermount Sink Kit



- *Dimensions: 31-1/2" x 21-1/8" x 7-1/2"
- ♦18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH3221L




Dimensions: 31-1/2" x 21-1/8" x 7-1/2"

- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH3221RDBG




- Dimensions: 31-1/2" x 21-1/8" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size



Includes: ELUH3221L sink, one LKWOBG2118SS bottom grid, one LK99 drain


Built in USA Optional Accessories Cutting board CB2213 (large bowl) Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 25 lbs.

Elkay Lustertone Classic Stainless Steel, 31-1/2" x 21-1/8" x 7-1/2", 30/70 Offset Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2118SS (large bowl) Cutting board CB2213 (large bowl) Rinsing basket LKWRB715SS (small bowl) Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 18 lbs.

Elkay Lustertone Classic Stainless Steel, 31-1/2" x 21-1/8" x 7-1/2", Offset 70/30 Double Bowl Undermount Sink Kit



Includes: ELUH3221R sink, one LKWOBG2118SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Cutting board

CB2213 (large bowl) \$243. Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 25 lbs.



ELUH3221R



- Dimensions: 31-1/2" x 21-1/8" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH322110LDBG





- •Dimensions: 31-1/2" x 21-1/8" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH322110L




- Dimensions: 31-1/2" x 21-1/8" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size





Made in USA **Optional Accessories Bottom grid** LKWOBG2118SS (large bowl) **Cutting board** CB2213 (large bowl) **Ship dims:** 37-3/4" x 26-1/4" x 12-1/2"

Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 7-1/2", Offset 70/30 Double Bowl Undermount Sink



Made in USA **Optional Accessories Bottom grid** LKWOBG2118SS (large bowl) **Cutting board** CB2213 (large bowl) Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 19 lbs.

Includes: ELUH322110L sink, one

LKWOBG2118SS bottom grid, one LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 28 lbs.

Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 10", 30/70 Offset Double Bowl Undermount Sink Kit

Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 10",

drain

Built in USA

Optional Accessories

Cutting board CB2213 (large bowl)

4-5/8* (117mm 21-1/8" (537mm) 16-5/8" (422mm) 7-1/16 181 18-5/8" (473mm) 14-1/8" (359mm ŧ ← 7" → (178mm) 21" (533mm) 31-1/2" (800mm \$-9/16" (141mm) 10" (254mm) 15" (381mm)



ELUH322110RDBG



- Dimensions: 31-1/2" x 21-1/8" x 10"18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆36" minimum cabinet size

ELUH322110R




- Dimensions: 31-1/2" x 21-1/8" x 10"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ECTRU32179LTC



- •Dimensions: 31-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size


Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 10", Offset 70/30 Double Bowl Undermount Sink Kit



Includes: ELUH322110R sink, one LKWOBG2118SS bottom grid, one LK99 drain


Built in USA Optional Accessories Cutting board CB2213 (large bowl) Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 28 lbs.

Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 10", Offset 70/30 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG2118SS (large bowl) Cutting board CB2213 (large bowl) Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 20 lbs.

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", 40/60 Double Bowl Undermount Sink Kit





Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board

LKCBF17HW

Ship dims: 37-1/2" x 26-1/16" x 10-1/16" **Approx. ship weight:** 43 lbs.



ECTRU32179RTC

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", 60/40 Double Bowl Undermount Sink Kit




- •Dimensions: 31-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Sound Guard
- •36" minimum cabinet size

ECTRU32179LT



- •Dimensions: 31-1/2" x 18-1/2" x 9"
- ◆18 gauge
- Polished Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sound Guard
- •36" minimum cabinet size




Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag. **Optional Accessories**

. Cutting board

LKCBF17HW Ship dims: 37-1/2" x 26-1/16" x 10-1/16" Approx. ship weight: 43 lbs.

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", 40/60 Double Bowl Undermount Sink

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", 60/40 Double




Optional Accessories Bottom grid CTXBG1015 CTXBG1515 Drain LKDD LK35 Ship dims: 38-9/16" x 25-3/16" x 10-13/16" Approx. ship weight: 38 lbs.

ECTRU32179RT



- •Dimensions: 31-1/2" x 18-1/2" x 9"
- ◆18 gauge
- ◆Polished Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size



Bowl Undermount Sink

Optional Accessories

Bottom grid CTXBG1015 CTXBG1515 Drain LKDD LK35 Ship dims: 38-9/1

Ship dims: 38-9/16" x 25-3/16" x 10-13/16" **Approx. ship weight:** 38 lbs.



ECTRU31179TC



- •Dimensions: 31-1/2" x 18-1/2" x 9"
- ◆18 gauge
- Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size

ECTRU31179T




- Dimensions: 31-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- +3-1/2" (89mm) drain opening
- +Sound deadening: Sound Guard
- •36" minimum cabinet size

ELUH322010PD



- •Dimensions: 31-1/4" x 20" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- Features: Perfect Drain


Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", Equal Double Bowl Undermount Sink Kit




Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board LKCBF17HW Ship dims: 37-1/2" x 26-1/16" x 10-1/16" Approx. ship weight: 43 lbs.

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", Equal Double Bowl Undermount Sink



Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 9-7/8", Double Bowl Undermount Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories Bottom grid** LKWOBG1418SS **Cutting board** CBS1418* **Rinsing basket** LKWRB1418SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 35 lbs.



ELUH322010



- •Dimensions: 31-1/4" x 20" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH3220PD




- Dimensions: 31-1/4" x 20" x 7-7/8"
- ♦18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- Features: Perfect Drain

ELUH3220



- •Dimensions: 31-1/4" x 20" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size




Double Bowl Undermount Sink

Made in USA Optional Accessories Bottom grid LKWOBG1418SS Cutting board CBS1418* Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 32 lbs.


Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-7/8", Double Bowl Undermount Sink with Perfect Drain

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 9-7/8", Equal



Includes: Two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories** Bottom grid LKWOBG1418SS **Cutting board** CBS1418* **Rinsing basket** LKWRB1418SS Drain I KPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 32 lbs.

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-7/8", Equal Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG1418SS Cutting board CBS1418* Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 25 lbs.




ELUH3120LPDBG

Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 9-7/8", Double Bowl Undermount Sink Kit w/Perfect Drain



- *Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- ◆Features: Perfect Drain




Includes: ELUH3120LPD sink, one LKWOBG1418SS bottom grid, two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories Bottom grid** LKWOBG1316SS (small bowl) **Cutting board** CBS1418* CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 32 lbs.

ELUH3120LPD



- •Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8", Double Bowl Undermount Sink w/ Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories Bottom grid

LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl)

Rinsing basket

LKWRB1418SS (large bowl) LKWRB1316SS (small bowl)

Drain

LKPDVR18B

LKDS99 LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 28 lbs.




ELUH3120RPDBG

Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 9-7/8", Double Bowl Undermount Sink Kit w/Perfect Drain



- *Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- •Features: Perfect Drain




Includes: ELUH3120RPD sink, one LKWOBG1418SS bottom grid, two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories** Bottom grid LKWOBG1316SS (small bowl) **Cutting board** CBS1418* CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 31 lbs.

ELUH3120RPD



- •Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- •Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8", Double Bowl Undermount Sink w/ Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories Bottom grid

LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl) Cutting board

CBS1418*

- CB1613*
- CB1713*
- CBS1316*
- **Rinsing basket**

LKWRB1418SS

LKWRB1316SS

Drain LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 28 lbs.



ELUH3120LDBG


Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8", **Offset Double Bowl Undermount Sink Kit**

Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 9-7/8",

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8",



- •Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size



Includes: ELUH3120L sink, one LKWOBG1418SS bottom grid, one LK99 drain **Built in USA Optional Accessories Bottom grid** LKWOBG1316SS **Cutting board** CBS1418* CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1418SS LKWRB1316SS Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 27 lbs.

ELUH3120L



- Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

20-1/2" (521mm) 18-1/2" (470mm 16" 18" (457mm) (406mm 1-3/4" R (44mm) . 13-1/2" (343mm) 14" (356mm) 31-1/4" (794mm) 7-7/8" 9-7/8" (200mm) (251mm) 1-3/4" R (44mm) (381mm) -


Offset Double Bowl Undermount Sink


Made in USA **Optional Accessories Bottom grid** LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl) **Cutting board** CBS1418* CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 27 lbs.

ELUH3120RDBG



- Dimensions: 31-1/4" x 20-1/2" x 9-7/8" 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads





Offset Double Bowl Undermount Sink Kit


Includes: ELUH3120R sink, one LKWOBG1418SS bottom grid, one LK99 drain **Built in USA Optional Accessories Bottom grid** LKWOBG1316SS \$155 **Cutting board** CBS1418* CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1418SS LKWRB1316SS Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 27 lbs.



ELUH3120R



- Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- ♦3-1/2" (89mm) drain opening
- $\bullet \mathsf{Sound}$ deadening: Sides and Bottom pads
- •36" minimum cabinet size



Offset Double Bowl Undermount Sink

Made in USA **Optional Accessories** Bottom grid LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl) **Cutting board** CBS1418* CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 22 lbs.

ELUH3119LDBG




- •Dimensions: 31-1/4" x 20" x 7-1/2"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH3119L



- •Dimensions: 31-1/4" x 20" x 7-1/2"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size



40/60 Double Bowl Undermount Sink Kit

Includes: ELUH3119L sink, one LKWOBG1617SS bottom grid, one LK99 drain

Built in USA


Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-1/2", Offset

- Optional Accessories Bottom grid
- LKWOBG1115SS

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 26 lbs.

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-1/2", Offset 40/60 Double Bowl Undermount Sink

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8",



Made in USA

Optional Accessories Bottom grid LKWOBG1617SS (large bowl) LKWOBG1115SS (small bowl) Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 21 lbs.



ELUH3119RDBG



- •Dimensions: 31-1/4" x 20" x 7-1/2"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads

•36" minimum cabinet size

ELUH3119R




- Dimensions: 31-1/4" x 20" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH311910LDBG



- •Dimensions: 31-1/4" x 20" x 10"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size




_____15" (381mm)

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-1/2", Offset 60/40 Double Bowl Undermount Sink Kit

Includes: ELUH3119R sink, one LKWOBG1617SS bottom grid, one LK99 drain


Built in USA Optional Accessories Bottom grid LKWOBG1115SS Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 26 lbs.

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-1/2", Offset 60/40 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG1617SS (large bowl) LKWOBG1115SS (small bowl) Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 10", Offset 40/60 Double Bowl Undermount Sink Kit



Includes: ELUH311910L sink, one LKWOBG1617SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Bottom grid LKWOBG1115SS **Ship dims:** 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 25 lbs.



ELUH311910L



- •Dimensions: 31-1/4" x 20" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH311910RDBG




- •Dimensions: 31-1/4" x 20" x 10"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH311910R




- •Dimensions: 31-1/4" x 20" x 10"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size



Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 10", Offset 40/60 Double Bowl Undermount Sink





Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 10", Offset 60/40 Double Bowl Undermount Sink Kit




15" (381mm) Includes: ELUH311910R sink, one LKWOBG1617SS bottom grid, one LK99 drain

Built in USA Optional Accessories Bottom grid LKWOBG1115SS Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 25 lbs.







Made in USA Optional Accessories Bottom grid LKWOBG1617SS (large bowl) LKWOBG1115SS (small bowl)

Rinsing basket

LKWRB1115SS (small bowl) **Drain** LK99

Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 21 lbs.



ELUH3121L

Elkay Lustertone Classic Stainless Steel 30-3/4" x 21" x 9-7/8", Offset 40/60 Double Bowl Undermount Sink



- Dimensions: 30-3/4" x 21" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH3121R




- *Dimensions: 30-3/4" x 21" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

EFU311810TC




- •Dimensions: 30-3/4" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sound Guard

•36" minimum cabinet size





Made in USA Optional Accessories Bottom grid LKWOBG1116SS (small bowl) Rinsing basket LKWRB1418SS (large bowl) LKWRB1116SS (small bowl) \$20 Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 25 lbs.

Elkay Lustertone Classic Stainless Steel 30-3/4" x 21" x 9-7/8", Offset 60/40 Double Bowl Undermount Sink



Elkay Crosstown 16 Gauge Stainless Steel, 30-3/4" x 18-1/2" x 10" Equal Double Bowl Undermount Sink Kit





Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Cutting board

LKCBF1316HW Ship dims: 37-1/2" x 26-1/16" x 12-1/16" Approx. ship weight: 42 lbs.



EFU311810T



- •Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦16 gauge
- Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size

EFRU311810TC




- •Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦16 gauge
- Polished Satin finish
- +3-1/2" (89mm) drain opening
- +Sound deadening: Sound Guard
- •36" minimum cabinet size

EFRU311810T




- •Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦16 gauge
- Polished Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 30-3/4" x 18-1/2" x 10" Equal Double Bowl Undermount Sink



Optional Accessories Bottom grid CTXBG1214 Drain LKDD LK35 Ship dims: 34-1/4" x 22-1/8" x 11-7/8" Approx. ship weight: 37 lbs.

Elkay Crosstown 16 Gauge Stainless Steel, 30-3/4" x 18-1/2" x 10" Equal Double Bowl Undermount Sink Kit




Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Cutting board LKCBF1316HW Ship dims: 37-1/2" x 26-1/16" x 12-1/16" Approx. ship weight: 47 lbs.

Elkay Crosstown 16 Gauge Stainless Steel, 30-3/4" x 18-1/2" x 10" Equal Double Bowl Undermount Sink



Optional Accessories


Bottom grid CTXBG1214 Drain LKDD LK35

Ship dims: 19-15/16" x 12-13/16" x 38-5/8" Approx. ship weight: 42 lbs.



ELUH3118PD

- Dimensions: 30-3/4" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- ◆Features: Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. **Built in USA** Models also available with ADA depths **Optional Accessories Bottom grid** LKWOBG1316SS **Cutting board** CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 27 lbs.

ELUH3118DBG




- •Dimensions: 30-3/4" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH3118



- Dimensions: 30-3/4" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size



Equal Double Bowl Undermount Sink Kit

Includes: ELUH3118 sink, one LKWOBG1316SS bottom grid, one LK99 drain Built in USA Optional Accessories Cutting board CB1613* CB51316* Rinsing basket LKWRB1316SS Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 25 lbs.

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 7-7/8", Equal Double Bowl Undermount Sink

Made in USA

Optional Accessories

Elkay Lustertone Classic Stainless Steel, 30-3/4" x 18-1/2" x 7-7/8",



Bottom grid LKWOBG1316SS Cutting board CB1613* CB51316* Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 17 lbs.


Models also available with ADA depths

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 7-7/8", Double Bowl Undermount Sink w/ Perfect Drain



ELUH311810PD

- Dimensions: 30-3/4" x 18-1/2" x 10"
- ◆18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- •Features: Perfect Drain



Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10",

Double Bowl Undermount Sink with Perfect Drain

Includes: Two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories** Bottom grid LKWOBG1316SS **Cutting board** CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 28 lbs.

ELUH311810DBG



- •Dimensions: 30-3/4" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH311810



- •Dimensions: 30-3/4" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- *Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size


18-1/2" (470mm) (127mm) 16" (406mm) 1-3/4" R (44mm) 13-1/2" 13-1/2" (343mm) (343mm) 30-3/4" (781mm) 10" (254mm) 1-3/4" R (44mm) 14-3/4 (375mm)

Equal Double Bowl Undermount Sink Kit

Includes: ELUH311810 sink, one LKWOBG1316SS bottom grid, one LK99 drain Built in USA Optional Accessories Cutting board CB1613* CB1713* CBS1316* Rinsing basket LKWRB1316SS Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 27 lbs.

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10", Equal Double Bowl Undermount Sink

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10",



Made in USA Optional Accessories Bottom grid LKWOBG1316SS Cutting board CB1613* CB1713* CBS1316* Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 28 lbs.



ELUH311810LDBG

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10", **Equal Double Bowl Undermount Sink Kit**

18-1/2" (470mm)

16"

(406mm)

10"

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10",

(254mm)

) 5" (127mm)

13-1/2" (343mm)

30-3/4"

(781mm)

14-3/4

(375mm)

1-3/4" R

13-1/2" (343mm)

1-3/4" R

(44mm)

(44mm)

.

7-7/8" (200mm)

*



- Dimensions: 30-3/4" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH311810L



- Dimensions: 30-3/4" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size


ELUH311810RDBG



- Dimensions: 30-3/4" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads

•36" minimum cabinet size





Includes: ELUH311810R sink, one LKWOBG1316SS bottom grid, one LK99 drain **Built in USA Optional Accessories Cutting board**

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 23 lbs.


CB1613*

CB1713*

CBS1316* **Rinsing basket**

LKWRB1316SS

Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 27 lbs.



Equal Double Bowl Undermount Sink

LKWOBG1316SS bottom grid, one LK99 drain **Built in USA Optional Accessories Cutting board** CB1613*

Includes: ELUH311810L sink, one

CB1713*

Made in USA **Optional Accessories**

Bottom grid

LKWOBG1316SS

Cutting board

Rinsing basket

LKWRB1316SS

CB1613* CB1713*

CBS1316*

Drain

LK99

CBS1316* **Rinsing basket** LKWRB1316SS

Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 27 lbs.



ELUH311810R

- Dimensions: 30-3/4" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

ELUH272010RDBG



- •Dimensions: 26-3/4" x 20" x 10"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •30" minimum cabinet size


ELUH272010R



- •Dimensions: 26-3/4" x 20" x 10"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •30" minimum cabinet size



12-3/4" (324mm)



Made in USA **Optional Accessories Bottom grid** LKWOBG1617SS **Cutting board** CB1713 (large bowl) Drain 1 K 9 9 Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 21 lbs.

Elkay Lustertone Classic Stainless Steel 26-3/4" x 20" x 10", Offset

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10",

18-1/2"

(470mm)

16"

(406mm)

.

7-7/8"

(200mm)

70/30 Double Bowl Undermount Sink Kit

Equal Double Bowl Undermount Sink

13-1/2"

(343mm)

30-3/4"

(781mm)

14-3/4

(375mm)

1-3/4" R (44mm)

13-1/2"

(343mm)

1-3/4" R (44mm)

4

10" (254mm)

20"

(508mm)

17-1/2"

(445mm)

| 10"

(254mm)

5"

drain (127mm 14-1/8" (359mm) R3" (76mm) 16" 7" (406mm) (178mm) 26-3/4" (679mm) 5-9/16" (141mm) R1-3/4" (44mm)

Includes: ELUH272010R sink, one LKWOBG1617SS bottom grid, one LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 23 lbs.

Built in USA

Made in USA

Bottom grid

LKWOBG1316SS

Cutting board

Rinsing basket

LKWRB1316SS

CB1613* CB1713*

CBS1316*

Drain

I K99

Optional Accessories

Optional Accessories Cutting board CB1713 (large bowl)

Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 26 lbs.



ELUH4020DBG



- •Dimensions: 40" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •45" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 40" x 20-1/2" x 9-7/8", Triple Bowl Undermount Sink Kit

Elkay Lustertone Classic Stainless Steel 40" x 20-1/2" x 9-7/8", Triple

18-1/2" (470mm)

16" (406mm)

7-7/8" (200mm) Made in USA

Bottom grid

Rinsing basket

Drain

LK99

Optional Accessories

LKWOBG1418SS (large bowl)


LKWOBG1316SS (small bowl)

LKWRB1418SS (left bowl)

LKWRB715SS (center bowl) LKWRB1316SS (right bowl)

Ship dims: 44-7/8" x 26-1/4" x 14"

Approx. ship weight: 32 lbs.



Bowl Undermount Sink

1-3/4" R

- 14" (356mm)

1-3/4" (44mm) R

> - 12" -(305mm)

(15-3/4* (400mm

3" R 76mr

7-1/2" (191mm)

40" (1016mm)

(127mm

11-3/4" (298mm

5" (127mm)

13-1/2" (343mm)

20-1/2"

5" (127mm)

> 9-7/8" (251,mm)

18" (457mm) Includes: ELUH4020 sink. one LKWOBG1418SS bottom grid, one LKWOBG1316SS bottom grid, two LK99 drains **Built in USA Optional Accessories Cutting board** CBS1418* CB816* CBS715* CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1418SS LKWRB1316SS Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 38 lbs.

ELUH4020




- •Dimensions: 40" x 20-1/2" x 9-7/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •45" minimum cabinet size

ELUH3920DBG



- •Dimensions: 39-1/2" x 20" x 10"
- ◆18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- *Sound deadening: Sides and Bottom pads
- ◆45" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 39-1/2" x 20" x 10", Triple Bowl Undermount Sink Kit



Includes: ELUH3920 sink, one LKWOBG1617SS bottom grid, one LKWOBG1115SS bottom grid, two LK99 drains Built in USA Optional Accessories Cutting board CB1713 (large bowl) Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 38 lbs.




ELUH3920

Elkay Lustertone Classic Stainless Steel 39-1/2" x 20" x 10", Triple Bowl Undermount Sink



- •Dimensions: 39-1/2" x 20" x 10"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •45" minimum cabinet size



Made in USA Optional Accessories Bottom grid LKWOBG1617SS (large bowl) LKWOBG1115SS (medium bowl) Cutting board CB1713 (large bowl) Drain LK99

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 30 lbs.



0000000



Lustertone™ Classic ILR3322L



REPAIRABLE FINISH

Our Lustrous Satin finish features a rich, uniform grain.

STAINLESS STEEL CONSTRUCTION

Highest quality, 18-gauge thickness stainless steel for long-lasting durability and performance.

EXCLUSIVELY ELKAY

The edgeless design of our Perfect Drain eliminates the gap around the drain for a cleaner, more hygienic sink. Food and waste go right down the drain. *Available on select models.*

LUSTROUS SATIN

A brightly polished rim around the top of the bowl provides a striking crowning touch. Available on select models.

EASY MAINTENANCE

Clean using ordinary, mild dish detergent and a soft cloth.

BEAUTIFUL AND DURABLE

A Lustertone Classic sink looks as great on day 3,000 as it does on day one. Light scratches, which occur with everyday use, naturally blend into the finish with time.

LUSTERTONE CLASSIC



SHHH ... IT'S QUIET TIME

18 GAUGE 304 TYPE

Sound-deadening pad(s) minimizes sound and vibration for a quieter time at the sink.





LUSTROUS SATIN

This striking uniform finish is scratch resistant to heavy-duty use. Deep scratches are repairable with an Elkay stainless steel restoration kit. The fine linear grain reflects light evenly for high shine. Available on Lustertone Classic sinks.



S60194




- Dimensions: 60" x 25" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 60" minimum cabinet size
- Features: Drainboard

S4819L




- Dimensions: 48" x 25" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 48" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 60" x 25" x 7-1/2", Single Bowl Sink Top



Made in USA Extended Lead Time Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 63-11/16" x 14-3/16" x 28-5/8" Approx. ship weight: 60 lbs.

Elkay Lustertone Classic Stainless Steel 48" x 25" x 7-1/2", Single Bowl Sink Top



Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 Ship dims: 51-11/16" x 14-3/16" x 28-5/8" Approx. ship weight: 50 lbs.



S4819R




- Dimensions: 48" x 25" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 48" minimum cabinet size
- Features: Drainboard

ILR5422DD




- Dimensions: 54" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 57" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 48" x 25" x 7-1/2", Single Bowl Sink Top



Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 Ship dims: 51-11/16" x 14-3/16" x 28-5/8" Approx. ship weight: 50 lbs.

Elkay Lustertone Classic Stainless Steel 54" x 22" x 7-5/8", Single Bowl Drop-in Sink with Drainboard



Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1713 CB51316 Drain LK99 Ship dims: 53-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 40 lbs.




ILR4322L



- Dimensions: 43" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 48" minimum cabinet size
- Features: Drainboard

ILR4322R



Bowl Drop-in Sink with Drainboard


Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1713 CB51316 Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 29 lbs.

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-5/8", Single Bowl Drop-in Sink with Drainboard

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-5/8", Single



- Dimensions: 43" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 48" minimum cabinet size
- Features: Drainboard



Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 29 lbs.




ILGR4322L



- Dimensions: 43" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 48" minimum cabinet size
- Features: Drainboard

ILGR4322R




Bowl Drop-in Sink with Drainboard

Made in USA Optional Accessories Bottom grid LKWOBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 32 lbs.

- Dimensions: 43" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening Sound deadening: Sides and Bottom
- pads48" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 43" x 22" x 10", Single Bowl Drop-in Sink with Drainboard

Elkay Lustertone Classic Stainless Steel 43" x 22" x 10", Single



Made in USA Optional Accessories Bottom grid LKWOBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 32 lbs.




ILR3322L

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-5/8", Single Bowl Drop-in Sink with Drainboard



- Dimensions: 33" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Drainboard

ILR3322R



Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 23 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-5/8", Single Bowl Drop-in Sink with Drainboard




- Dimensions: 33" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Drainboard

LRS3322




- Dimensions: 33" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 23 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-5/8", Single Bowl Drop-in Sink

> Made in USA Optional Accessories



1-3/4" R (44mm) 7-5/8"

(194mm)

Bottom grid LKWBG2816SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 20 lbs.




LRS3322PD



- •Dimensions: 33" x 22" x 7-5/8"
- •18 gauge
- •Lustrous Satin finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- •Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-5/8", Single Bowl Drop-in Sink with Perfect Drain




Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWBG2816SS **Cutting board** CB1713 CBS1316 **Rinsing basket** LKWRB2816SS LKWERBSS Drain LKPDVR18B LKDS99 LKDS35 **Ship dims:** 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 25 lbs.



DLRS332210PD



- •Dimensions: 33" x 22" x 10"
- •18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- •Features: Perfect Drain



Drop-in Sink with Perfect Drain

Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWBG2816SS **Cutting board** CB1713 CBS1316 **Rinsing basket** LKWRB2816SS LKWERBSS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 26 lbs.


LR2521PD




- •Dimensions: 25" x 21-1/4" x 7-7/8"
- •18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •30" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 7-7/8", Single Bowl Drop-in Sink with Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10", Single Bowl





Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories** Bottom grid LKWBG2115SS **Cutting board** CB1516 **Rinsing basket** LKWRB2115SS LKWERBSS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 19 lbs.



DLR252110PD



- •Dimensions: 25" x 21-1/4" x 10-1/8"
- •18 gauge
- •Lustertone finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •30" minimum cabinet size
- Features: Perfect Drain



Single Bowl Drop-in Sink with Perfect Drain

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 10-1/8",

Includes: One LKPD1 Perfect Drain and strainer.

Built in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Rinsing basket LKWRB2115SS LKWERBSS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 21 lbs.

LMR2013



- •Dimensions: 19-1/2" x 13" x 6-1/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

3" R (76mm) 6-1/8" (156mm) 6-1/8" (156mm) (1-3/4" R (440mm) (1-3/4" R (440mm) (1-3/4" R (440mm)


Bowl Drop-in Bar Sink

ADA Compliant Made in USA Optional Accessories Cutting board CB816 CBS715 Drain LK99 Ship dims: 23-1/2" x 19-3/4" x 8-1/2" Approx. ship weight: 8 lbs.


LR1522



- •Dimensions: 15" x 22" x 7-5/8"
- 18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size



Elkay Lustertone Classic Stainless Steel 19-1/2" x 13" x 6-1/8", Single



Made in USA Models also available with ADA depths Optional Accessories Bottom grid LKWBG1116SS Rinsing basket LKWRB1116SS Drain LK99 Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 12 lbs.



LTR632210



- •Dimensions: 63" x 22" x 10-1/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •66" minimum cabinet size

LCR4322



•Dimensions: 43" x 22" x 7-7/8"


- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •48" minimum cabinet size

LMR3322




- •Dimensions: 33" x 22" x 7-7/8"
- 18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 63" x 22" x 10-1/8", Triple Bowl Drop-in Sink




Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 Ship dims: 73-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 44 lbs.

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-7/8", Triple Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board CBS1418 CB912 Rinsing basket LKWRB1418SS LKWERBSS LKWRB1209SS Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 28 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-7/8", 30/70 Double Bowl Drop-in Sink



Made in USA **Optional Accessories Bottom grid** LKWBG2115SS (large bowl) **Cutting board** CB1516 (large bowl) CB816 (small bowl) CBS715 (small bowl) **Rinsing basket** LKWRB2115SS (large bowl) LKWERBSS (large bowl) LKWRB715SS (small bowl) Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.



DLRS332210



- Dimensions: 33" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DLRS332212




- Dimensions: 33" x 22" x 11-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

ECTSRS33229TBG



- Dimensions: 33" x 22" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5, FR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size



Bowl Drop-in Sink

1-3/4" R

1-3/4" R (44mm) 28" (711mm)

33"

(838mm)

Bottom grid LKWBG2816SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 28 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 11-5/8", Single Bowl Drop-in Sink

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Single

22"

(559mm)

16" (406mm)


10-1/8"

(257mm)

Made in USA Optional Accessories

Made in USA Optional Accessories Bottom grid LKWBG2816SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 22 lbs.

Elkay Crosstown Stainless Steel 33" x 22" x 9", Single Bowl Dual Mount Sink Kit



Includes: ECTSRS33229T Sink, CTXBG2915 Bottom Grid

Optional Accessories

Drain LKDD LK35 Ship dims: 38" x 24-1/2" x 10-13/16" Approx. ship weight: 34 lbs.





PSRS3322



- ٠ Dimensions: 33" x 22" x 7-1/4"
- 20 gauge ٠
- Brushed Satin finish ٠
- Available in 1, 2, 3, 4 faucet holes ٠
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

LR3122PD



- Dimensions: 31" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Perfect Drain


8" (203mm) 22" (559mm) 16" (406mm) 1-3/4" R (44mm) 14" (356mm) 28" (711mm) 31" (787mm) 1-3/4" R 7-5/8" 9-1/8" (194mm) (232mm) (44mm) +

Bowl Drop-in Sink with Perfect Drain Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWBG2816SS **Cutting board** CB1713 CBS1316 Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 24 lbs.

LR3122



- Dimensions: 31" x 22" x 7-5/8"
- ٠ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ٠ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size ٠




Bowl Drop-in Sink

Made in USA Models also available with ADA depths **Optional Accessories** Bottom grid LKWBG2816SS **Cutting board** CB1713 CBS1316 Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 19 lbs.

Elkay Celebrity Stainless Steel 33" x 22" x 7-1/4", Single Bowl Dropin Sink

Elkay Lustertone Classic Stainless Steel 31" x 22" x 7-5/8", Single

Elkay Lustertone Classic Stainless Steel 31" x 22" x 7-5/8", Single





Made in USA **Optional Accessories Bottom grid** LKWBG2816SS **Cutting board** CB1713 CBS1316 Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 38-15/16" Approx. ship weight: 16 lbs.




DLR312210PD



- Dimensions: 31" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Perfect Drain

DLR312210



Bowl Drop-in Sink with Perfect Drain

Includes: One LKPD1 Perfect Drain and strainer. Built in USA Optional Accessories Bottom grid LKWBG2816SS Cutting board CB1713 CBS1316 Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 26 lbs.

Elkay Lustertone Classic Stainless Steel 31" x 22" x 10-1/8", Single Bowl Drop-in Sink

Elkay Lustertone Classic Stainless Steel 31" x 22" x 10-1/8", Single




- Dimensions: 31" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DLR312212




- Dimensions: 31" x 22" x 11-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



Made in USA Optional Accessories Bottom grid LKWBG2816SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 22 lbs.

Elkay Lustertone Classic Stainless Steel 31" x 22" x 11-5/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid LKWBG2816SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 22 lbs.



PSR3122

Elkay Celebrity Stainless Steel 31" x 22" x 7-1/8", Single Bowl Dropin Sink



- Dimensions: 31" x 22" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

CR3122




- Dimensions: 31" x 22" x 6-7/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

LSR2722




- Dimensions: 27" x 22" x 8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- Features: Slim Rim




Made in USA Optional Accessories Bottom grid LKWBG2816SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 38-15/16" Approx. ship weight: 17 lbs.

Elkay Celebrity Stainless Steel 31" x 22" x 6-7/8", Single Bowl Dropin Sink



Made in USA Optional Accessories Cutting board CB1516 Rinsing basket LKWERBSS Drain LK99 Ship dims: 26-1/4" x 10-1/2" x 37-3/4" Approx. ship weight: 15 lbs.

Elkay Lustertone Classic Stainless Steel 27" x 22" x 8", Single Bowl Dual Mount Sink



1-3/4" R (44mm) (203 mm)

Made in USA Optional Accessories Bottom grid LKWBG2416SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 25 lbs.



DLSR272210




- Dimensions: 27" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom
- pads30" minimum cabinet size
- So minimum cabinet size
- Features: Slim Rim

LR2522PD




- Dimensions: 25" x 22" x 8-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 27" x 22" x 10", Single Bowl Dual Mount Sink



Made in USA Optional Accessories Bottom grid LKWBG2416SS Cutting board CB1713 CBS1316 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 25 lbs.

Elkay Lustertone Classic Stainless Steel 25" x 22" x 8-1/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 19 lbs.



LR2522



- Dimensions: 25" x 22" x 8-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

DLR252210PD




- Dimensions: 25" x 22" x 10-3/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size
- Features: Perfect Drain

DLR252210




- Dimensions: 25" x 22" x 10-3/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 22" x 8-1/8", Single Bowl Drop-in Sink



Made in USA Models also available with ADA depths Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 15 lbs.

Elkay Lustertone Classic Stainless Steel 25" x 22" x 10-3/8", Single Bowl Drop-in Sink with Perfect Drain



strainer. Built in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516


Includes: One LKPD1 Perfect Drain and

Drain LKPDVR18B

LKDS99

LKDS35 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 22 lbs.

Elkay Lustertone Classic Stainless Steel 25" x 22" x 10-3/8", Single Bowl Drop-in Sink



(44mm)

Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 18 lbs.

ELKAY

PLA252212



- Dimensions: 25" x 22" x 12-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

DLR252212




- Dimensions: 25" x 22" x 12-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

ECTSR25229TBG



- Dimensions: 25" x 22" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 30" minimum cabinet size



12-1/8"

(308mm)

in Laundry Sink

25"


(635mm)

1-3/4" R (44mm) **Special Note:** Made with Type 316 Stainless Steel

Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK335 LK372 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 19 lbs.


Elkay Lustertone Classic Stainless Steel 25" x 22" x 12-1/8", Single Bowl Drop-in Sink

Elkay Pursuit Stainless Steel 25" x 22" x 12-1/8", Single Bowl Drop-



Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 19 lbs.

Elkay Crosstown Stainless Steel 25" x 22" x 9", Single Bowl Dual Mount Sink Kit



Includes: ECTSR25229T Sink, CTXBG2115 Bottom Grid Optional Accessories Drain LKDD LK35 Ship dims: 33" x 24-1/2" x 13" Approx. ship weight: 24 lbs.



PSR2522



- Dimensions: 25" x 22" x 7-1/2"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

CR2522




- Dimensions: 25" x 22" x 7"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

DCR252210



- Dimensions: 25" x 22" x 10-1/4"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size



1-3/4" R

(44mm)

1-3/4" R

(44mm)

21" (533mm)

25"

(635mm)

22'

(559mm)

15-3/4" (400mm)

> 7-1/2" (191mm)

7-7/8"

(200mm)

Sink

Elkay Celebrity Stainless Steel 25" x 22" x 7-1/2", Single Bowl Dropin Sink


> Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 31-3/16" Approx. ship weight: 14 lbs.

Made in USA

Elkay Celebrity Stainless Steel 25" x 22" x 7", Single Bowl Drop-in

Optional Accessories Bottom grid GBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 14 lbs.

Elkay Stainless Steel 25" x 22" x 10-1/4", Single Bowl Drop-in Laundry Sink



2-1/4* R (57mm) Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 23-5/16" x 12-1/16" x 31-7/16" Approx. ship weight: 14 lbs.

ELKAY.

DCR252212



- Dimensions: 25" x 22" x 12-1/4"
- 20 gauge
- Brushed Satin finish
- Available in 1, 3, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

LR2521




- Dimensions: 25" x 21-1/4" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
 Sound deadening: Sides and Bottom
- pads
- 30" minimum cabinet size

DLR252110




- Dimensions: 25" x 21-1/4" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size



Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 20 lbs.


Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 7-7/8", Single Bowl Drop-in Sink



Made in USA Models also available with ADA depths Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 15 lbs.



Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 10-1/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 18 lbs.

R-143

Elkay Stainless Steel 25" x 22" x 12-1/4", Single Bowl Drop-in Sink



PSR2521



- Dimensions: 25" x 21-1/4" x 7-1/2"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

GECR2521L




- Dimensions: 25" x 21-1/4" x 5-3/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

GECR2521R




- Dimensions: 25" x 21-1/4" x 5-3/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 7-1/2", Single Bowl Drop-in Sink




Made in USA Optional Accessories Bottom grid LKWBG2115SS Cutting board CB1516 Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 31-3/16" Approx. ship weight: 13 lbs.

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 11 lbs.

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 11 lbs.



GECR2521



- Dimensions: 25" x 21-1/4" x 5-3/8"
- ٠ 20 gauge
- ٠ Brushed Satin finish
- ٠ Available in 1, 2, 3, 4 faucet holes
- ٠ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

CR2521



- Dimensions: 25" x 21-1/4" x 6-7/8"
- 20 gauge ٠

LR2222

- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes ٠
- ٠ 3-1/2" (89mm) drain opening
- ٠ Sound deadening: Bottom only pads
- 30" minimum cabinet size

21-1/4" (538mm) 15-3/4" (400mm) 3" R /(76mm) 21" (533mm) 25" (635mm) 6-7/8"

Drop-in Sink

2-1/4" R

(57mm)


Made in USA **Optional Accessories Cutting board** CB1516 **Rinsing basket** LKWERBSS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 14 lbs.

Ship dims: 30-11/16" x 26-1/4" x 9-1/2"

Approx. ship weight: 11 lbs.

Elkay Lustertone Classic Stainless Steel 22" x 22" x 7-5/8", Single **Bowl Drop-in Sink**

(175mm)





Made in USA Models also available with ADA depths **Optional Accessories Cutting board** CB1713 CBS1316 **Rinsing basket** LKWRB1418SS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 19 lbs.

- Dimensions: 22" x 22" x 7-5/8" ٠
- ٠ 18 gauge
- Lustrous Satin finish ٠
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl **Drop-in Sink**

> **ADA Compliant** Made in USA

Bottom grid


LKWOBG2115SS

Cutting board CB1516 Drain

LK99

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 6-7/8", Single Bowl

Optional Accessories





DLR222210



- Dimensions: 22" x 22" x 10-1/8"
- ٠ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads ٠
- ٠ 27" minimum cabinet size

DLR222212




- Dimensions: 22" x 22" x 12-1/8"
- 18 gauge ٠
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

LR2219PD



- Dimensions: 22" x 19-1/2" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size
- Features: Perfect Drain




Bowl Drop-in Sink

Made in USA **Optional Accessories Cutting board** CB1713 CBS1316 **Rinsing basket** LKWRB1418SS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 15 lbs.

Elkay Lustertone Classic Stainless Steel 22" x 22" x 12-1/8", Single **Bowl Drop-in Sink**


Elkay Lustertone Classic Stainless Steel 22" x 22" x 10-1/8", Single

22"



Made in USA **Optional Accessories Cutting board** CB1713 CBS1316 **Rinsing basket** LKWRB1418SS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 17 lbs.

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 7-5/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Cutting board** CBS1418 **Rinsing basket** LKWRB1418SS Drain LKPDVR18B LKDS99 LKDS35 \$34.70 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 18 lbs.



LR2219



- Dimensions: 22" x 19-1/2" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

DLR221910PD




- Dimensions: 22" x 19-1/2" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size
- Features: Perfect Drain

DLR221910



- Dimensions: 22" x 19-1/2" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size




Single Bowl Drop-in Sink

Made in USA Models also available with ADA depths Optional Accessories Cutting board CBS1418 Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 20-13/16" x 9-5/16" x 27-15/16" Approx. ship weight: 13 lbs.


Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 10-1/8", Single Bowl Drop-in Sink with Perfect Drain

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 7-5/8",



Includes: One LKPD1 Perfect Drain and strainer. Built in USA Optional Accessories Cutting board CBS1418 Rinsing basket LKWRB1418SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 16 lbs.

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 10-1/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board CBS1418 Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 14 lbs.



PSR2219



- Dimensions: 22" x 19-1/2" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

ESE202010




- Dimensions: 20" x 20" x 10-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

LR2022




- Dimensions: 19-1/2" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Celebrity Stainless Steel 22" x 19-1/2" x 7-1/8", Single Bowl Drop-in Sink




Made in USA Optional Accessories Cutting board CBS1418 Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 20-13/16" x 9-5/16" x 27-15/16" Approx. ship weight: 11 lbs.

Elkay Celebrity Stainless Steel 20" x 20" x 10-1/8", Single Bowl Drop-in Laundry Sink



2-1/4" R (57mm) Made in USA Optional Accessories Bottom grid LKWBG1415SS Cutting board CB1516 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 21-5/16" x 12-1/16" x 26-7/16" Approx. ship weight: 12 lbs.

Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 7-5/8", Single Bowl Drop-in Sink



Made in USA Models also available with ADA depths Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 14 lbs.



DLR202210



(203mm)

1

1-3/4" F (44mm)

16"

(406mm)

19-1/2"

(495mm)

1-3/4" R


(44mm

- Dimensions: 19-1/2" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

LR1919PD



- Dimensions: 19-1/2" x 19" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size
- Features: Perfect Drain



Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 14 lbs.

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 7-1/2", Single Bowl Drop-in Sink with Perfect Drain

strainer. **Built in USA Optional Accessories** Bottom grid LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 17 lbs.


Includes: One LKPD1 Perfect Drain and

LR1919



- Dimensions: 19-1/2" x 19" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 7-1/2", Single Bowl Drop-in Sink



Made in USA Models also available with ADA depths Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 20-13/16" x 9-5/16" x 27-15/16" Approx. ship weight: 13 lbs.

Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 10-1/8", Single Bowl Drop-in Sink

22"

16" (559mm)

(406mm)

10-1/8" (257mm)


.



DLR191910PD



- Dimensions: 19-1/2" x 19" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size
- Features: Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 **Ship dims:** 26-1/4" x 24-1/4" x 14"

Approx. ship weight: 16 lbs.

DLR191910




- Dimensions: 19-1/2" x 19" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 10-1/8", Single Bowl Drop-in Laundry Sink

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 10-1/8",

Single Bowl Drop-in Laundry Sink w/Perfect Drain



Made in USA Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 14 lbs.

ELKAY

PLA191910



- Dimensions: 19-1/2" x 19" x 10-3/16"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size

6.3/4" (171mm) 1.3/4" R (44mm) 10.3/16" (257mm) 1.3/4" R (44mm) 1.3/4" R (44mm) 1.3/4" R (44mm) 1.3/4" R (44mm) 1.3/4" R (44mm)

Drop-in Laundry Sink

Special Note: Made with Type 316 Stainless Steel Made in USA Optional Accessories Cutting board CB1613 CB51316 Rinsing basket LKWRB1316SS Drain LK335 LK372 Ship dims: 26-1/4" x 24-1/4" x 12-1/2"

Approx. ship weight: 14 lbs.

LR1918



5-3/4* (146mm) 1-3/4* R 1-1/2* (457mm) (292mm) 1-1/2* (457mm) 1-

1-3/4" R

(44mm)

Bowl Drop-in Sink

7-5/8" (194mm)

Made in USA

Elkay Lustertone Classic Stainless Steel 19" x 18" x 7-5/8", Single

Elkay Pursuit Stainless Steel 19-1/2" x 19" x 10-3/16", Single Bowl

Models also available with ADA depths **Optional Accessories Bottom grid** LKWBG1116SS **Drain** LK99 **Ship dims:** 19-5/16" x 9-5/16" x 24-15/16" **Approx. ship weight:** 10 lbs.


- Dimensions: 19" x 18" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

PSR1918



- Dimensions: 19" x 18" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Celebrity Stainless Steel 19" x 18" x 7-1/8", Single Bowl Dropin Sink





Made in USA Optional Accessories Bottom grid LKWBG1116SS Drain LK99 Ship dims: 19-5/16" x 9-5/16" x 24-15/16" Approx. ship weight: 9 lbs.




LR1722PD



- Dimensions: 17" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 17" x 22" x 7-5/8", Single Bowl Drop-in Sink with Perfect Drain




Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 18 lbs.

LR1722



- Dimensions: 17" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 22" x 7-5/8", Single Bowl Drop-in Sink




Made in USA Models also available with ADA depths Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CB51316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 23-3/16" Approx. ship weight: 13 lbs.



DLR172210PD



- Dimensions: 17" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size
- Features: Perfect Drain



Bowl Drop-in Sink with Perfect Drain

Includes: One LKPD1 Perfect Drain and strainer. **Built in USA Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 30-11/16" x 26-1/4" x 14"


Approx. ship weight: 17 lbs.

DLR172210



- Dimensions: 17" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 22" x 10-1/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 15 lbs.


CR1721




- Dimensions: 17" x 21-1/4" x 6-7/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Elkay Celebrity Stainless Steel 17" x 21-1/4" x 6-7/8", Single Bowl Drop-in Sink

Elkay Lustertone Classic Stainless Steel 17" x 22" x 10-1/8", Single





Made in USA Optional Accessories Bottom grid LKWBG1415SS Rinsing basket LKWERBSS Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 23-3/16" Approx. ship weight: 10 lbs.

R-153



LR1720



- Dimensions: 17" x 20" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

DLR172010




- Dimensions: 17" x 20" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

PSR1720




- Dimensions: 17" x 20" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 20" x 7-5/8", Single Bowl Drop-in Sink




Made in USA Models also available with ADA depths Optional Accessories Bottom grid LKWBG1414SS Cutting board CB1613 Rinsing basket LKWRB1414SS Drain LK99 Ship dims: 21-5/16" x 9-5/16" x 22-15/16" Approx. ship weight: 12 lbs.

Elkay Lustertone Classic Stainless Steel 17" x 20" x 10-1/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid LKWBG1414SS Cutting board CB1613 Rinsing basket LKWRB1414SS Drain LK99 Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 14 lbs.

Elkay Celebrity Stainless Steel 17" x 20" x 7-1/8", Single Bowl Dropin Sink



Made in USA Optional Accessories Bottom grid LKWBG1414SS Cutting board CB1613 Rinsing basket LKWRB1414SS Drain LK99 Ship dims: 21-5/16" x 9-5/16" x 22-15/16" Approx. ship weight: 10 lbs.

ELKAY.

LR1716



- Dimensions: 17" x 16" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

DLR171610




- Dimensions: 17" x 16" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

PSR1716




- Dimensions: 17" x 16" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size






Made in USA Models also available with ADA depths Optional Accessories Rinsing basket LKWRB1209SS Drain LK99 Ship dims: 17-5/16" x 8-13/16" x 22-15/16" Approx. ship weight: 8 lbs.

- - Made in USA Optional Accessories Rinsing basket LKWRB1209SS Drain LK99 Ship dims: 26-1/4" x 24-1/4" x 12-1/2" Approx. ship weight: 12 lbs.



Elkay Celebrity Stainless Steel 17" x 16" x 7-1/8", Single Bowl Dropin Sink

Elkay Lustertone Classic Stainless Steel 17" x 16" x 10-1/8", Single



Made in USA Optional Accessories Rinsing basket LKWRB1209SS Drain LK99 Ship dims: 17-5/16" x 8-13/16" x 22-15/16" Approx. ship weight: 7 lbs.



LR1517



- Dimensions: 15" x 17-1/2" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

DLR151710




- Dimensions: 15" x 17-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

PSR1517



- Dimensions: 15" x 17-1/2" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size




Single Bowl Drop-in Bar Sink



Approx. ship weight: 10 lbs.


Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 10", Single Bowl Drop-in Sink


Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 7-5/8",



Made in USA Optional Accessories Cutting board CB912 Rinsing basket LKWRB1209SS Drain LK99 Ship dims: 23-1/2" x 19-3/4" x 12-1/2" Approx. ship weight: 12 lbs.

Elkay Celebrity Stainless Steel 15" x 17-1/2" x 7-1/8", Single Bowl Drop-in Bar Sink





Made in USA Optional Accessories Cutting board CB912 Rinsing basket LKWRB1209SS Drain LK99 Ship dims: 18-13/16" x 9-11/16" x 21-3/16" Approx. ship weight: 8 lbs.



ECTSR15159TBG



- Dimensions: 15" x 15" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 18" minimum cabinet size
- Features: Slim Rim

BLGR15151




- Dimensions: 15" x 15" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

BLR1560



- Dimensions: 15" x 15" x 6-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size


Elkay Crosstown Stainless Steel 15" x 15" x 9", Single Bowl Dual Mount Sink Kit



Includes: ECTSR15159T Sink, CTXBG118 Bottom Grid Optional Accessories Drain LKDD LK35 Ship dims: 33" x 24-1/2" x 13" Approx. ship weight: 19 lbs.


Elkay Lustertone Classic Stainless Steel 15" x 15" x 6-1/2", Single Bowl Drop-in Bar Sink

One Faucet Hole 1-1/4" (32mm) Diameter



ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1111SS Drain LK36 Ship dims: 24-1/4" x 19-3/4" x 9-1/2" Approx. ship weight: 8 lbs.

Elkay Lustertone Classic Stainless Steel 15" x 15" x 6-1/8", Single Bowl Drop-in Bar Sink



ADA Compliant Made in USA Optional Accessories Bottom grid LKWBG1209SS Cutting board CB912 Rinsing basket LKWRB1209SS Drain LK36 Ship dims: 16-5/16" x 9-3/16" x 21-7/16" Approx. ship weight: 7 lbs.



BPSR15



- ٠ Dimensions: 15" x 15" x 6-1/8"
- ٠ 20 gauge
- ٠ Brushed Satin finish
- Available in 1, 2, 3 faucet holes ٠
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

BCR15




- Dimensions: 15" x 15" x 6-1/8"
- ٠ 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 2" (51mm) drain opening ٠
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

BLR15



- Dimensions: 15" x 15" x 7-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size




(44mm)

in Bar Sink

ADA Compliant Made in USA **Optional Accessories Bottom grid** LKWBG1209SS **Cutting board** CB912 **Rinsing basket** LKWRB1209SS Drain LK36 Ship dims: 16-5/16" x 9-3/16" x 21-7/16" Approx. ship weight: 5 lbs.


Elkay Celebrity Stainless Steel 15" x 15" x 6-1/8", Single Bowl Dropin Bar Sink

Elkay Celebrity Stainless Steel 15" x 15" x 6-1/8", Single Bowl Drop-



ADA Compliant Made in USA **Optional Accessories Cutting board** CB912 Drain LK36 Ship dims: 16-5/16" x 9-3/16" x 21-7/16" Approx. ship weight: 6 lbs.

Elkay Lustertone Classic Stainless Steel 15" x 15" x 7-1/8", Single **Bowl Drop-in Bar Sink**



Made in USA **Optional Accessories Bottom grid** LKWBG1209SS **Cutting board** CB912 **Rinsing basket** LKWRB1209SS Drain LK36 Ship dims: 16-5/16" x 9-3/16" x 21-7/16" Approx. ship weight: 7 lbs.



SCF16FBSH



- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Hammered Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

SCF16FBSM




- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

SCF16FBSR




- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Rugged Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Hammered Mirror




Optional Accessories Bottom grid LKWRBG14SS Drain LK99 Ship dims: 25-3/16" x 9-5/8" x 22-13/16" Approx. ship weight: 14 lbs.

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Mirror



Optional Accessories Bottom grid LKWRBG14SS Drain LK99 Ship dims: 25-11/16" x 9-7/8" x 22-5/8" Approx. ship weight: 10 lbs.

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Rugged Textured



Optional Accessories Bottom grid

LKWRBG14SS Drain LK99 Ship dims: 26-1/8" x 22-1/2" x 9-5/8" Approx. ship weight: 9 lbs.





18 gauge 304 type

SOUND GUARD® TECHNOLOGY Large pads enhance sound-deadening





OFFSET DRAIN

Drain placement provides more usable space on the bottom of the sink and in the cabinet below. *Available on select models.*

LUSTERTONE CLASSIC



Our lustrous satin finish features a rich, uniform grain.

STAINLESS STEEL CONSTRUCTION

Highest quality, 18-gauge thickness stainless steel for long-lasting durability and performance.

EXCLUSIVELY ELKAY®

The edgeless design of our Perfect Drain[®] eliminates the gap around the drain for a cleaner, more hygienic sink. Food and waste go right down the drain. *Available on select models*.

Shown: LKHSR2509RPD2R

HIGHLIGHTED SATIN

A brightly polished rim around the top of the bowl provides a striking crowning touch. Available on select models.

EASY MAINTENANCE

Clean using ordinary, mild dish detergent and a soft cloth.



11

BEAUTIFUL AND DURABLE

A Lustertone[™] Classic sink looks as great on day 3,000 as it does on day one. Light scratches, which occur with everyday use, naturally blend into the finish with time.



LTR632210

Elkay Lustertone Classic Stainless Steel 63" x 22" x 10-1/8", Triple Bowl Drop-in Sink

22" (559mm)

(406mm)

+

10-1/8" (257mm)



(44mm)

_____19" _____ (483mm)

1-3/4" R (44mm)

-

20-1/4" (514mm)

(127mm)

 \oplus

_____19" ____ (483mm)

63" (1600mm)

> 20-1/4" (514mm)

 \bigcirc

_____19" _____(483mm)

(127mm

5" (127mm)

- •Dimensions: 63" x 22" x 10-1/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •66" minimum cabinet size

LCR4322




- •Dimensions: 43" x 22" x 7-7/8"
- 18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •48" minimum cabinet size

LMR3322




- •Dimensions: 33" x 22" x 7-7/8"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size




12' (305m Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 Ship dims: 73-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 44 lbs.

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-7/8", Triple Bowl Drop-in Sink

18" (457mm)



Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-7/8", 30/70 Double Bowl Drop-in Sink



Made in USA **Optional Accessories Bottom grid** LKWBG2115SS (large bowl) **Cutting board** CB1516 (large bowl) CB816 (small bowl) CBS715 (small bowl) **Rinsing basket** LKWRB2115SS (large bowl) LKWERBSS (large bowl) LKWRB715SS (small bowl) Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.



LFGR3322




- •Dimensions: 33" x 22" x 10"
- 18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

STLR3322LPD



- •Dimensions: 33" x 22" x 10-1/8"
- 18 gauge
- •Lustertone finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- •Features: Perfect Drain



Double Bowl Drop-in Sink

4-1/2

4

33" (838mm)

15" (381mm)

(114mm)

11-1/2" (292mm)

4-1/2" (114mm)

1-3/4" R (44mm)

16" (406mm)

1-3/4" R

(44mm)

22" (559mm)

19" (483mm)

1h

(254mm)

Made in USA **Optional Accessories Bottom grid** LKWOBG1116SS **Cutting board** CB1713 CBS1316 **Rinsing basket** LKWRB1418SS LKWERBSS LKWRB1116SS Drain I K99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 25 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal **Double Bowl Drop-in Sink with Perfect Drain**

(203mm)

ŧ.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10", Offset 60/40

16" (406mm)


Includes: Two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS LKWERBSS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 28 lbs.

14-3/4" (375mm)



STLR3322RPD

- •Dimensions: 33" x 22" x 10-1/8"
- •18 gauge
- •Lustertone finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS LKWERBSS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14"

Approx. ship weight: 28 lbs.

STLR3322L



- •Dimensions: 33" x 22" x 10-1/8"
- 18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening


•36" minimum cabinet size

• Sound deadening: Bottom only pads

STLR3322R



- •Dimensions: 33" x 22" x 10-1/8"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size




Double Bowl Drop-in Sink

Made in USA Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS LKWERBSS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 23 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal



Made in USA Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB51316 Rinsing basket LKWRB1316SS LKWERBSS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 23 lbs.

R-164


Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink with Perfect Drain



BPSR2317



- •Dimensions: 23" x 17" x 6-1/8"
- •20 gauge
- Brilliant Satin finish
- •2" (51mm) drain opening
- •Sound deadening: Bottom only pads
- •27" minimum cabinet size



Elkay Celebrity Stainless Steel 23" x 17" x 6-1/8", Equal Double Bowl



Drop-in Sink

ADA Compliant Made in USA Optional Accessories Bottom grid LKWBG1209SS Cutting board CB912 Rinsing basket LKWRB1209SS Drain LK36 Ship dims: 26-1/4" x 24-1/4" x 9-1/2" Approx. ship weight: 12 lbs.





Elkay Lustertone Classic Stainless Steel 66" x 25" x 7-1/2", Equal **Double Bowl Sink Top**

6" (152mm)

16" (406mm)

5-1/2" (140mm

Elkay Lustertone Classic Stainless Steel 66" x 22" x 7-5/8", Equal

18-7/16"

7-1/2" (191,mm)



- •Dimensions: 66" x 25" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦66" minimum cabinet size
- Features: Drainboard

ILR6622DD




- •Dimensions: 66" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •69" minimum cabinet size
- Features: Drainboard

ILGR5422L



- •Dimensions: 54" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆57" minimum cabinet size
- Features: Drainboard



1-1/2" (38mm) Diameter Faucet Holes on 4" (102mm) Centers

_____13-1/2"______13-1/2"____ (343mm)_____(343mm)_____

66" (1,676mm)

____15-5/8" ____ (397mm)

 \bigcirc

25" (635mm

(102mm)]. (102mm)


1-3/4" R (44mm)

1-3/4" (44mm)

0


Made in USA **Extended Lead Time Optional Accessories Cutting board** CB1613 CB1713 CBS1316 Drain LK99 Ship dims: 75-11/16" x 14-3/16" x 28-5/8" Approx. ship weight: 65 lbs.

Made in USA **Optional Accessories Cutting board** CB1713 CBS1316 **Rinsing basket** LKWRB1316SS Drain LK99 Ship dims: 73-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 50 lbs.



Double Bowl Drop-in Sink with Drainboard

Elkay Lustertone Classic Stainless Steel 54" x 22" x 10", Offset **Double Bowl Drop-in Sink with Drainboard**



Made in USA **Optional Accessories Bottom grid** LKWOBG1418SS (small bowl) LKWOBG1616SS (large bowl) **Cutting board** CBS1418 CB1713 CBS1316 **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LK99 Ship dims: 53-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 40 lbs.



ILGR5422R



- •Dimensions: 54" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆57" minimum cabinet size
- Features: Drainboard

ILR4822L



- •Dimensions: 48" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •51" minimum cabinet size
- •Features: Drainboard


ILR4822R



•Dimensions: 48" x 22" x 7-5/8"


- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- ◆51" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 54" x 22" x 10", Offset Double Bowl Drop-in Sink with Drainboard




Made in USA **Optional Accessories Bottom grid** LKWOBG1418SS (small bowl) LKWOBG1616SS (large bowl) **Cutting board** CBS1418 CB1713 CBS1316 **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LK99 Ship dims: 53-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 40 lbs.

Elkay Lustertone Classic Stainless Steel 48" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink with Drainboard



Made in USA Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 53-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 35 lbs.

Elkay Lustertone Classic Stainless Steel 48" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink with Drainboard



Made in USA Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 53-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 35 lbs.



LR4322



- •Dimensions: 43" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •48" minimum cabinet size

DLR432210



- •Dimensions: 43" x 22" x 10-1/8"
- ◆18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •48" minimum cabinet size

DLR432212



- Dimensions: 43" x 22" x 12-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •48" minimum cabinet size


1-3/4* R 10° 10° (443mm) 43° (483mm) 10° 1-3/4* R 10° 10° 10° (1092mm) 10° 10° 10° 1-3/4* R 10° 10° 10° (1092mm) 10° 10° 10°

Double Bowl Drop-in Sink

Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 33 lbs.


Elkay Lustertone Classic Stainless Steel 43" x 22" x 12-1/8", Equal Double Bowl Drop-in Sink

Elkay Lustertone Classic Stainless Steel 43" x 22" x 10-1/8", Equal



Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 14" Approx. ship weight: 33 lbs.

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 26 lbs.

ELKAY

PSR4322



- •Dimensions: 43" x 22" x 7-1/8"
- ◆20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •48" minimum cabinet size

CR4322




- •Dimensions: 43" x 22" x 6-7/8"
- ◆20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
 48" minimum cabinet size
- •48° minimum cabinet siz

LFGR3722




- •Dimensions: 37" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- ◆42" minimum cabinet size



Drop-in Sink

Made in USA Optional Accessories Cutting board CB1516 Rinsing basket LKWERBSS Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.

Elkay Lustertone Classic Stainless Steel 37" x 22" x 10", Offset 60/40 Double Bowl Drop-in Sink




Made in USA

Optional Accessories Bottom grid LKWOBG2018SS (large bowl) LKWOBG1116SS (small bowl) Cutting board CBS1418 Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 28 lbs.

Elkay Celebrity Stainless Steel 43" x 22" x 7-1/8", Equal Double Bowl Drop-in Sink

Elkay Celebrity Stainless Steel 43" x 22" x 6-7/8", Equal Double Bowl



Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1418SS Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.



LGR3722



- •Dimensions: 37" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •42" minimum cabinet size

LR3722




- •Dimensions: 37" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆42" minimum cabinet size

DLR372210



•Dimensions: 37" x 22" x 10-1/8"

- ♦18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦42" minimum cabinet size



Double Bowl Drop-in Sink

1-3/4" R (44mm)

14"

(356mm)

1-3/4" R (44mm) 37" (940mm)

16-1/4" (413mm) 16" (406mm)

22" (559mm)

18" (457mm)

10"


(254mm)

Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 10-1/2"

Ship dims: 44-7/8" x 26-1/4" x 14"

Approx. ship weight: 24 lbs.

Elkay Lustertone Classic Stainless Steel 37" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 29 lbs.

Approx. ship weight: 28 lbs. Elkay Lustertone Classic Stainless Steel 37" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink

Elkay Lustertone Classic Stainless Steel 37" x 22" x 10", Offset

16" (406mm)

8" (203mm) Made in USA

Bottom grid

Cutting board

Rinsing basket

LKWRB1418SS

LKWRB1316SS

CBS1418

CB1713 CBS1316

Drain

LK99

Optional Accessories

LKWOBG1418SS (small bowl)

LKWOBG1616SS (large bowl)



ECTSR33229TBG




- Dimensions: 33" x 22" x 9"18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5, FR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard36" minimum cabinet size
- Features: Slim Rim


ECTSRAD33226TBG



- •Dimensions: 33" x 22" x 6"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Sound Guard
- •36" minimum cabinet size
- Features: Slim Rim


Elkay Crosstown Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink Kit





Includes: ECTSR33229TBG Sink, two CTXBG1315 Bottom Grids Optional Accessories Drain LKDD LK35 Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 34 lbs.

Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl Dual Mount ADA Sink Kit



R9/16" (15mm) (152mm) (152mm) (152mm) Includes: ECTSRAD33226T Sink, two CTXBG1315 Bottom Grids Optional Accessories

- Drain
- LKDD LK35
- LK35
- **Ship dims:** 38" x 24-1/2" x 13" **Approx. ship weight:** 34 lbs.
- Approx. Sinp weight: 34 18



ECTSRA33229TBG

0101

- •Dimensions: 33" x 22" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- +Sound deadening: Sound Guard
- •36" minimum cabinet size
- •Features: Aqua Divide

LR250



- •Dimensions: 33" x 22" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- •3-1/2" (89mm) drain opening
- +Sound deadening: Bottom only pads
- •36" minimum cabinet size

22" (559mm) 16" 18" (406mm) 5" (127mm 1-3/4" R (44mm) 14' 13-1/2" (356mm) (343mm) 33" (838mm) 7-7/8" 1-3/4" R (200mm) (44mm) 13" (330mm)


Made in USA **Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CBS1418 CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.

LR250L




- •Dimensions: 33" x 22" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-7/8", Offset Double Bowl Drop-in Sink



Made in USA **Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CBS1418 CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.

Elkay Crosstown Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink Kit with Aqua Divide



Includes: ECTSRA33229TBG Sink, CTXBG1315 Bottom Grid Optional Accessories Bottom grid CTXBG1315 Drain LKDD LK35 Ship dims: 38" x 24-1/2" x 10-13/16" Approx. ship weight: 34 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-7/8", Offset Double Bowl Drop-in Sink

ELKAY


LGR3322



- •Dimensions: 33" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10", Offset Double Bowl Drop-in Sink

Elkay Lustertone Classic Stainless Steel 33" x 22" x 9", 60/40 Double



Made in USA **Optional Accessories** Bottom grid LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl) **Cutting board** CBS1418 CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 25 lbs.

LKHSR2509RPD




•Dimensions: 33" x 22" x 9"

- ◆18 gauge
- Lustrous Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- •3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- ◆Features: Perfect Drain, Slim Rim

STCR3322L



- •Dimensions: 33" x 22" x 10-1/4"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- ◆36" minimum cabinet size




Bowl Dual Mount Sink with Perfect Drain

Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA Optional Accessories Bottom grid LKWOBG1819SS (left bowl) LKWOBG1118SS (right bowl) Cutting board LKCB1520LUHW LKCB1520LUHW Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14"

Approx. ship weight: 23 lbs.

Elkay Celebrity Stainless Steel 33" x 22" x 10-1/4", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid LKWBG1415SS Cutting board CB1516 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 23-5/16" x 12-1/16" x 39-7/16" Approx. ship weight: 18 lbs.



STCR3322R



- Dimensions: 33" x 22" x 10-1/4"20 gauge
- Brushed Satin finish
- •Available in 1, 2, 3, 4 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- •36" minimum cabinet size

LKHSR33229PD




- •Dimensions: 33" x 22" x 9"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- •Features: Perfect Drain, Slim Rim

LR3322PD



- Dimensions: 33" x 22" x 8-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- •3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size
- •Features: Perfect Drain



Bowl Drop-in Sink

3" R

(76mm)

. 14" (356mm)

2-1/4" R

(57mm)

7-1/4" (184mm) 33"

(838mm)

15-1/4"

(387mm)

Made in USA Optional Accessories Bottom grid LKWBG1415SS Cutting board CB1516 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 23-5/16" x 12-1/16" x 39-7/16" Approx. ship weight: 18 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink with Perfect Drain

Elkay Celebrity Stainless Steel 33" x 22" x 10-1/4", Equal Double

22" (559mm)

15-3/4" (400mm)

10-1/4"

(260mm)


 \oplus

____14" (356mm)

> Includes: Two LKPD1 Perfect Drains and strainers. Built in USA Optional Accessories Bottom grid LKWOBG1520LSS (left bowl) LKWOBG1520RSS (right bowl) Cutting board LKCB1520LUHW LKCB1520LUHW LKCB1520LTHW Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14"

Approx. ship weight: 23 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 8-1/8", Equal Double Bowl Drop-in Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 **Ship dims:** 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 29 lbs.

ELKAY

LR3322



- •Dimensions: 33" x 22" x 8-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

DLR332210PD



- •Dimensions: 33" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- •3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

22" (559mm) 1-3/4" R 13-1/2" (343mm) 13-1/2" (343mm) 33" (838mm) 10-1/8" (257mm) 1-3/4" R 11-5/8 (44mm) (295m _____ 14-3/4" (375mm)

Double Bowl Drop-in Sink with Perfect Drain Includes: Two LKPD1 Perfect Drains and strainers. **Built in USA Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS Drain LKPDVR18B LKDS99 LKDS35 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 30 lbs.


DLR332210



- •Dimensions: 33" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal **Double Bowl Drop-in Sink**

Made in USA




14-3/4" (375mm)

Optional Accessories Bottom grid LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 25 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 8-1/8", Equal **Double Bowl Drop-in Sink**

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal



Made in USA Models also available with ADA depths **Optional Accessories Bottom grid** LKWBG1316SS **Cutting board** CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1316SS Drain I K99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 23 lbs.



DLR332212



- Dimensions: 33" x 22" x 12-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

PSR3322



•Dimensions: 33" x 22" x 7-1/2"


- ◆20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

CR3322




- •Dimensions: 33" x 22" x 7"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 12-1/8", Equal Double Bowl Drop-in Sink




Made in USA Optional Accessories Bottom grid LKWBG13165S Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 25 lbs.

Elkay Celebrity Stainless Steel 33" x 22" x 7-1/2", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 38-15/16" Approx. ship weight: 20 lbs.

Elkay Celebrity Stainless Steel 33" x 22" x 7", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid LKWBG1415SS Cutting board CB1516 Rinsing basket LKWERBSS Drain LK99 Ship dims: 23-5/16" x 8-15/16" x 38-15/16" Approx. ship weight: 16 lbs.



LR3321




- •Dimensions: 33" x 21-1/4" x 7-7/8"
- ◆18 gauge

PSR3321

- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

Made in Models Option. Botto LKWB Cuttir CB161



Made in USA Models also available with ADA depths Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 22 lbs.

Elkay Celebrity Stainless Steel 33" x 21-1/4" x 7-1/2", Equal Double Bowl Drop-in Sink

Made in USA



•Dimensions: 33" x 21-1/4" x 7-1/2"


- ◆20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size

GECR3321




- Dimensions: 33" x 21-1/4" x 5-3/8"20 gauge
- •Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads

•36" minimum cabinet size



Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 20 lbs.

Elkay Celebrity Stainless Steel 33" x 21-1/4" x 5-3/8", Equal Double Bowl Drop-in Sink



ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1415SS Cutting board CB1516 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 23-5/16" x 8-15/16" x 38-15/16" Approx. ship weight: 14 lbs.





CR3321



- Dimensions: 33" x 21-1/4" x 6-7/8"20 gauge
- •Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

LR3319




- •Dimensions: 33" x 19-1/2" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

DLR331910




- Dimensions: 33" x 19-1/2" x 10-1/8"18 gauge
- Lustrous Satin finish
- •Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size

Elkay Celebrity Stainless Steel 33" x 21-1/4" x 6-7/8", Equal Double Bowl Drop-in Sink




Made in USA Optional Accessories Bottom grid LKWBG1415SS Cutting board CB1516 Rinsing basket LKWERBSS Drain LK99 Ship dims: 23-5/16" x 8-15/16" x 38-15/16" Approx. ship weight: 15 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA Models also available with ADA depths Optional Accessories Bottom grid LKWBG1414SS Cutting board CB1613 Rinsing basket LKWRB1414SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 20 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 10-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid LKWBG1414SS Cutting board CB1613 Rinsing basket LKWRB1414SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 23 lbs.



PSR3319



- •Dimensions: 33" x 19-1/2" x 7-1/8"
- ◆20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size

LR2922




- •Dimensions: 29" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •33" minimum cabinet size

LR2918




- •Dimensions: 29" x 18" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •33" minimum cabinet size

Elkay Celebrity Stainless Steel 33" x 19-1/2" x 7-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid LKWBG1414SS Cutting board CB1613 Rinsing basket LKWRB1414SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 17 lbs.


Elkay Lustertone Classic Stainless Steel 29" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA

Models also available with ADA depths Optional Accessories Bottom grid LKWBG1116SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 17 lbs.

Elkay Lustertone Classic Stainless Steel 29" x 18" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA

Models also available with ADA depths Optional Accessories Cutting board CB912 Rinsing basket LKWRB1209SS Drain LK99 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 16 lbs.



DLR291810



- •Dimensions: 29" x 18" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •33" minimum cabinet size

LR2519




- Dimensions: 25" x 19-1/2" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •30" minimum cabinet size

DLR251910




- Dimensions: 25" x 19-1/2" x 10-1/8" 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 29" x 18" x 10", Equal **Double Bowl Drop-in Sink**




Made in USA **Optional Accessories Cutting board** CB912 **Rinsing basket** LKWRB1209SS Drain LK99 **Ship dims:** 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 16 lbs.


Elkay Lustertone Classic Stainless Steel 25" x 19-1/2" x 7-5/8", Equal **Double Bowl Drop-in Sink**



Made in USA **Optional Accessories Rinsing basket** LKWRB1209SS Drain LK99 Ship dims: 23-5/16" x 9-13/16" x 31-3/16" Approx. ship weight: 15 lbs.

Elkay Lustertone Classic Stainless Steel 25" x 19-1/2" x 10-1/8", **Equal Double Bowl Drop-in Sink**





Made in USA **Optional Accessories Rinsing basket** LKWRB1209SS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 23 lbs.




LTR542210



Dimensions: 54" x 22" x 10-1/8" 18 gauge Lustrous Satin finish Available in 1, 2, 3, 4, 6 faucet holes 3-1/2" (89mm) drain opening Sound deadening: Bottom only pads 57" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 54" x 22" x 10-1/8", Triple Bowl Drop-in Sink




Made in USA Optional Accessories Cutting board CB1713 CB51316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 53-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 33 lbs.

LTR4622



Dimensions: 46" x 22" x 7-5/8" 18 gauge Lustrous Satin finish Available in 1, 2, 3, 4, 6 faucet holes 3-1/2" (89mm) drain opening Sound deadening: Bottom only pads 51" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 46" x 22" x 7-5/8", Triple Bowl Drop-in Sink



- 14-3/4" - 14-3/4" (375mm) (375mm) Made in USA Optional Accessories Bottom grid LKWBG1316SS Cutting board CB1613 CB1713 CBS1316 Rinsing basket LKWRB1316SS Drain LK99 Ship dims: 53-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 29 lbs.




LGR4322



Dimensions: 43" x 22" x 10" 18 gauge Lustrous Satin finish Available in 1, 2, 3, 4 faucet holes 3-1/2" (89mm), 3-1/2" (89mm) drain opening Sound deadening: Sides and Bottom pads 48" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 43" x 22" x 10", Triple Bowl Drop-in Sink




Made in USA **Optional Accessories** Bottom grid LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl) **Cutting board** CBS1418 CB816 CBS715 CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1418SS LKWRB1316SS Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 32 lbs.

PSMR4322



Dimensions: 43" x 22" x 7-1/8" 20 gauge Brushed Satin finish Available in 3, 4 faucet holes 3-1/2" (89mm) drain opening Sound deadening: Bottom only pads 48" minimum cabinet size

Elkay Celebrity Stainless Steel 43" x 22" x 7-1/8", Triple Bowl Dropin Sink




Made in USA Optional Accessories Cutting board CBS1418 CB912 Rinsing basket LKWRB1418SS LKWRB1209SS Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 20 lbs.

CMR4322



Dimensions: 43" x 22" x 7" 20 gauge Brushed Satin finish Available in 1, 2, 3, 4 faucet holes 3-1/2" (89mm) drain opening Sound deadening: Bottom only pads 48" minimum cabinet size

Elkay Celebrity Stainless Steel 43" x 22" x 7", Triple Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board CB912 Drain LK99 Ship dims: 48-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 23 lbs.









HAVE THE BEST OF BOTH WORLDS

Sinks with Aqua Divide[™] offer flexibility. The low center wall allows pan handles to extend over the center. Use it as two separate bowls or fill the sink high with water to wash larger items across both bowls.



PERFECT DRAIN

Elkay's innovative Perfect Drain[®] eliminates seams and gaps around the drain, for a cleaner, more hygienic sink.

QUARTZ LUXE

SUPERIOR STRENGTH

Made of natural quartz sand, the hardest component of granite, these durable sinks are impact resistant to your toughest sink tasks.

NATURALLY QUIET

Thick material absorbs noise when working at the sink.

RICH HUES

UV-stable color won't fade.



STAIN AND SMUDGE RESISTANT

Silky surface resists stains and smudges, making the sink easy to clean.

HYGIENE PROTECTION

Rounded, microfine quartz particles allow for an ultrasmooth, nonporous surface that resists dirt, food and stains.


HEAT SAFE

Sink is heat proof to 535° F to protect surface from hot cookware.




- Dimensions: 33" x 18-7/16" x 9-7/16"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size





Elkay Quartz Luxe 24-5/8" x 18-1/2" x 9-1/2", Single Bowl



Optional Accessories Bottom grid LKOBG2915SS Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 55 lbs.


ELXU2522



- Dimensions: 24-5/8" x 18-1/2" x 9-1/2"
- 3-1/2" (89mm) drain opening
- 30" minimum cabinet size







Undermount Sink

Optional Accessories Bottom grid LKOBG2217SS **Cutting board** LKCBEG2217HW **Rinsing basket** LKWRB2217SS Drain LKQS35 LKQD35 LK99

Ship Dims: 29-3/4" x 26-3/4" x 16-1/16" Approx. Ship Weight: 41 lbs.



ELX1616


Elkay Quartz Luxe 15-3/4" x 15-3/4" x 7-11/16", Single Bowl Dual **Mount Bar Sink**

Elkay Quartz Luxe 33" x 22" x 10", Offset 60/40 Double Bowl



- Dimensions: 15-3/4" x 15-3/4" x 7-11/16"
- 3-1/2" (89mm) drain opening





Optional Accessories Bottom grid LKOBG1616SS **Rinsing basket** LKWRB1209SS Drain LKQS35 LKQD35 LK99

Ship Dims: 20" x 20" x 12-11/16" Approx. Ship Weight: 18 lbs.

ELXHU3322R

(RT)


(PA)



- Dimensions: 33" x 22" x 10"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size
- Features: Aqua Divide



Silver-Parchment Ricotta mist (SM) (PA) (RT)



Undermount Sink with Aqua Divide

Optional Accessories Bottom grid LKOBG1618SS (left bowl) LKOBG1115SS (right bowl) Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 57 lbs.



ELXU3322


Elkay Quartz Luxe 33" x 18-1/2" x 9-1/2", Equal Double Bowl **Undermount Sink**



- Dimensions: 33" x 18-1/2" x 9-1/2"
- 3-1/2" (89mm) drain opening







Optional Accessories Bottom grid LKOBG1516SS **Cutting board** LKCBEG1516HW **Rinsing basket** LKWRB1516SS Drain LKQS35 LKQD35 LK99

Ship Dims: 37-11/16" x 26-3/4" x 16-1/16" Approx. Ship Weight: 58 lbs.

ELXR13322

Elkay Quartz Luxe 33" x 20-7/8" x 9-7/16", Single Bowl Drop-in Sink

1-5/8" (41mm)



- Dimensions: 33" x 20-7/8" x 9-7/16"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size




ELX2522



- Dimensions: 25" x 22" x 9-1/2"
- 3-1/2" (89mm) drain opening
- 30" minimum cabinet size





1-1/2" (38mm) Diameter Faucet Holes on 4" (102mm) Centers are Pre-Scored. Installer can punch up to 5 faucet holes.

(+

30-1/4" (768mm)

33" (838mm)

o (127mm)

20-7/8" (530mm)

22" (559mm)

16-7/16" (417mm)

9-1/2" (241mm)

16-5/16" (414mm)

Optional Accessories Bottom grid LKOBG2915SS Drain LKOS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 57 lbs.

Optional Accessories 2-3/16" (56mm) **Bottom grid** 5" (127mm) LKOBG2217SS T Drain 22-5/16" (567mm) 25" (635mm) LKQS35

3/8" (10mm)

Cutting board LKCBEG2217HW **Rinsing basket** LKWRB2217SS LKQD35 LK99

Ship Dims: 29-3/4" x 26-3/4" x 16-1/16" Approx. Ship Weight: 43 lbs.



ELXH3322R


Elkay Quartz Luxe 33" x 22" x 10", Offset 60/40 Double Bowl Drop-in Sink with Aqua Divide



- Dimensions: 33" x 22" x 10"
- 3-1/2" (89mm) drain opening
- •36" minimum cabinet size
- Features: Aqua Divide



Parchment Ricotta Silver-(PA) (RT) (SM)



Optional Accessories Bottom grid LKOBG1618SS (left bowl) LKOBG1115SS (right bowl) Drain LKQS35 LKQD35 LK99


Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 62 lbs.

ELX3322



- Dimensions: 33" x 22" x 9-1/2"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size





Sink

Optional Accessories Bottom grid LKOBG1516SS Cutting board LKCBEG1516HW Rinsing basket LKWRB1516SS Drain LKQS35 LKQD35 LK99

Elkay Quartz Luxe 33" x 22" x 9-1/2", Equal Double Bowl Drop-in

Ship Dims: 37-11/16" x 26-3/4" x 16-1/16" Approx. Ship Weight: 62 lbs.




ELGRU13322C



- Dimensions: 33" x 18-7/16" x 9-7/16"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size





Undermount Sink Kit

Includes: ELGRU13322 Sink, LKOBG2915SS Bottom Grid, LKQS35 Drain, LKCLKIT Cleaning Kit

V Ships in multiple boxes.

Ship Dims: 37-5/8" x 44" x 16-1/16" **Approx. Ship Weight:** 60 lbs.

ELGRU13322




- Dimensions: 33" x 18-7/16" x 9-7/16"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size



Putty White (PT) (WH)

Elkay Quartz Classic 33" x 18-7/16" x 9-7/16", Single Bowl Undermount Sink

Elkay Quartz Classic 33" x 18-7/16" x 9-7/16", Single Bowl




Optional Accessories Bottom grid LKOBG2915SS Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" **Approx. Ship Weight:** 45 lbs.



- Dimensions: 24-5/8" x 18-1/2" x 9-1/2"
- 3-1/2" (89mm) drain opening
- 30" minimum cabinet size





Undermount Sink Kit

Includes: ELGU2522 Sink, LKOBG2217SS Bottom Grid, LKQS35 Drain, LKCLKIT **Cleaning Kit V** Ships in multiple boxes.

Optional Accessories Rinsing basket LKWRB2217SS Ship Dims: 29-3/4" x 44" x 16-1/16" Approx. Ship Weight: 46 lbs.

ELGU2522




- Dimensions: 24-5/8" x 18-1/2" x 9-1/2"
- 3-1/2" (89mm) drain opening
- 30" minimum cabinet size



White (WH)

Elkay Quartz Classic 24-5/8" x 18-1/2" x 9-1/2", Single Bowl **Undermount Sink**

Elkay Quartz Classic 24-5/8" x 18-1/2" x 9-1/2", Single Bowl



Optional Accessories Bottom grid LKOBG2217SS **Cutting board** LKCBEG2217HW **Rinsing basket** LKWRB2217SS Drain LKQS35 LKQD35 LK99

Ship Dims: 29-3/4" x 26-3/4" x 16-1/16" Approx. Ship Weight: 41 lbs.




ELG1616C



- Dimensions: 15-3/4" x 15-3/4" x 7-11/16"
- 3-1/2" (89mm) drain opening
- 21" minimum cabinet size





Dual Mount Bar Sink Kit

Includes: ELG1616 Sink, LKOBG1616SS Bottom Grid, LKQS35 Drain, LKCLKIT **Cleaning Kit** ▼ Ships in multiple boxes.

Optional Accessories Rinsing basket LKWRB1209SS Ship Dims: 20" x 34" x 10" Approx. Ship Weight: 22 lbs.

ELG1616




- Dimensions: 15-3/4" x 15-3/4" x 7-11/16"
- 3-1/2" (89mm) drain opening
- 21" minimum cabinet size



Putty (PT) (WH)

Elkay Quartz Classic 15-3/4" x 15-3/4" x 7-11/16", Single Bowl **Dual Mount Bar Sink**

Elkay Quartz Classic 15-3/4" x 15-3/4" x 7-11/16", Single Bowl



Optional Accessories Bottom grid LKOBG1616SS **Rinsing basket** LKWRB1209SS Drain LKQS35 LKQD35 LK99

Ship Dims: 20" x 20" x 10" Approx. Ship Weight: 18 lbs.



ELGHU3322RC

Dimensions: 33" x 22" x 10"
3-1/2" (89mm) drain opening
36" minimum cabinet size
Features: Aqua Divide



ELGHU3322R


....

- Dimensions: 33" x 22" x 10"
- 3-1/2" (89mm) drain opening
- •36" minimum cabinet size

• Features: Aqua Divide



Elkay Quartz Classic 33" x 22" x 10", Offset 60/40 Double Bowl Undermount Sink Kit with Aqua Divide




Includes: ELGHU3322R Sink, LKOBG1618SS Bottom Grid, LKOBG1115SS Bottom Grid, LKQS35 Drain, LKQD35 Drain, LKCLKIT Cleaning Kit

V Ships in multiple boxes.

Ship Dims: 37-5/8" x 43" x 16-1/16" **Approx. Ship Weight:** 64 lbs.

Elkay Quartz Classic 33" x 22" x 10", Offset 60/40 Double Bowl Undermount Sink with Aqua Divide



Optional Accessories Bottom grid LKOBG1618SS (large bowl) LKOBG1115SS (small bowl) Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" **Approx. Ship Weight:** 57 lbs.



ELGU3322C



- Dimensions: 33" x 18-1/2" x 9-1/2"
- 3-5/8" (92mm) drain opening
- 36" minimum cabinet size



18-1/2 (470mm) (400mm) (410mm) (410

Undermount Sink Kit

Elkay Quartz Classic 33" x 18-1/2" x 9-1/2", Equal Double Bowl

Elkay Quartz Classic 33" x 18-1/2" x 9-1/2", Equal Double Bowl

Includes: ELGU3322 Sink, Two LKOBG1516SS Bottom Grids, LKQS35 Drain, LKQD35 Drain, LKCLKIT Cleaning Kit ▼ Ships in multiple boxes.



ELGU3322



- Dimensions: 33" x 18-1/2" x 9-1/2"
- 3-1/2" (89mm) drain opening
- •36" minimum cabinet size



18-1/2* (470mm) 16-3/16* (410mm) 16-3/16* (410mm) 16-3/16* (410mm) 16-3/16* (410mm) 16-3/16* (410mm) 16-3/16* (382mm) 33* (362mm) (362mm) 16-3/16* (127mm) (362mm) 16-3/16* (127mm) 16-3/16* (127mm) 16-3/16* (107mm) 16-3/16* (127mm) 16-3/16* (107mm)

Undermount Sink

Optional Accessories Bottom grid LKOBG1516SS Cutting board LKCBEG1516HW Rinsing basket LKWRB1516SS Drain LKQS35 LKQD35 LK99

Ship Dims: 37-11/16" x 26-3/4" x 16-1/16" Approx. Ship Weight: 52 lbs.

(PT)

(WH)





Kit

Elkay Quartz Classic 33" x 20-7/8" x 9-7/16", Single Bowl Drop-in Sink

Elkay Quartz Classic 25" x 22" x 9-1/2", Single Bowl Drop-in Sink




Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 57 lbs.

ELG2522C



- Dimensions: 25" x 22" x 9-1/2"
- 3-1/2" (89mm) drain opening





Includes: ELG2522 Sink, LKOBG2217SS Bottom Grid, LKQS35 Drain, LKCLKIT Cleaning Kit ▼ Ships in multiple boxes.

Optional Accessories Rinsing basket LKWRB2217SS Ship Dims: 29-3/4" x 41" x 16-1/16" Approx. Ship Weight: 48 lbs.

ELKAY


ELG2522

Elkay Quartz Classic 25" x 22" x 9-1/2", Single Bowl Drop-in Sink



- Dimensions: 25" x 22" x 9-1/2"
- 3-5/8" (92mm) drain opening





Optional Accessories Bottom grid LKOBG2217SS Cutting board LKCBEG2217HW Rinsing basket LKWRB2217SS Drain LKQS35 LKQD35 LK99

Ship Dims: 29-3/4" x 26-3/4" x 16-1/16" **Approx. Ship Weight:** 43 lbs.


ELGH3322R

- Dimensions: 33" x 22" x 10"
- 3-1/2" (89mm) drain opening
- •36" minimum cabinet size
- Features: Aqua Divide



Putty White (PT) (WH)

Elkay Quartz Classic 33" x 22" x 10", Offset 60/40 Double Bowl Drop-in Sink with Aqua Divide



Optional Accessories Bottom grid LKOBG1618SS (large bowl) LKOBG1115SS (small bowl) Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" **Approx. Ship Weight:** 62 lbs.




Elkay Quartz Classic 33" x 22" x 9-1/2", Equal Double Bowl Dropin Sink



- Dimensions: 33" x 22" x 9-1/2"
- 3-1/2" (89mm) drain opening
- •36" minimum cabinet size





Optional Accessories Bottom grid LKOBG1516SS Cutting board LKCBEG1516HW Rinsing basket LKWRB1516SS Drain LKQS35 LKQD35 LK99

Ship Dims: 37-11/16" x 26-3/4" x 16-1/16" **Approx. Ship Weight:** 62 lbs.









CHOOSE YOUR DESIGN

Farmhouse sinks can be installed with either a traditional flat front or with a decorative band at the top.



WORKSTATION Built-in ledge lets you work over the sink, saving precious counter space.

FIRECLAY





SWUF28179C



• Dimensions: 30" x 19-15/16" x 9-1/8"

• Dimensions: 30" x 19-15/16" x 9-1/8"

White (WH)

• 3-1/2" (89mm) drain opening

• 33" minimum cabinet size

Biscuit (BI) Matte Gray (MG)

- 3-1/2" (89mm) drain opening
- 27" minimum cabinet size



Sink Kit


Sink

Includes: SWUF28179 Sink, LKBG2616SS Bottom Grid, LK99FC Drain, LKCLKIT Cleaning Kit

V Ships in multiple boxes.

Ship Dims: 35" x 41" x 14" Approx. Ship Weight: 84 lbs.

SWUF28179



Special Note: Sink is reversible offering the option of a traditional flat front or a decorative band feature

Optional Accessories Bottom grid LKBG2616SS Drain LK99FC LK99FCS

Ship Dims: 35" x 24" x 14" Approx. Ship Weight: 97 lbs.

30° Special Note: Sink is option of a traditiona decorative band feature

Elkay Fireclay 30" x 19-15/16" x 9-1/8", Single Bowl Farmhouse

Elkay Fireclay 30" x 19-15/16" x 9-1/8", Single Bowl Farmhouse



SWUF2520WHC



- Dimensions: 24-7/16" x 19-11/16" x 9-1/8"
- 3-1/2" (89mm) drain opening
- •27" minimum cabinet size


White (WH)

SWUF2520



- Dimensions: 24-7/16" x 19-11/16" x 9-1/8"
- 3-1/2" (89mm) drain opening
- 27" minimum cabinet size






Farmhouse Sink Kit, White

Includes: SWUF2520WH Sink, LKBG2217SS Bottom Grid, LK99FC Drain, LKCLKIT **Cleaning Kit** Ships in multiple boxes.

Ship Dims: 34-3/16" x 41-3/8" x 13-13/16" Approx. Ship Weight: 82 lbs.

Elkay Fireclay 24-7/16" x 19-11/16" x 9-1/8" Single Bowl **Farmhouse Sink**

Elkay Fireclay 24-7/16" x 19-11/16" x 9-1/8" Single Bowl



Special Note: Sink is reversible offering the option of a traditional flat front or a decorative band feature

Optional Accessories Bottom grid LKBG2217SS Drain LK99FC LK99FCS

Ship Dims: 34-3/16" x 24-7/16" x 13-13/16" Approx. Ship Weight: 77 lbs.



SWU1517WHC



- Dimensions: 16-7/16" x 18-15/16" x 9-1/16"
- 3-1/2" (89mm) drain opening
- 21" minimum cabinet size



SWU1517



- Dimensions: 16-7/16" x 18-15/16" x 9-1/16"
- 3-1/2" (89mm) drain opening
- 21" minimum cabinet size



Elkay Fireclay 16-7/16" x 18-15/16" x 9-1/16" Single Bowl Undermount Bar Sink Kit, White

16" (406mm)

10-1/8" (257mm)

5" (127mm)

> 18-15/16" (481mm)

9-1/16" (231mm)

1


13-1/2" (343mm)

16-7/16" (417mm)



Ship Dims: 23-3/16" x 37-15/16" x 13-13/16" **Approx. Ship Weight:** 50 lbs.

Elkay Fireclay 16-7/16" x 18-15/16" x 9-1/16" Single Bowl Undermount Bar Sink



Optional Accessories Bottom grid LKOBG1315SS Drain LK99FC LK99FCS

Ship Dims: 23-3/16" x 21-3/16" x 13-13/16" **Approx. Ship Weight:** 55 lbs.



SWUF32189WHC



- Dimensions: 33" x 19-15/16" x 9"
- 3-1/2" (89mm) drain opening
- •36" minimum cabinet size


White (WH)

SWUF32189



- Dimensions: 33" x 19-15/16" x 9"
- 3-1/2" (89mm) drain opening
- •36" minimum cabinet size






Sink Kit, White

Includes: SWUF32189WH Sink, Two LKBG1417SS Bottom Grids, Two LK99FC Drains, LKCLKIT Cleaning Kit ▼ Ships in multiple boxes.

Optional Accessories Rinsing basket LKWRB1518SS Ship Dims: 38-1/2" x 46" x 19" Approx. Ship Weight: 122 lbs.

Elkay Fireclay 33" x 19-15/16" x 9", Equal Double Bowl Farmhouse Sink

Elkay Fireclay 33" x 19-15/16" x 9", Equal Double Bowl Farmhouse



Special Note: Sink is reversible offering the option of a traditional flat front or a decorative band feature

Optional Accessories Bottom grid LKBG1417SS Rinsing basket LKWRB1518SS Drain LK99FC LK99FCS

Ship Dims: 38-1/2" x 26" x 19" **Approx. Ship Weight:** 115 lbs.




SWUF3320

- Dimensions: 33" x 19-15/16" x 9-3/16"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size
- Features: Aqua Divide
- Workstation



(BI) (WH)





Includes: SWUF3320 sink, one LKCB1217HW cutting board. Special Note: Sink is reversible offering the option of a traditional flat front or a decorative band feature

Optional Accessories

Bottom grid LKBG1115SS LKBG1715SS Drain LK99FC

Elkay Fireclay 33" x 19-15/16" x 9-3/16" 60/40 Double Bowl

Farmhouse Workstation Sink with Aqua Divide

Ship Dims: 38-1/2" x 26" x 19" **Approx. Ship Weight:** 123 lbs.






ELUH1811



- Dimensions: 19-1/2" x 13-5/16" x 6-1/4"18 gauge
- Lustrous Satin finish
- ◆1-1/2" (38mm) drain opening
- Sound deadening: Bottom only pads
- ◆27" minimum cabinet size

Elkay Asana Stainless Steel 19-1/2" x 13-5/16" x 6-1/4", Single Bowl Undermount Bathroom Sink




Includes: LKF293 overflow Assembly Built in USA Optional Accessories Drain LK174 LKAD174 Ship dims: 23-5/16" x 19-9/16" x 9-1/16" Approx. ship weight: 8 lbs.


ELUH16LV



- •Dimensions: 18-3/8" x 18-3/8" x 8"
- 18 gauge
- Lustrous Satin finish
- ◆1-1/2" (38mm) drain opening
- •Sound deadening: Bottom only pads
- ◆24" minimum cabinet size

Elkay Asana Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Undermount Bathroom Sink





Includes: LKF299 overflow Assembly Made in USA Optional Accessories Drain LK174 LKAD174 Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 13 lbs.



ELUH1511



- •Dimensions: 18" x 14" x 6"
- 18 gauge
- Lustrous Satin finish
- ◆1-1/2" (38mm) drain opening
- $\bullet Sound deadening: Bottom only pads$
- ◆21" minimum cabinet size

SCF1611SH



•Dimensions: 17" x 12" x 6-1/2"


- 18 gauge
- Hammered Mirror finish
- +1-1/2" (38mm) drain opening
- Sound deadening: Full spray sides and bottom
- +21" minimum cabinet size

SCF16SH




- Dimensions: 16-3/8" x 16-3/8" x 7"
 \$18 gauge
- •Hammered Mirror finish
- ◆1-1/2" (38mm) drain opening
- Sound deadening: Full spray sides and bottom
- •21" minimum cabinet size

Elkay Asana Stainless Steel 18" x 14" x 6", Single Bowl Undermount Bathroom Sink



Includes: LKF293 overflow Assembly ADA Compliant Built in USA Optional Accessories Drain LK174 LKAD174 Ship dims: 23-5/16" x 19-9/16" x 9-1/16" Approx. ship weight: 7 lbs.


Elkay Asana Stainless Steel 17" x 12" x 6-1/2", Single Bowl Dual Mount Bathroom Sink





Includes: overflow Assembly ADA Compliant Optional Accessories Drain LK174 Ship dims: 23-5/8" x 8-5/8" x 14-3/16" Approx. ship weight: 8 lbs.

Elkay Asana Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bathroom Sink



Includes: overflow Assembly Optional Accessories Drain LK174 Ship dims: 16-1/4" x 16-1/4" x 7" Approx. ship weight: 8 lbs.



ELUH12LV



- Dimensions: 14-3/8" x 14-3/8" x 6"
 18 gauge
- Lustrous Satin finish
- +1-1/2" (38mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

LLVR2117




- •Dimensions: 20-3/8" x 16-7/8" x 6-1/4"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, CS3 faucet holes
- ◆1-1/2" (38mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

LLVR1916




- •Dimensions: 19-5/8" x 16-11/16" x 6"
- ◆18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, CS3 faucet holes
- ◆1-1/2" (38mm) drain opening
- Sound deadening: Bottom only pads
- ◆24" minimum cabinet size

Elkay Asana Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Undermount Bathroom Sink




Includes: LKF295 overflow Assembly ADA Compliant Built in USA Optional Accessories Drain LK174 LKAD174 Ship dims: 23-5/16" x 19-9/16" x 9-1/16" Approx. ship weight: 6 lbs.

Elkay Asana Stainless Steel 20-3/8" x 16-7/8" x 6-1/4", Single Bowl Drop-in Bathroom Sink



Includes: LKF293 overflow Assembly ADA Compliant Built in USA Optional Accessories Drain LK174 Ship dims: 23-5/16" x 19-9/16" x 9-1/16" Approx. ship weight: 9 lbs.

Elkay Asana Stainless Steel 19-5/8" x 16-11/16" x 6", Single Bowl Drop-in Bathroom Sink



Includes: LKF293 overflow Assembly ADA Compliant Built in USA Optional Accessories Drain LK174 LKAD174 Ship dims: 26-1/4" x 24-1/4" x 8-1/2" Approx. ship weight: 12 lbs.

ELKAY

LLVR19



•Dimensions: 19" x 19" x 7"

- 18 gauge
- Lustrous Satin finish
- •Available in 1, 2, 3, CS3 faucet holes
- ◆1-1/2" (38mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

PSLVR1917



•Dimensions: 19" x 17" x 6-1/8"


- ◆20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 1-1/2" (38mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

PSLVR1917LO




Dimensions: 19" x 17" x 6-1/8"20 gauge

- Brushed Satin finish
- •Available in 1, 2, 3 faucet holes
- ◆1-1/2" (38mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size



Elkay Asana Stainless Steel 19" x 19" x 7", Single Bowl Drop-in Bathroom Sink




Includes: LKF296 overflow Assembly Made in USA Optional Accessories Drain LK174 Ship dims: 26-1/4" x 24-1/4" x 9-1/2" Approx. ship weight: 10 lbs.

Elkay Celebrity Stainless Steel 19" x 17" x 6-1/8", Single Bowl Dropin Bathroom Sink

Includes: LKF294 overflow Assembly ADA Compliant Built in USA

Ship dims: 23-5/16" x 19-9/16" x 10-1/16" **Approx. ship weight:** 10 lbs.

Elkay Celebrity Stainless Steel 19" x 17" x 6-1/8", Single Bowl Dropin Bathroom Sink



ADA Compliant Made in USA Optional Accessories Drain LK174LO Ship dims: 23-5/16" x 19-9/16" x 10-1/16" Approx. ship weight: 8 lbs.



RLLVR16



- Dimensions: 18-3/8" x 18-3/8" x 8"
 \$18 gauge
- •Lustrous Satin finish
- +1-1/2" (38mm) drain opening
- •Sound deadening: Sides only pads
- ◆24" minimum cabinet size

LLVR1310




- •Dimensions: 16" x 12-1/2" x 5-13/16"
- ♦18 gauge
- •Lustrous Satin finish
- ◆1-1/2" (38mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size

RLLVR12




- •Dimensions: 14-3/8" x 14-3/8" x 6"
- 18 gauge
- Lustrous Satin finish
- ◆1-1/2" (38mm) drain opening
- •Sound deadening: Bottom only pads
- 18" minimum cabinet size


Elkay Asana Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Dropin Bathroom Sink



Includes: LKF299 overflow Assembly Made in USA Optional Accessories Drain LK174 LKAD174 Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 13 lbs.


Elkay Asana Stainless Steel 16" x 12-1/2" x 5-13/16", Single Bowl Drop-in Bathroom Sink





Includes: LKF293 overflow Assembly ADA Compliant Built in USA Optional Accessories Drain LK174 LKAD174 Ship dims: 23-1/2" x 19-3/4" x 8-1/2" Approx. ship weight: 7 lbs.

Elkay Asana Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Dropin Bathroom Sink



1-1/2* (38mm) Includes: LKF295 overflow Assembly ADA Compliant Built in USA Optional Accessories Drain LK174 LKAD174 Ship dims: 23-5/16" x 19-9/16" x 9-1/16" Approx. ship weight: 7 lbs.

ELKAY.

RLR12




Dimensions: 14-3/8" x 14-3/8" x 6"\$18 gauge

- Lustrous Satin finish
- •2" (51mm) drain opening
- Sound deadening: Bottom only pads
- ◆18" minimum cabinet size

RLR9




Elkay Asana Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Dropin Bathroom Sink



ADA Compliant Made in USA Optional Accessories Drain LK36 Ship dims: 23-5/16" x 19-9/16" x 9-1/16" Approx. ship weight: 6 lbs.

Elkay Asana Stainless Steel 11-3/8" x 11-3/8" x 4-3/4", Single Bowl Drop-in Bathroom Sink



ADA Compliant Made in USA Optional Accessories Drain LK36 Ship dims: 18-3/4" x 17-1/2" x 10-1/2" Approx. ship weight: 7 lbs.

Dimensions: 11-3/8" x 11-3/8" x 4-3/4"18 gauge

Lustrous Satin finish

•2" (51mm) drain opening

- Sound deadening: Bottom only pads
- 15" minimum cabinet size









KEEP MESSES OUT OF THE WAY

Drain includes a removable, 2-1/4" extra deep strainer basket to catch food scraps. A handle allows for easy removal of basket and minimizes contact with scraps. Durable stainless steel cover fits securely over drain opening to fill sink with water for soaking and cleaning dishes.



COLOR MATCHED

Coordinate your drain or strainer to match the color of your Elkay Quartz sink. Available in standard 3-1/2" drain fitting and in Perfect Drain®.

DRAINS



Shown: ECTRU31179TC

Waste Fittings:	For 3-1/2" Drain Openings (4-1/2" top diameter)	
Model	Description	Image
LK18	Elkay 3-1/2" Drain Nickel Plated Brass Body, Strainer and Tailpiece	
LK18B	Elkay 3-1/2" Drain Type 304 Stainless Steel Body, Strainer and Tailpiece	
LK2	Elkay 3-1/2" Drain with Rubber Stopper	a)
LK20	Elkay 3-1/2" Drain with Removable 13" (11-1/2" assembled) Standpipe 13" Rubber Stopper	e e
LK335	Elkay 3-1/2" Drain Fitting Type 316 Stainless Steel Body, Strainer Basket with rubber seal and Tailpiece	E B
LK35	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	E.
LK35B	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK35L	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket Tailpiece and Elbow	
LK36	Elkay Drain Fitting 2" Nickel Plated Brass Body with Deep Stainless Steel Strainer Basket	
LK372	Elkay 3-1/2" Drain Type 316 Stainless Steel Body, Strainer and Tailpiece	
LK373	Elkay 3-1/2" Drain with Removable Standpipe 6-5/8" (5-1/4" assembled) with "O" ring rubber stopper	the second se
LK58	Elkay 2" Drain Fitting Type 304 Stainless Steel Body, Stainless Steel Strainer Basket and Rubber Seal	(E)

LK99	Elkay Deluxe 3-1/2" Drain Type 304 Stainless Steel Body, Strainer Basket Rubber Seal and Tailpiece	R au
LK99FC	Elkay Deluxe Drain 3-1/2" Type 304 Stainless Steel Body for Fireclay Sinks	
LK99FCS	Elkay Deluxe Drain Kit with Satin Finish 3-1/2 Type 304 Stainless Steel Body for Fireclay Sinks	
LK99S	Elkay Deluxe 3-1/2" Drain with Satin Finish Type 304, Stainless Steel Body Strainer Basket Rubber Seal and Tailpiece	
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece	N
LKADOS	Elkay 3-1/2" Drain Fitting Chrome Plated Brass Offset Tailpiece	*J>
LKD35AS	Elkay 3-1/2" Drain Fitting Antique Steel Finish Disposer Flange and Removable Strainer	
LKDD	Elkay 3-1/2" Drain Fitting, Deep Strainer Basket	
LKDS35	Elkay 3-1/2" Disposal Stopper / Strainer for use with Perfect Drain or InSinkErator® Disposal Satin Finish	
LKDS99	Elkay 3-1/2" Disposal Stopper / Strainer for use with, InSinkErator® Disposal Chrome Polished Stainless Steel	
LKPD1	Elkay Perfect Drain Fitting Type 304 Stainless Steel Body, and Strainer	Ŷ

LKPDAD18B	Elkay Perfect Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	
LKPDQ1CR	Elkay Perfect Drain Fitting Type 304 Stainless Steel Body, and Strainer Chrome	Ŷ
LKPDQ1LS	Elkay Perfect Drain Fitting Type 304 Stainless Steel Body, and Strainer Lustrous Steel	Ŷ
LKPDQD1BK	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Black	
LKPDQD1CA	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Caviar	
LKPDQD1CH	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Charcoal	
LKPDQD1CN	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Chestnut	
LKPDQD1GS	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Greystone	
LKPDQD1JB	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Jubilee	
LKPDQD1MA	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Maraschino	
LKPDQD1MC	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Mocha	
LKPDQD1MT	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Mint Creme	

LKPDQD1PA	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Parchment	
LKPDQD1RT	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Ricotta	Carlos Carlos
LKPDQD1SM	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Silvermist	
LKPDQD1WH	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper White	
LKPDQSBK	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Black	N.
LKPDQSBQ	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Bisque	X
LKPDQSCA	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Caviar	A CAL
LKPDQSCH	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Charcoal	T.L.
LKPDQSCN	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Chestnut	No.
LKPDQSGR	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Greige	X
LKPDQSGS	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Greystone	**
LKPDQSGY	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Dusk Gray	

LKPDQSJB	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Jubilee	
LKPDQSMA	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Maraschino	
LKPDQSMC	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Mocha	
LKPDQSMT	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Mint Creme	*
LKPDQSPA	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Parchment	X
LKPDQSPT	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Putty	×
LKPDQSRT	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Ricotta	×
LKPDQSSM	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Silvermist	X
LKPDQSWH	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper White	
LKPDVR18B	Elkay Perfect Drain Chrome Plated Brass Body, Vandal-resistant Strainer and LKADOS Tailpiece	
LKQD35BK	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Black	
LKQD35BQ	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Bisque	Survey and a second

LKQD35CA	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Caviar	
LKQD35CH	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Charcoal	
LKQD35CN	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Chestnut	
LKQD35GR	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Greige	
LKQD35GS	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Greystone	
LKQD35GY	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Dusk Gray	
LKQD35JB	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Jubilee	
LKQD35MA	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Maraschino	
LKQD35MC	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Mocha	
LKQD35MT	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Mint Creme	Survey of the second se
LKQD35PA	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Parchment	Sur and a sur a su
LKQD35PT	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Putty	Survey of the second se

LKQD35RT	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Ricotta	
LKQD35SM	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Silvermist	A DE LE DE L
LKQD35WH	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper White	
LKQS35BK	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Black	
LKQS35BQ	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Bisque	(Internet internet in
LKQS35CA	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Caviar	0
LKQS35CH	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Charcoal	
LKQS35CN	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Chestnut	
LKQS35GR	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Greige	(Internet internet in
LKQS35GS	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Greystone	(Internet in the second
LKQS35GY	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Dusk Gray	
LKQS35JB	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Jubilee	

LKQS35MA	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Maraschino	
LKQS35MC	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Mocha	
LKQS35MT	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Mint Crème	(States)
LKQS35PA	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Parchment	(m)
LKQS35PT	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Putty	(Internet internet in
LKQS35RT	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Ricotta	(Internet in the second
LKQS355M	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Silvermist	(The second
LKQS35WH	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper White	(Internet in the second
LKS35AS	Elkay 3-1/2" Drain Fitting Antique Steel Finish Body and Basket with Rubber Stopper	
LKVR18	Elkay 3-1/2"Drain Nickel Plated Brass Body, Vandal-resistant Strainer and Tailpiece	0
LKVR18-CU	Elkay 3-1/2" Drain CuVerro Antimicrobial Copper Body, Vandal-resistant Strainer and Tailpiece	90

-



Waste Fittings:	Waste Fittings: For 2"-2-3/8" Drain Openings	
Model	Description	Image
LK337	Elkay Drain Fitting 2" Type 316 Stainless Steel Body, Grid Strainer and Tailpiece	
LK8	Elkay 2" Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Tailpiece	
LK9	Elkay Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Brass Tailpiece	

Waste Fittings:	For 1-1/2" to 1-3/4" Drain Openings (For Lavatory sinks 2-1/4" top diameter)	
Model	Description	Image
LK174	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	
LK174-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	
LK174LO	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	(#
LK174LO-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	
LK175	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with, Rubber Stopper Ring and Chain	1
LK290	Elkay 3-1/2" Drain Fitting Center Outlet for Triple Bowl Sinks with Offset Center Drain	Ţ
LK52	Elkay Drain Fitting Center Outlet for Double Bowl Sinks	<u> </u>
LK53	Elkay Drain Fitting End Outlet for Double Bowl Sinks	v
LK60	Elkay Drain Fitting Center Outlet for Triple Bowl Sinks with Aligned Drains	
LK76	Elkay Drain Fitting end Outlet for Triple Bowl Sinks with Aligned Drains	
LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	1



Installation ha	dware	
Model	Description	Image
LK350	Elkay Extra Long Sink Screwdriver	
LK363	Elkay Installation Extra Long Screws and Clips, set of 14	Ĵ
LK364	Elkay Installation Extra Long Screws, set of 14	Î
LK463	Elkay Installation Hex Head Screws Hex Nuts, and Clips	-
LKUCLIP8	Elkay Sink Installation Undermount Bracket Clips - set of 8	
LKUMSK25	Elkay Sink Installation Undermount Support Kit 25" Long Rails	All and a second se
LKUMSK36	Elkay Sink Installation Undermount Support Kit 36" Long Rails	North Contraction of the Contrac

Faucet hole covers		
Model	Description	Image
LK125A	Elkay Stainless Steel 1-5/8" Snap-in Faucet Hole Cover Brushed Finish	
LK126	Elkay Stainless Steel 1-3/4" Bolt-on Faucet Hole Cover Brushed Finish	-

Cleaner	Cleaner		
Model	Description	Image	
LK34	Elkay Stainless Steel Sink Restoration Kit		
LKCLKIT	Elkay Sink Cleaning Kit		
LKEG250	Elkay Quartz 8 ounce Rejuvenator		

Glass Filler			
Model		Description	Image
LK1110	Elkay Glass Filler		ſ

Bottom grids w	ith center drain opening	
Model	Description	Image
CTXBG1014	Elkay Crosstown Stainless Steel 9-7/8" x 14-3/8" x 1-1/4" Bottom Grid	191
CTXBG118	Elkay Crosstown Stainless Steel 11" x 8-1/4" x 1-1/4" Bottom Grid	
CTXBG1414	Elkay Crosstown Stainless Steel 14-3/8" x 14-3/8" x 1-1/4" Bottom Grid	
CTXBG1914	Elkay Crosstown Stainless Steel 19-3/8" x 14-1/8" x 1-1/4" Bottom Grid	
CTXBG614	Elkay Crosstown Stainless Steel 6-1/4" x 14-1/2" x 1-1/4" Bottom Grid	
CTXBG617	Elkay Crosstown Stainless Steel 6-1/4" x 16-3/4" x 1-1/4" Bottom Grid	H.
CTXBG99	Elkay Crosstown Stainless Steel 9" x 9-1/4" x 1-1/4" Bottom Grid	
LKBG1115SS	Elkay Stainless Steel 10-7/16" x 14-9/16" x 1-5/16" Bottom Grid	
LKBG1417SS	Elkay Stainless Steel 14" x 16-5/8" x 1-3/8" Bottom Grid	
LKBG1715SS	Elkay Stainless Steel 16-3/4" x 14-9/16" x 1-5/16" Bottom Grid	P. 0.
LKBG2217SS	Elkay Stainless Steel 21-1/4" x 16-9/16" x 1-3/8" Bottom Grid	
LKBG2616SS	Elkay Stainless Steel 26-3/4" x 16-9/16" x 1-3/8" Bottom Grid	



LKWBG1116SS	Elkay Stainless Steel 10-1/2" x 15" x 1" Bottom Grid	103
LKWBG1209SS	Elkay Stainless Steel 11" x 8" x 1" Bottom Grid	
LKWBG1216SS	Elkay Stainless Steel 10-1/8" x 14-1/4" x 1-1/8" Bottom Grid	
LKWBG1316SS	Elkay Stainless Steel 12-1/2" x 15" x 1" Bottom Grid	P)
LKWBG1414SS	Elkay Stainless Steel 13" x 13" x 1" Bottom Grid	
LKWBG1415SS	Elkay Stainless Steel 12" x 13-1/2" x 1" Bottom Grid	
LKWBG1419SS	Elkay Stainless Steel 11-1/2" x 16-1/2" x 1-1/8" Bottom Grid	
LKWBG1719SS	Elkay Stainless Steel 15" x 16-1/2" x 1-1/8" Bottom Grid	
LKWBG2115SS	Elkay Stainless Steel 20" x 14-3/4" x 1" Bottom Grid	
LKWBG2416SS	Elkay Stainless Steel 23" x 15" x 1-1/8" Bottom Grid	E.
LKWBG2816SS	Elkay Stainless Steel 26-1/2" x 14-13/16" x 1" Bottom Grid	283
LKWRBG12SS	Elkay Stainless Steel 11" x 11" x 1" Bottom Grid	



LKWRBG14SS	Elkay Stainless Steel 13" x 13" x 1" Bottom Grid	
LKWRBG16SS	Elkay Stainless Steel 15" x 15" x 1" Bottom Grid	

Bottom grids w	ith offset drain opening	
Model	Description	Image
CTXBG1015	Elkay Crosstown Stainless Steel 10-1/2"x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG1116	Elkay Crosstown Stainless Steel 11-1/4" x 16-1/4" x 1-1/4" Bottom Grid	
CTXBG1214	Elkay Crosstown Stainless Steel 11-7/8" x 14-3/8" x 1-1/4" Bottom Grid	
CTXBG1215	Elkay Crosstown Stainless Steel 12-1/2" x 14-1/2" x 1-1/4" Bottom Grid	
CTXBG1216	Elkay Crosstown Stainless Steel 12" x 15-1/4" x 1-1/4" Bottom Grid	
CTXBG1314	Elkay Crosstown Stainless Steel 12-3/4" x 14-1/4" x 1-1/4" Bottom Grid	
CTXBG1315	Elkay Crosstown Stainless Steel 13-1/2" x 15-1/2" x 1-1/4" Bottom Grid	H CA
CTXBG1316	Elkay Crosstown Stainless Steel 13" x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG1415	Elkay Crosstown Stainless Steel 14-1/2" x 15-1/4" x 1-1/4" Bottom Grid	
CTXBG1417	Elkay Crosstown Stainless Steel 14-1/2" x 17-1/2" x 1-1/4" Bottom Grid	
CTXBG1515	Elkay Crosstown Stainless Steel 15-1/2" x 15-1/2" x 1-1/4" Bottom Grid	R Carlo
CTXBG1616	Elkay Crosstown Stainless Steel 16-1/4" x 16-1/4" x 1-1/4" Bottom Grid	



CTXBG1815	Elkay Crosstown Stainless Steel 17-3/8" x 14-3/8" x 1-1/4" Bottom Grid	
CTXBG1915	Elkay Crosstown Stainless Steel 19-1/2" x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG2115	Elkay Crosstown Stainless Steel 21" x 15-1/4" x 1-1/4" Bottom Grid	
CTXBG2214	Elkay Crosstown Stainless Steel 22-1/4" x 14-1/4" x 1-1/4" Bottom Grid	
CTXBG2215	Elkay Crosstown Stainless Steel 22-1/2" x 15-1/2" x 1-1/4" Bottom Grid	P. J. B. S.
CTXBG2614	Elkay Crosstown Stainless Steel 26-3/8" x 14-3/8" x 1-1/4" Bottom Grid	a access
CTXBG2814	Elkay Crosstown Stainless Steel 28-1/4" x 14-1/4" x 1-1/4" Bottom Grid	
CTXBG2815	Elkay Crosstown Stainless Steel 28-1/2" x 15-1/2" x 1-1/4" Bottom Grid	R. H. C.
CTXBG2914	Elkay Crosstown Stainless Steel 28-7/8" x 14-3/8" x 1-1/4" Bottom Grid	A ROAL
CTXBG2915	Elkay Crosstown Stainless Steel 29" x 15-1/4" x 1-1/4" Bottom Grid	
CTXBG2916	Elkay Crosstown Stainless Steel 29-1/4" x 16-1/4" x 1-1/4" Bottom Grid	and the second
CTXBG3416	Elkay Crosstown Stainless Steel 33-1/2" x 15-1/2" x 1-1/4" Bottom Grid	

CTXFBG1316	Elkay Crosstown Stainless Steel 13-1/8" x 16-1/8" x 1-1/4" Bottom Grid	
CTXFBG1516	Elkay Crosstown Stainless Steel 15-5/8" x 16-1/8" x 1-1/4" Bottom Grid	
CTXFBG1816	Elkay Crosstown Stainless Steel 18-1/8" x 16-1/8" x 1-1/4" Bottom Grid	The second se
CTXFBG3316	Elkay Crosstown Stainless Steel 33-1/8" x 16-1/8" x 1-1/4" Bottom Grid	C. Maria
CTXOBG1914	Elkay Crosstown Stainless Steel 19-3/8" x 14-1/8" x 1-1/4" Bottom Grid	
EBG1010	Elkay Stainless Steel 10-1/4" x 10-1/4" x 1-1/4" Bottom Grid	
EBG1214	Elkay Stainless Steel 11-7/8" x 14-3/8" x 1-1/4" Bottom Grid	
EBG1216	Elkay Stainless Steel 12-1/4" x 16-1/4" x 1-1/4" Bottom Grid	
EBG1315	Elkay Stainless Steel 12-3/4" x 15-1/4" x 1-1/4" Bottom Grid	
EBG1414	Elkay Stainless Steel 14" x 14" x 1-1/4" Bottom Grid	
EBG1914	Elkay Stainless Steel 19-1/4" x 14" x 1-1/4" Bottom Grid	
EBG2815	Elkay Stainless Steel 28-1/4" x 15-1/4" x 1-1/4" Bottom Grid	



GFOBG1416SS	Elkay Stainless Steel 13" x 15" x 11/16" Bottom Grid	
GFOBG1619SS	Elkay Stainless Steel 15" x 18" x 11/16" Bottom Grid	
LKOBG1016SS	Elkay Stainless Steel 9-5/8" x 14-5/8" x 1" Bottom Grid	
LKOBG1114SS	Elkay Stainless Steel 10-5/8" x 13-9/16" x 1" Bottom Grid	
LKOBG1115SS	Elkay Stainless Steel 11" x 14-5/8" x 1" Bottom Grid	
LKOBG1216SS	Elkay Stainless Steel 10-5/16" x 14" x 1-1/4" Bottom Grid	
LKOBG1315SS	Elkay Stainless Steel 11-13/16" x 14-3/16" x 1-5/16" Bottom Grid	
LKOBG1415SS	Elkay Stainless Steel 12-3/4" x 14-1/2" x 1" Bottom Grid	
LKOBG1417LSS	Elkay Stainless Steel 12-1/4" x 15-1/16" x 1-1/4" Bottom Grid	
LKOBG1417RSS	Elkay Stainless Steel 12-1/4" x 15-1/16" x 1-1/4" Bottom Grid	
LKOBG1516SS	Elkay Stainless Steel 12" x 13-3/4" x 1-1/4" Bottom Grid	
LKOBG1518SS	Elkay Stainless Steel 12" x 15-3/4" x 1-1/4" Bottom Grid	

LKOBG1616SS	Elkay Stainless Steel 11-1/2" x 11-1/2" x 1" Bottom Grid	
LKOBG1617SS	Elkay Stainless Steel 15-11/16" x 15-1/2" x 1" Bottom Grid	
LKOBG1618SS	Elkay Stainless Steel 15-1/16" x 17-3/16" x 1" Bottom Grid	
LKOBG1717SS	Elkay Stainless Steel 16-5/8" x 16-5/8" x 1" Bottom Grid	
LKOBG1718SS	Elkay Stainless Steel 15" x 15-15/16" x 1-1/4" Bottom Grid	
LKOBG2118SS	Elkay Stainless Steel 20-1/8" x 17-1/2" x 1" Bottom Grid	
LKOBG2217SS	Elkay Stainless Steel 19-13/16" x 13-13/16" x 1-1/4" Bottom Grid	
LKOBG2715SS	Elkay Stainless Steel 27-1/4" x 15" x 1-3/8" Bottom Grid	
LKOBG2915SS	Elkay Stainless Steel 27-1/2" x 13-1/2" x 1-1/4" Bottom Grid	A A A A
LKOBG3014SS	Elkay Stainless Steel 14-7/16" x 29-15/16" x 1-1/4" Bottom Grid	
LKOBG3015SS	Elkay Stainless Steel 30-1/4" x 15" x 1-3/8" Bottom Grid	and the second
LKOBG3016RSS	Elkay Stainless Steel 28-1/4" x 14-5/16" x 1-1/4" Bottom Grid	



LKOBG3017RSS	Elkay Stainless Steel 27-9/16" x 15-1/8" x 1-1/4" Bottom Grid	
LKOBG3315SS	Elkay Stainless Steel 33-1/4" x 15" x 1-3/8" Bottom Grid	
LKWOBG1111SS	Elkay Stainless Steel 10-1/2" x 10-1/2" x 1" Bottom Grid	
LKWOBG1113SS	Elkay Stainless Steel 10" x 12" x 1" Bottom Grid	P)
LKWOBG1115SS	Elkay Stainless Steel 14" x 10-1/2" x 1" Bottom Grid	
LKWOBG1116SS	Elkay Stainless Steel 10-1/2" x 15" x 1" Bottom Grid	
LKWOBG1118SS	Elkay Stainless Steel 10" x 16-11/16" x 1-1/8" Bottom Grid	P
LKWOBG1316SS	Elkay Stainless Steel 12-1/2" x 15" x 1" Bottom Grid	
LKWOBG1415SS	Elkay Stainless Steel 12" x 13-1/2" x 1" Bottom Grid	
LKWOBG1416SS	Elkay Stainless Steel 12-1/2" x 14-3/8" x 1-1/8" Bottom Grid	19
LKWOBG1418SS	Elkay Stainless Steel 13" x 17" x 1" Bottom Grid	
LKWOBG1520LSS	Elkay Stainless Steel 13-1/2" x 17-5/16" x 1-1/8" Bottom Grid	

LKWOBG1520RSS	Elkay Stainless Steel 13-1/2" x 17-1/4" x 1-1/8" Bottom Grid	
LKWOBG1616SS	Elkay Stainless Steel 15" x 15" x 1" Bottom Grid	
LKWOBG1617SS	Elkay Stainless Steel 14-5/8" x 16-1/8" x 1" Bottom Grid	P
LKWOBG1618SS	Elkay Stainless Steel 14-5/8" x 16-5/8" x 1" Bottom Grid	
LKWOBG1716SS	Elkay Stainless Steel 14-1/4" x 14-1/4" x 1-1/8" Bottom Grid	E.
LKWOBG1819SS	Elkay Stainless Steel 17" x 17-1/2" x 1-1/8" Bottom Grid	
LKWOBG2018SS	Elkay Stainless Steel 19" x 17" x 1" Bottom Grid	
LKWOBG2115SS	Elkay Stainless Steel 20" x 14-3/4" x 1" Bottom Grid	- Aller
LKWOBG2118SS	Elkay Stainless Steel 18-3/4" x 16-5/8" x 1" Bottom Grid	
LKWOBG2317LSS	Elkay Stainless Steel 22" x 15-3/4" x 1-1/8" Bottom Grid	22
LKWOBG2317RSS	Elkay Stainless Steel 22" x 15-3/4" x 1-1/8" Bottom Grid	and a second
LKWOBG2317SS	Elkay Stainless Steel 22" x 15-3/4" x 1-1/8" Bottom Grid	



LKWOBG2416SS	Elkay Stainless Steel 23" x 15" x 1-1/8" Bottom Grid	and a
LKWOBG2816SS	Elkay Stainless Steel 26-1/2" x 14-13/16" x 1" Bottom Grid	190
LKWROBG15SS	Elkay Stainless Steel 14" x 14" x 1" Bottom Grid	

Rinsing baskets	5	
Model	Description	Image
LKWERBSS	Elkay Stainless Steel 15-3/8" x 12-3/8" x 5-7/16" Rinsing Basket	
LKWRB1209SS	Elkay Stainless Steel 8" x 11" x 7" Rinsing Basket	
LKWRB1316SS	Elkay Stainless Steel 12-1/2" x 15" x 7" Rinsing Basket	
LKWRB1414SS	Elkay Stainless Steel 13" x 13" x 7" Rinsing Basket	Anna
LKWRB1418SS	Elkay Stainless Steel 13" x 17" x 7" Rinsing Basket	
LKWRB1516SS	Elkay Stainless Steel 11-7/8" x 13-13/16" x 6-15/16" Rinsing Basket	
LKWRB1518SS	Elkay Stainless Steel 12-1/16" x 15-13/16" x 7-1/16" Rinsing Basket	
LKWRB2217SS	Elkay Stainless Steel 19-13/16" x 13-13/16" x 6-15/16" Rinsing Basket	
LKWUCSS	Elkay Stainless Steel 3-1/2" x 5-1/8" x 4-3/8" Utensil Caddy	

Colander		
Model	Description	Image
LKC0717SS	Elkay Crosstown Stainless Steel 16-7/8" x 6-3/4" x 3-1/8" Colander with Wood Handles	
LKC0722LSS	Elkay Dart Canyon Stainless Steel 6-7/16" x 21-1/2" x 2-1/2" Colander	

Cutting boards		
Model	Description	Image
CB1516	Elkay Hardwood 15" x 16-3/4" x 3/4" Cutting Board	
CB1613	Elkay Hardwood 16-3/4" x 13-1/2" x 1" Cutting Board	
CB1713	Elkay Hardwood 13-1/2" x 17" x 1" Cutting Board	
CB2213	Elkay Hardwood 21-13/16" x 19-1/4" x 3/4" Cutting Board	
CB816	Elkay Hardwood 8-1/2" x 16-3/4" x 3/4" Cutting Board	
CB912	Elkay Hardwood 12-7/8" x 10-1/8" x 1" Cutting Board	
CBS1316	Elkay Hardwood 14-1/2" x 17" x 3/4" Cutting Board	
CBS1418	Elkay Hardwood 15" x 19" x 3/4" Cutting Board	
CBS715	Elkay Hardwood 8-3/8" x 16-13/16" x 3/4" Cutting Board	
LKCB1216HW	Elkay Hardwood 14-1/2" x 17-5/16" x 1" Cutting Board	
LKCB1217AC	Elkay Acacia Hardwood 12" x 16-7/8" x 1" Cutting Board	
LKCB1217HW	Elkay Hardwood 12-1/2" x 17-3/8" x 1-1/2" Cutting Board	

LKCBF1316HW	Elkay Hardwood 13-1/4" x 16-7/8" x 1" Cutting Board	9
LKCBF1418HW	Elkay Hardwood 13-3/4" x 18-3/4" x 1" Cutting Board	1
LKCBF1616HW	Elkay Hardwood 15-1/2" x 16-7/8" x 1" Cutting Board	17
LKCBF17HW	Elkay Crosstown Hardwood 18" x 9-3/4" x 3/4" Cutting Board	
LKCBF1916HW	Elkay Hardwood 18-1/2" x 16-7/8" x 1" Cutting Board	
LKCBF2115HW	Elkay Hardwood 20-1/2" x 16-5/8" x 1" Cutting Board	2.
LKCBF2816HW	Elkay Hardwood 27-1/2" x 16-7/8" x 1" Cutting Board	-
LKCBF718HW	Elkay Hardwood 8-1/2" x 19" x 1" Cutting Board	0

Drying Rack		
Model	Description	Image
LKDR0717SS	Elkay Crosstown Stainless Steel 16-7/8" x 6-3/4" x 4-1/4" Drying Rack with Wood Handles	
LKDR1317RU	Elkay Crosstown Black Silicone 11-7/8" x 16-3/4" x 3/8" Drying Rack	


Dart Canyon A	ccessory	
Model	Description	Image
CTXBG2513R	Elkay Dart Canyon Stainless Steel 24-1/2" x 13" x 4-3/8" Reversible Bottom Grid	
CTXBG2813R	Elkay Dart Canyon Stainless Steel 27-1/2" x 13" x 4-3/8" Reversible Bottom Grid	
CTXBG3113R	Elkay Dart Canyon Stainless Steel 30-1/2" x 13" x 4-3/8" Reversible Bottom Grid	
CTXC0712	Elkay Dart Canyon Stainless Steel 6-7/16" x 11-7/8" x 2-1/2" Colander	
CTXDC0606	Elkay Dart Canyon Stainless Steel 5-1/8" x 5-1/4" x 7/8" Bottom Grid Drain Cover	
LKC0722LSS	Elkay Dart Canyon Stainless Steel 6-7/16" x 21-1/2" x 2-1/2" Colander	
LKCB1223LWN	Elkay Dart Canyon Hardwood 12" x 22-1/2" x 1" Cutting Board	

Interchangeable Aprons			
Model	Description	Image	
СТХАСР	Elkay Crosstown Stainless Interchangeable Apron, Champagne		
CTXAFCGL	Elkay Crosstown Fireclay Interchangeable Apron, Glacier		
CTXAGT	Elkay Crosstown Stainless Interchangeable Apron, Graphite		
CTXAPL	Elkay Crosstown Stainless Interchangeable Apron, Platinum		
CTXASC	Elkay Crosstown Stainless Interchangeable Apron, Scarlet		
CTXASN	Elkay Crosstown Stainless Interchangeable Apron, Sunset		
CTXASP	Elkay Crosstown Stainless Interchangeable Apron, Sapphire		

Remote Chiller		
Model	Description	Image
ERS11Y	Elkay Remote Chiller, Non-Filtered 1 GPH	Recommendation of the second s







G

ADA COMPLIANT

Select models are ADA compliant when properly installed.



HOW LOW CAN YOU GO

When it comes to gauge, the lower the number, the thicker the stainless steel. A sink constructed of 18-gauge stainless steel is more resistant to denting than a 23-gauge sink.

DAYTON®

FLEXIBLE INSTALLATION

Dual mount sinks offer the flexibility to install the sink as a drop-in or undermount. *Available on select models.*

SINK REVEAL

Sinks are finished with a curved, revealed edge. When installing the sink under a countertop, you can install it with or without the edge showing, depending on your design preference and your functional needs.

SOUND DEADENING

Sound-deadening materials minimize sound and vibration for a quieter time at the sink.

QUALITY INSTALLATION

The U-Channel system offers a flexible and quality installation when installing a drop-in sink. Mounting clips can be placed inside the channel before dropping the sink into place. The clips can be slid into position and tightened where needed to close any gaps due to uneven floors or counters.

Shown: DPXSR23322



DXUH2816



- Dimensions: 30-1/2" x 18-1/4" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DCFU2816




- Dimensions: 30-1/2" x 18-1/4" x 8"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DSESR12722




- Dimensions: 27" x 22" x 8"
- 18 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size
- Features: Slim Rim

Dayton Stainless Steel 30-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink




Made in USA Optional Accessories Bottom grid GBG2816SS Cutting board CB1516* Rinsing basket LKWERBSS Drain D1125 Ship dims: 19-9/16" x 11-1/16" x 38-7/16" Approx. ship weight: 15 lbs. *1/2" sink reveal required for proper fit.

Dayton Stainless Steel 30-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid GBG2816SS Drain D1125 Ship dims: 23-5/16" x 9-13/16" x 38-15/16" Approx. ship weight: 16 lbs.

Dayton Stainless Steel 27" x 22" x 8", Single Bowl Dual Mount Sink





Made in USA Optional Accessories Bottom grid GBG2416SS Cutting board CB1713 (*when installed as an undermount) CBS1316 (*when installed as an undermount) Drain D1125 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 25 lbs.

*1/2" sink reveal required for proper fit.



DXUH2416




- Dimensions: 26-1/2" x 18-1/2" x 8"
- 18 gauge

DCFU2416

- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Made in USA Optional Acco Bottom grid GBG2416SS Cutting boa CB1713

Dayton Stainless Steel 26-1/2" x 18-1/2" x 8", Single Bowl



Undermount Sink

Made in USA Optional Accessories Bottom grid GBG2416SS Cutting board CB1713 CBS1316* Drain D1125 Ship dims: 19-11/16" x 9-15/16" x 32-5/8" Approx. ship weight: 23 lbs.

Dayton Stainless Steel 26-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink




- Dimensions: 26-1/2" x 18-1/2" x 8"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

DXUH2118




- Dimensions: 23-1/2" x 21-3/16" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size



Made in USA Optional Accessories Bottom grid GBG2416SS Drain D1125 Ship dims: 23-5/16" x 9-13/16" x 33-5/16" Approx. ship weight: 23 lbs.

Dayton Stainless Steel 23-1/2" x 21-3/16" x 8", Single Bowl Undermount Sink





Made in USA Optional Accessories Bottom grid GOBG2118SS Cutting board CB2213* Rinsing basket LKWERBSS Drain D1125 Ship dims: 23-5/16" x 12-1/16" x 31-7/16" Approx. ship weight: 12 lbs. *1/2" sink reveal required for proper fit.



DCFU2118




- Dimensions: 23-1/2" x 21-1/8" x 8"
- 18 gauge
- Soft Satin finish

DXUH21189

- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Dayton Stainless Steel 23-1/2" x 21-1/8" x 8", Single Bowl Undermount Sink Made in USA



Made in USA Optional Accessories Bottom grid GOBG2118SS Drain D1125 Ship dims: 23-5/16" x 9-15/16" x 30-15/16" Approx. ship weight: 12 lbs.

Dayton Sta




- Dimensions: 23-1/2" x 21-1/8" x 9"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

DXUH2115



- Dimensions: 23-1/2" x 18-1/4" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Dayton Stainless Steel 23-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid GBG2115SS Cutting board CB1516* Drain D1125 Ship dims: 23-3/8" x 12" x 31-1/2" Approx. ship weight: 10 lbs. *1/2" sink reveal required for proper fit.

Ship dims: 23-5/16" x 12-1/16" x 31-7/16"

*1/2" sink reveal required for proper fit.

Approx. ship weight: 14 lbs.

Dayton Stainless Steel 23-1/2" x 21-1/8" x 9", Single Bowl Undermount Sink


Made in USA Optional Accessories Bottom grid

GOBG2118SS

LKWERBSS Drain

D1125

Cutting board CB2213* Rinsing basket





DCFU2115




- Dimensions: 23-1/2" x 18-1/4" x 8"
- 18 gauge
- Soft Satin finish ٠
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

DXUH1618



- Dimensions: 16-1/2" x 18-1/4" x 8"
- 18 gauge
- Radiant Satin finish ٠
- 3-1/2" (89mm) drain opening ٠
- Sound deadening: Bottom only pads ٠
- 21" minimum cabinet size




Undermount Sink

Made in USA **Optional Accessories Bottom grid** GBG2115SS Drain D1125 Ship dims: 23-5/16" x 9-15/16" x 30-15/16" Approx. ship weight: 10 lbs.

Dayton Stainless Steel 16-1/2" x 18-1/4" x 8", Single Bowl **Undermount Bar Sink**

Dayton Stainless Steel 23-1/2" x 18-1/4" x 8", Single Bowl




Made in USA **Optional Accessories Bottom grid** GBG1415SS **Cutting board** CB1516* **Rinsing basket** LKWRB1316SS Drain D1125 Ship dims: 19-9/16" x 11-1/16" x 22-11/16" Approx. ship weight: 8 lbs. *1/2" sink reveal required for proper fit.

DCFU1618




- Dimensions: 16-1/2" x 18-1/4" x 8"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Dayton Stainless Steel 16-1/2" x 18-1/4" x 8", Single Bowl **Undermount Sink**



2-1/4" R

(57mm)



Made in USA



DXUH1318



- Dimensions: 16" x 20-1/2" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

DCFU1318




- Dimensions: 16" x 20-1/2" x 8"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

DXUH1210




- Dimensions: 14-1/2" x 12-1/2" x 6-1/2"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Dayton Stainless Steel 16" x 20-1/2" x 8", Single Bowl Undermount Bar Sink




Made in USA Optional Accessories Bottom grid GBG1318SS Drain D1125 Ship dims: 23-5/16" x 12-1/16" x 23-15/16" Approx. ship weight: 13 lbs.

Dayton Stainless Steel 16" x 20-1/2" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid GBG1318SS Drain D1125 Ship dims: 23-5/16" x 12-1/16" x 23-5/16" Approx. ship weight: 10 lbs.

Dayton Stainless Steel 14-1/2" x 12-1/2" x 6-1/2", Single Bowl Undermount Bar Sink



Made in USA Optional Accessories Cutting board CB912* Drain D1125 Ship dims: 16-5/16" x 9-3/16" x 19-3/16" Approx. ship weight: 6 lbs. *1/2" sink reveal required for proper fit.



DCFU1210




- Dimensions: 14-1/2" x 12-1/2" x 6-1/2" ٠
- ٠ 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

DCFU12FB




Dayton Stainless Steel 14-1/2" x 12-1/2" x 6-1/2", Single Bowl **Undermount Sink**



Made in USA **Optional Accessories** Drain D1125 Ship dims: 16-5/16" x 9-3/16" x 19-3/16" Approx. ship weight: 6 lbs.

Dayton Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl **Undermount Sink**




ADA Compliant Made in USA **Optional Accessories** Drain D1125 Ship dims: 18-5/16" x 7-13/16" x 20-15/16" Approx. ship weight: 6 lbs.


- Dimensions: 14-3/8" x 14-3/8" x 6" ٠
- 18 gauge ٠
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ٠ 15" minimum cabinet size

DPXSR23322



- Dimensions: 33" x 22" x 8"
- 18 gauge ٠
- ٠ Premium Highlighted Satin finish
- Available in 1, 2L, 2R, 3 faucet holes ٠
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Slim Rim





1-3/4" (44mm)

Made in USA **Optional Accessories Bottom grid** GOBG1520LSS (left bowl) GOBG1520RSS (right bowl) **Cutting board** LKCB1520LTHW LKCB1520LUHW **Rinsing basket** LKWERBSS Drain D1125 **Ship dims:** 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 23 lbs.



DPXSR2250R

Dayton Stainless Steel 33" x 22" x 8", 60/40 Double Bowl Dual **Mount Sink**

-1/4"

4

1-3/4" (44mm)

_____11" _____ (279mm)

_____18" ____ (457mm)

33" (838mm)

. 15-3/4" (400mm)

17-11/16" (449mm) (305mm)

Made in USA

Bottom grid

Cutting board

LKCB1520LTHW

LKCB1520LUHW

Drain

LK35

D1125

Optional Accessories

GOBG1819SS (large bowl) GOBG1118SS (small bowl)



- Dimensions: 33" x 22" x 8"
- ٠ 18 gauge
- Premium Highlighted Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ٠ 36" minimum cabinet size
- Features: Slim Rim ٠

DXUH312010L




- Dimensions: 31-3/4" x 20-1/2" x 10"
- ٠ 18 gauge
- ٠ **Radiant Satin finish**
- 3-1/2" (89mm) drain opening ٠
- ٠ Sound deadening: Bottom only pads
- 36" minimum cabinet size

DXUH312010R



- Dimensions: 31-3/4" x 20-1/2" x 10" ٠
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



5-1/8" (130mm)

(18-1/2" (470mm))

8" (203mm)

Undermount Sink


Dayton Stainless Steel 31-3/4" x 20-1/2" x 10", Offset Double Bowl Made in USA **Optional Accessories Bottom grid** GBG1318SS (large bowl) GBG1415SS (small bowl) **Cutting board** CB1516* **Rinsing basket** LKWRB1316SS Drain D1125 Ship dims: 23-5/16" x 12-1/16" x 39-7/16" Approx. ship weight: 18 lbs.

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 23 lbs.

*1/2" sink reveal required for proper fit.

Dayton Stainless Steel 31-3/4" x 20-1/2" x 10", Offset Double Bowl **Undermount Sink**



Made in USA **Optional Accessories Bottom grid** GBG1318SS (large bowl) GBG1415SS (small bowl) **Cutting board** CB1516* **Rinsing basket** LKWRB1316SS Drain D1125 Ship dims: 23-5/16" x 12-1/16" x 39-7/16" Approx. ship weight: 18 lbs.

*1/2" sink reveal required for proper fit.



DCFU312010L

Dayton Stainless Steel 31-3/4" x 20-1/2" x 10", Offset Double Bowl Undermount Sink



- Dimensions: 31-3/4" x 20-1/2" x 10"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DCFU312010R




- Dimensions: 31-3/4" x 20-1/2" x 10"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

20.1/2 18-1/4" (521mm) (464mm) 15-3/4 18 (457mm) (400mm 3" R 14" 13-1/2" (356mm) (343mm) 31-3/4" (806mm) 1 8" 10" (254mm) 2-1/4" R (203mm (57mm) 15 (381mm)

Made in USA Optional Accessories Bottom grid GBG1318SS (large bowl) GBG1415SS (small bowl) Drain D1125 Ship dims: 23-5/16" x 12-1/16" x 39-7/16" Approx. ship weight: 20 lbs.

Dayton Stainless Steel 31-3/4" x 20-1/2" x 10", Offset Double Bowl Undermount Sink




Made in USA Optional Accessories Bottom grid GBG1318SS (large bowl) GBG1415SS (small bowl) Drain D1125 Ship dims: 23-5/16" x 12-1/16" x 39-7/16" Approx. ship weight: 20 lbs.

DXUH3118



- Dimensions: 31-3/4" x 18-1/4" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 31-3/4" x 18-1/4" x 8", Equal Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid GBG1415SS Cutting board CB1516* Rinsing basket LKWRB1316SS Drain D1125 Ship dims: 19-9/16" x 11-1/16" x 38-7/16" Approx. ship weight: 17 lbs. *1/2" sink reveal required for proper fit.



DCFU3118




- Dimensions: 31-3/4" x 18-1/4" x 8"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DCFU31189



- Dimensions: 31-3/4" x 18-1/4" x 9"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Mad Opti 18-1/4" (467mm) 15-3/4" (400mm) 15-3/4" (400mm) 15-3/4" (400mm) 15-3/4" (400mm) Dr. D1 Ship App




Undermount Sink

Made in USA Optional Accessories Bottom grid GBG1415SS Drain D1125 Ship dims: 23-5/16" x 9-13/16" x 38-15/16" Approx. ship weight: 18 lbs.

Dayton Stainless Steel 31-3/4" x 18-1/4" x 9", Equal Double Bowl Undermount Sink

Dayton Stainless Steel 31-3/4" x 18-1/4" x 8", Equal Double Bowl



(387 mm)


Undermount Sink

Made in USA Optional Accessories Bottom grid GBG1415SS Drain D1125 Ship dims: 23-5/16" x 12-1/16" x 39-7/16" Approx. ship weight: 18 lbs.

DXUH3119L



- Dimensions: 31-1/4" x 20" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size



Made in USA

Optional Accessories Bottom grid

GOBG1617SS (large bowl)

GOBG1115SS (small bowl)

- Cutting board
- CB1713*

Drain

Dayton Stainless Steel 31-1/4" x 20" x 8", Offset 40/60 Double Bowl

D1125

Ship dims: 21-13/16" x 11-1/16" x 37-3/16"

Approx. ship weight: 19 lbs.

*1/2" sink reveal required for proper fit.



DXUH3119R



- Dimensions: 31-1/4" x 20" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

DCFU3119L




- Dimensions: 31-1/4" x 20" x 8"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

DCFU3119R




- Dimensions: 31-1/4" x 20" x 8"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Dayton Stainless Steel 31-1/4" x 20" x 8", Offset 60/40 Double Bowl Undermount Sink




Made in USA Optional Accessories Bottom grid GOBG1617SS (large bowl) GOBG1115SS (small bowl) Cutting board CB1713* Drain D1125 Ship dims: 21-13/16" x 11-1/16" x 37-3/16" Approx. ship weight: 19 lbs. *1/2" sink reveal required for proper fit.

Dayton Stainless Steel 31-1/4" x 20" x 8", Offset 40/60 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid GOBG1617SS (large bowl) GOBG1115SS (small bowl) Drain D1125 Ship dims: 23-5/16" x 9-13/16" x 38-15/16" Approx. ship weight: 19 lbs.

Dayton Stainless Steel 31-1/4" x 20" x 8", Offset 60/40 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid GOBG1617SS (large bowl)

GOBG1115SS (small bowl) Drain D1125 Ship dims: 23-5/16" x 9-13/16" x 38-15/16" Approx. ship weight: 19 lbs.



DSESR12722

- Dimensions: 27" x 22" x 8"
- 18 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size
- Features: Slim Rim

GE12522




- Dimensions: 25" x 22" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

GE12522L




- Dimensions: 25" x 22" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size



Dayton Stainless Steel 27" x 22" x 8", Single Bowl Dual Mount Sink


Made in USA Optional Accessories Bottom grid GBG2416SS Cutting board CB1713 (*when installed as an undermount) CBS1316 (*when installed as an undermount) Drain D1125 Ship dims: 30-11/16" x 26-1/4" x 10-1/2" Approx. ship weight: 25 lbs. *1/2" sink reveal required for proper fit.

Dayton Stainless Steel 25" x 22" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Drain D1125 Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 10 lbs.

Dayton Stainless Steel 25" x 22" x 5-3/8", Single Bowl Drop-in Sink





ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Drain D1125 Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 10 lbs.

ELKAY.

GE12522R



- Dimensions: 25" x 22" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

K12522




- Dimensions: 25" x 22" x 6-1/16"
- 23 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

D12522




- Dimensions: 25" x 22" x 6-9/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Dayton Stainless Steel 25" x 22" x 5-3/8", Single Bowl Drop-in Sink




ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Drain D1125 Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 10 lbs.

Dayton Stainless Steel 25" x 22" x 6-1/16", Single Bowl Drop-in Sink



ADA Compliant Made in USA Also available in 10 or 50 packs Optional Accessories Bottom grid GBG2115SS Cutting board CB1516 Drain D1125 Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 8 lbs.

Dayton Stainless Steel 25" x 22" x 6-9/16", Single Bowl Drop-in Sink





ADA Compliant Made in USA Models also available with ADA depths Also available in 10 or 50 packs Optional Accessories Bottom grid GBG2115SS Cutting board CB1516 Drain D1125

Ship dims: 25" x 8-1/8" x 27" **Approx. ship weight:** 10 lbs.



DSE12522

- Dimensions: 25" x 22" x 8-1/16"
- 20 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

DXR2522




- Dimensions: 25" x 22" x 8-3/16"
- 18 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

DPC1252210



- Dimensions: 25" x 22" x 10-1/4"
- 20 gauge
- Premium Highlighted Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size



Dayton Stainless Steel 25" x 22" x 8-1/16", Single Bowl Drop-in Sink

Dayton Stainless Steel 25" x 22" x 8-3/16", Single Bowl Drop-in Sink


Made in USA

Also available in 10 or 40 packs **Optional Accessories Bottom grid** GBG2115SS **Cutting board** CB1516 **Drain** D1125 **Ship dims:** 23-5/16" x 9-15/16" x 30-15/16" **Approx. ship weight:** 10 lbs.

22° 22° 15-3/4" (559mm) (400mm) (400mm) 25° (635mm) 2-1/4" R (57mm) 2-1/4" R (57mm)

Made in USA Optional Accessories Bottom grid GBG2115SS Cutting board CB1516 Ship dims: 23-5/16" x 9-15/16" x 30-15/16" Approx. ship weight: 18 lbs.

Dayton Stainless Steel 25" x 22" x 10-1/4", Single Bowl Drop-in Sink





Made in USA Optional Accessories Bottom grid GBG2115SS LKWBG2115SS Cutting board CB1516 Drain D1125 Ship dims: 23-5/16" x 12-1/16" x 31-7/16" Approx. ship weight: 17 lbs.

ELKAY

GE12521

Dayton Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



- Dimensions: 25" x 21-1/4" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

GE12521L




- Dimensions: 25" x 21-1/4" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

GE12521R




- Dimensions: 25" x 21-1/4" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size




ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Rinsing basket LKWERBSS Drain D1125 Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 10 lbs.

Dayton Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Rinsing basket LKWERBSS Drain D1125 Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 10 lbs.

Dayton Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Rinsing basket LKWERBSS Drain D1125 Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 10 lbs.



D12521

Dayton Stainless Steel 25" x 21-1/4" x 6-9/16", Single Bowl Drop-in Sink




- Dimensions: 25" x 21-1/4" x 6-9/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

DPC1202010




- Dimensions: 20" x 20" x 10-1/8"
- 20 gauge
- Premium Highlighted Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size



ADA Compliant Made in USA Models also available with ADA depths Optional Accessories Bottom grid GBG2115SS Cutting board CB1516 Drain D1125 Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 10 lbs.

Dayton Stainless Steel 20" x 20" x 10-1/8", Single Bowl Drop-in Laundry Sink




Made in USA Optional Accessories Bottom grid GBG1415SS Cutting board CB1516 Rinsing basket LKWRB1316SS Drain D1125 Ship dims: 31-1/4" x 26-1/4" x 12-1/2" Approx. ship weight: 10 lbs.

D11721



- Dimensions: 17" x 21-1/4" x 6-1/2"
- 22 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Dayton Stainless Steel 17" x 21-1/4" x 6-1/2", Single Bowl Drop-in Bar Sink



ADA Compliant Made in USA Optional Accessories Bottom grid GBG1415SS Cutting board CB1516 Drain D1125 Ship dims: 24-5/16" x 7-13/16" x 20-3/16" Approx. ship weight: 10 lbs.

ELKAY

D11719



- Dimensions: 17" x 19" x 6-3/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

K11515




- Dimensions: 15" x 15" x 5-3/16"
- 23 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

D11515




- Dimensions: 15" x 15" x 5-3/16"
- 23 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Dayton Stainless Steel 17" x 19" x 6-1/8", Single Bowl Drop-in Bar Sink




ADA Compliant Made in USA Optional Accessories Bottom grid GBG1414SS Drain D1125 Ship dims: 24-5/16" x 7-13/16" x 20-3/16" Approx. ship weight: 9 lbs.

Dayton Stainless Steel 15" x 15" x 5-3/16", Single Bowl Drop-in Bar Sink



ADA Compliant Made in USA Also available in 10 or 50 packs Optional Accessories Cutting board CB912 Drain D5018A Ship dims: 16-15/16" x 6-13/16" x 17-3/8" Approx. ship weight: 4 lbs.

Dayton Stainless Steel 15" x 15" x 5-3/16", Single Bowl Drop-in Bar Sink



ADA Compliant Made in USA Also available in 10 or 50 packs Optional Accessories Cutting board CB912 Drain D5018A Ship dims: 16-15/16" x 6-13/16" x 17-3/8" Approx. ship weight: 4 lbs.



D11516



Sink

2-1/4" R

2-1/4" R (57mm)

in Sink

(57mm)

12

(305mm)

_ 15" _ (381mm)

- Dimensions: 15" x 15" x 5-3/16"
- 23 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

GE23322



- Dimensions: 33" x 22" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Image: state state


ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Rinsing basket LKWRB1316SS Drain D1125 Ship dims: 25" x 8-1/8" x 35" Approx. ship weight: 12 lbs.


K23322



- Dimensions: 33" x 22" x 6-1/16"
- 23 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 33" x 22" x 6-1/16", Equal Double Bowl Drop-in Sink





ADA Compliant Made in USA Also available in 10 or 50 packs Optional Accessories Bottom grid GBG1415SS Drain D1125 Ship dims: 25" x 8-1/8" x 35" Approx. ship weight: 12 lbs.

ADA Compliant Made in USA Optional Accessories

Dayton Stainless Steel 15" x 15" x 5-3/16", Single Bowl Drop-in Bar

15"

(381mm) 10" (254mm)

> 5-3/16" (132mm)

ADA Compliant Made in USA

CB912

Drain

D1125

Dayton Stainless Steel 33" x 22" x 5-3/8", Equal Double Bowl Drop-

Optional Accessories Cutting board

Also available in 10 or 50 packs

Approx. ship weight: 4 lbs.

Ship dims: 16-15/16" x 6-13/16" x 17-3/8"



D23322

BB

- Dimensions: 33" x 22" x 6-9/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DD23322




- Dimensions: 33" x 22" x 7-1/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size


DPXSR23322



- Dimensions: 33" x 22" x 8"
- 18 gauge
- Premium Highlighted Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Slim Rim


Dayton Stainless Steel 33" x 22" x 6-9/16", Equal Double Bowl Drop-in Sink






ADA Compliant Made in USA Also available in 10 or 50 packs Optional Accessories Bottom grid GBG1415SS Drain D1125 Ship dims: 25" x 8-1/8" x 35" Approx. ship weight: 12 lbs.

Dayton Stainless Steel 33" x 22" x 7-1/16", Equal Double Bowl Drop-in Sink




Made in USA Also available in 10 or 50 packs Optional Accessories

Optional Accessories Bottom grid GBG1415SS Drain D1125 Ship dims: 25" x 8-1/8" x 35" Approx. ship weight: 13 lbs.



Dayton Stainless Steel 33" x 22" x 8", Equal Double Bowl Dual Mount Sink



Made in USA Optional Accessories Bottom grid GOBG1520LSS (left bowl) GOBG1520RSS (right bowl) Cutting board LKCB1520LTHW LKCB1520LUHW Rinsing basket LKWERBSS Drain D1125 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 23 lbs.




DPXSR2250R



- Dimensions: 33" x 22" x 8"
- 18 gauge
- Premium Highlighted Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Slim Rim

DSE23322



Mount Sink

Made in USA Optional Accessories Bottom grid GOBG1819SS (large bowl) GOBG1118SS (small bowl) Cutting board LKCB1520LTHW LKCB1520LUHW Drain LK35 D1125 Ship dims: 37-3/4" x 26-1/4" x 10-1/2" Approx. ship weight: 23 lbs.

Dayton Stainless Steel 33" x 22" x 8-1/16", Equal Double Bowl Drop-in Sink

Dayton Stainless Steel 33" x 22" x 8", 60/40 Double Bowl Dual





- Dimensions: 33" x 22" x 8-1/16"
- 20 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DXR250R



- Dimensions: 33" x 22" x 8-3/16"
- 18 gauge
- Satin finish
- Available in 1, 2, 3, 4, S2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size






Drop-in Sink

Made in USA Also available in 10 or 40 packs Optional Accessories Bottom grid GBG1415SS Drain D1125 Ship dims: 25" x 9-1/8" x 35" Approx. ship weight: 14 lbs.

Dayton Stainless Steel 33" x 22" x 8-3/16", Offset Double Bowl



Made in USA Optional Accessories Bottom grid GBG1318SS (large bowl) GBG1415SS (small bowl) Cutting board CB1516 Rinsing basket LKWRB1316SS Drain D1125 Ship dims: 23-5/16" x 9-13/16" x 38-15/16" Approx. ship weight: 25 lbs.




DXR3322



- Dimensions: 33" x 22" x 8-3/16"
- 18 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

GE23321



Drop-in Sink

Drop-in Sink

Dayton Stainless Steel 33" x 22" x 8-3/16", Equal Double Bowl

Made in USA Optional Accessories Bottom grid GBG1415SS Cutting board CB1516 Rinsing basket LKWRB1316SS Ship dims: 23-3/8" x 9-13/16" x 38-15/16" Approx. ship weight: 25 lbs.

21-1/4" (356mm) (356mm) (356mm) (356mm) (400mm) (400mm) (400mm) (400mm) (400mm) (400mm) (400mm) (400mm) (5-3/4" (356mm) (357mm) (35 ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Rinsing basket LKWRB1316SS Drain D1125 Ship dims: 25" x 8-1/8" x 35" Approx. ship weight: 13 lbs.

- Dimensions: 33" x 21-1/4" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size


D23321



- Dimensions: 33" x 21-1/4" x 6-9/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 33" x 21-1/4" x 6-9/16", Equal Double Bowl Drop-in Sink

Dayton Stainless Steel 33" x 21-1/4" x 5-3/8", Equal Double Bowl



ADA Compliant Made in USA Optional Accessories Bottom grid GBG1415SS Drain D1125 Ship dims: 25" x 8-1/8" x 35" Approx. ship weight: 12 lbs.



DSE23321

- Dimensions: 33" x 21-1/4" x 8-1/16"
- 20 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

D23319




- Dimensions: 33" x 19" x 6-7/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DSE23319



- Dimensions: 33" x 19" x 8"
- 20 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



Drop-in Sink

 \bigcirc

4" R (102mm)

> 14" (356mm)

3-1/4" R

(83mm)

33" (838mm)

15-1/4"

(387mm)

Made in USA Optional Accessories Bottom grid GBG1415SS Drain D1125 Ship dims: 25" x 9-1/8" x 35" Approx. ship weight: 18 lbs.

Dayton Stainless Steel 33" x 19" x 6-7/16", Equal Double Bowl Drop-in Sink

Dayton Stainless Steel 33" x 21-1/4" x 8-1/16", Equal Double Bowl

21-1/4"

(540mm)

15.3/4"

(400mm)

8-1/16"


(205mm)

(+)

____14" (356mm)

> ADA Compliant Made in USA Optional Accessories Bottom grid GBG1414SS Drain D1125 Ship dims: 21-5/16" x 7-7/16" x 35-5/16" Approx. ship weight: 10 lbs.

Dayton Stainless Steel 33" x 19" x 8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid GBG1414SS Ship dims: 25" x 9-1/8" x 35" Approx. ship weight: 13 lbs.



D23317

Co Co

Sink

2-1/2" R (64mm)

14"

(356mm)

2-3/4" R (70mm)

- Dimensions: 33" x 17" x 6"
- 22 gauge
- Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

DE21732



- Dimensions: 31-7/8" x 31-7/8" x 7"
- 20 gauge
- Elite Satin finish
- Available in 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

D22519



- Dimensions: 25" x 19" x 6-5/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Dayton Stainless Steel 31-7/8" x 31-7/8" x 7", Equal Double Bowl Corner Sink

Dayton Stainless Steel 33" x 17" x 6", Equal Double Bowl Drop-in

(432mm)

14"

(356mm)

6"

(152mm)

 \oplus

_____14" (356mm)

33"

(838mm)

 Special Note: No faucet ledge

Approx. ship weight: 12 lbs.

Ship dims: 21-5/16" x 7-7/16" x 35-5/16"

ADA Compliant


Bottom grid

GBG1414SS Drain

D1125


Optional Accessories

Made in USA



Made in USA Optional Accessories Bottom grid GBG1415SS Cutting board CB1516 Drain LK35 D1125 Ship dims: 28-9/16" x 10-1/16" x 48-5/16" Approx. ship weight: 19 lbs.

Dayton Stainless Steel 25" x 19" x 6-5/16", Equal Double Bowl Drop-in Sink



ADA Compliant Made in USA Optional Accessories Cutting board CB912 Rinsing basket LKWRB1209SS Drain D1125 Ship dims: 20-5/16" x 8-13/16" x 31-11/16" Approx. ship weight: 11 lbs.

ELKAY.

Drains				
Model	odel Description			
D1125	Dayton 3-1/2" Stainless Steel Drain with Removable Basket Strainer and Rubber Stopper			
D361125	Dayton 3-1/2" Stainless Steel Drain with Removable Basket Strainer and Rubber Stopper (sold in multiples of 36)			
D5018A	Dayton 2" Stainless Steel Drain with Removable Basket Strainer and Rubber Stopper			

Bottom grids			
Model	Description	Image	
GBG1318SS	Dayton Stainless Steel 10-5/8" x 15-3/16" x 1" Bottom Grid		
GBG1414SS	Dayton Stainless Steel 11-1/16" x 11-1/16" x 1" Bottom Grid		
GBG1415SS	Dayton Stainless Steel 12-7/16" x 10-11/16" x 1" Bottom Grid		
GBG2115SS	Dayton Stainless Steel 17-1/2" x 12-1/4" x 1" Bottom Grid		
GBG2416SS	Dayton Stainless Steel 22-3/4" x 14-3/4" x 1" Bottom Grid		
GBG2816SS	Dayton Stainless Steel 25-7/16" x 13-3/8" x 1" Bottom Grid		
GOBG1115SS	Dayton Stainless Steel 8-7/8" x 12-7/16" x 1" Bottom Grid		
GOBG1118SS	Dayton Stainless Steel 9-3/4" x 16-7/16" x 1" Bottom Grid		

ELKAY.

GOBG1415SS	Dayton Stainless Steel 12-1/8" x 13-15/16" x 1" Bottom Grid	
GOBG1520LSS	Dayton Stainless Steel 13-1/4" x 17-1/16" x 1" Bottom Grid	
GOBG1520RSS	Dayton Stainless Steel 13-1/4" x 17-1/16" x 1" Bottom Grid	
GOBG1617SS	Dayton Stainless Steel 13-7/16" x 15-1/16" x 1" Bottom Grid	

GOBG1819SS	Dayton Stainless Steel 16-3/4" x 17-1/4" x 1" Bottom Grid	
GOBG2115SS	Dayton Stainless Steel 19-1/16" x 13-3/4" x 1" Bottom Grid	
GOBG2118SS	Dayton Stainless Steel 18-1/4" x 16-1/16" x 1" Bottom Grid	
GOBG2816SS	Dayton Stainless Steel 26-1/8" x 13-15/16" x 1" Bottom Grid	

COMMERCIAL



Table of Contents

Commercial Products

Product Overview C-1	
Health Smart Solutions	C-1
Drinking Water Products	C-4
Coolers and Fountains	C-5
ezH2O Liv Pro	C-6
Outdoor Bottle Filling Stations and Fountains	C-7
Filters	C-8
Commercial Sinks	C-9
ADA Sinks	C-10
Commercial Faucets	C-11
Foodservice Products	C-12
Custom Stainless Solutions	C-13
Drinking Water Customization	C-14
ezH2O Nameplate Customization	C-15
ezH2O Bottle Filling Stations	C-16
ezH2O Bottle Filling Stations	C-16
Cooler Combination	C-18
Green	C-22
Vandal Resistant	C-23
Vandal Resistant Green	C-24
Mechanical	C-25
ezH2O Liv Pro	C-27
Mechanical Surface Mount	C-29
Retrofit	C-29
Architectural Inwall Fountain with Integral Bottle Filler	C-30
Architectural Inwall Fountain with Bottle Filling Station	C-31
Inwall	C-32
Architectural Retrofit	C-34

Water Coolers, Fountains and Water Dispensers C-35 Water Coolers C-36 EZ Green C-37 EZ Hands-Free C-39 ΕZ C-40 Vandal Resistant C-43 Vandal Resistant Green C-45 Vandal Resistant Combination C-46 Mechanically Activated C-50 SwirlFlo Green C-51 SwirlFlo C-52 Soft Sides C-53 C-55 Legacy Compact C-56 Legacy Deluxe Wall-Mount Legacy C-58 C-58 High Ambient Legacy Vandal-Resistant C-59 Legacy Floor Stantard Space-ette C-60 Legacy Fully Recessed C-62 Legacy Standard Semi-Recessed C-63 C-64 Legacy Deluxe Legacy Sensor-Activated Deluxe C-67 Legacy Water-Cooled Deluxe C-67 Legacy Hot and Cold Service Deluxe C-68 Legacy Special Use C-69 C-70 Drinking Fountains Heavy-Duty Slimline Soft Sides C-70 Slimline Soft Sides C-72 Soft Sides C-73 Soft Sides Premium Composite C-75 SwirlFlo C-76 Legacy Fully Recessed C-78 Legacy Simulated Semi-Recessed C-78 Legacy Multistation Stainless Steel C-79 Legacy Bracket C-79 Legacy Countertop C-80

Water Chillers	C-80
Remote Water Chillers	C-81
High Ambient Remote	C-82
Outdoor Drinking Solutions	C-83
Outdoor Drinking Solutions	C-84
Outdoor Bottle Filling Stations	C-85
Outdoor Fountains	C-86
Stone Aggregate Fountains	C-87
Filtration and Accessories	C-88
Watersentry® Filters	C-89
ADA Sinks	C-101
ADA Sinks Commercial Sinks	C-101 C-133
Commercial Sinks	C-133
Commercial Sinks ADA Accessories	C-133 C-179
Commercial Sinks ADA Accessories General Use Sinks	C-133 C-179 C-183
Commercial Sinks ADA Accessories General Use Sinks Accessories	C-133 C-179 C-183 C-191

Terms and Conditions Inside Back Cover



Health Smart Solutions

At Elkay, we take pride in providing commercial customers with solutions that can help better their facilities — making them healthier, safer.

Antimicrobial Copper Sinks

Our antimicrobial copper sinks are tough on germs, killing more than 99.9% of bacteria* within 2 hours. They're ideal for hospitals and medical centers, as well as other public spaces where hygiene is top of mind.

Touchless Handwashing Station

For washing hands on the go, look to our touchless handwashing station. With sensor-activated operation, your employees and guests never have to touch a thing.

Hands-free Faucets

With sensor-activated options, our faucets help keep scrub and hand wash stations sanitary.

Bottle Filling Stations

Our touchless bottle filling stations, many with lead-reducing filters, are also hygienic and provide cleaner water in offices, schools and airports.

ezH2O Liv Pro™

And for more convenient hydrating, our ezH2O Liv Pro can sit right in a conference room wall, making drinking water more accessible.

*Testing demonstrates effective antibacterial activity against MRSA, Staphylococcus aureus, Enterobacter aerogenes, Pseudomonas aeruginosa, and E. coli O157:H7.

ELKAY.

Hands-free Bottle Filling Stations









LZOTL8WSSK C-21



LZOOTL8WSSK C-18



LZWSSM C-27



LZWSM8K C-31





LZO8S C-37



LZO8L C-37



C-37

ENOBM28RAK

C-52



LZOSTL8LC C-37



EROM8K C-53



LZOOSTL8LC C-37



EROM28K C-52



ENOBM8K C-51



Hands-free Water Dispensers



LBWDC00WHC C-26

C-204











LKB721CNC C-204

CuVerro[®] Antimicrobial Copper Sinks



LRAD252255-CU C-117



LRAD252155-CU C-118



LRAD191955-CU C-122

LRAD191855-CU



LRAD222255-CU C-119



LRAD221955-CU C-120



LRAD152255-CU C-127



LRAD202255-CU C-121





LRAD172255-CU

C-124

CHS1716C C-151



DRKR24119LC C-186



DRKR2517 C-182





14-1C16X20-L-18X C-139



EWSF13026KWSC C-158



Drinking Water Products

Our drinking water solutions are designed to meet your needs and exceed your expectations. Choose from a wide variety of bottle filling stations, water coolers, drinking fountains, water dispensers and remote chillers that comply with adult and child ADA standards.

Many of these products have the option to add WaterSentry[®] filters for cleaner, safer water. For an even more hygienic experience, go with a touchless unit.

Bottle Filling Stations

We continue to expand our ezH2O bottle filling station offerings to include innovative technology, such as automatic filter reset. This award-winning product line upholds our commitment to delivering cleaner water in a safer, more hygienic way through sustainable design. Many operate hands free and all provide a rapid fill of drinking water to quench thirst and minimize plastic bottle waste in the environment.

We have models for both indoor and outdoor applications. Whether you're looking for vandal resistant, mechanical activated or architectural design, you'll find just what you need among our large assortment of bottle filling stations.



Coolers and Fountains

Elkay water coolers and drinking fountains come in a variety of styles. From standard design with enhanced hands-free operation to sleek, architectural SwirlFlo fountains, there's a model for any space. Many coolers can even be retrofitted – add a bottle filler or make them touchless by swapping out components with sensor-activated ones.


Most units offer our WaterSentry filters as options and our Flexi-Guard[®] Safety Bubblers, which feature an antimicrobial agent for an extra level of hygiene.

Water Dispensers

We have the perfect water dispenser to keep your employees and guests hydrated.

Our ezH2O Liv Pro provide fresh, filtered water on demand, reducing dependency on plastic water bottles.





ezH2O Liv Pro

This hands-free water dispenser is designed for commercial and hospitality environments such as lobbies and conference rooms. Say goodbye to ordering expensive cases of bottled water that take up precious storage space.

- Sleek glass and brushed stainless steel design that looks great in any space
- WaterSentry 3,000-gallon NSF-certified filter to reduce harmful contaminants
- Backlit LED Green Ticker displays number of plastic bottles saved from waste
- · Hands-free filling with automatic timed shut off to prevent accidental spills
- Fits within 16" OC 2" x 4" studs near water and electrical; includes drip tray with optional drain connection
- Unit can be installed with or without chiller; various options, sold separately
- Two color options: Aspen White or Midnight
- Filter box kit and remote filter cable included; install based on application



Orange
(ORN)Purple
(PUR)Red
(RED)Terracotta
(TER)White
(WHT)Yellow
(YLW)

Custom outdoor solutions, including Pantone® colors* available. *Based on min. order quantity.

stainless steel — standard on all Elkay outdoor tubular models. They are built for busy areas such as parks, pools, golf courses,


and school and work campuses.

Multiple configurations available.

Filters

Elkay water filters provide cleaner, great tasting water for our bottle filling stations, water coolers, drinking fountains and water dispensers. All of our filters are made with activated carbon to improve taste and odor. Many also reduce contaminants such as lead. Our WaterSentry[®] filters are NSF certified to NSF/ANSI 42 and 53 for reduction of lead, Class 1 particulate, chlorine, taste and odor. Elkay filters are easy to connect and are self-contained replaceable cartridges, limiting exposure to contaminated media.

Most of our drinking water products are made in our Savanna, Illinois, plant, which is ISO 9001 registered.







B

This symbol means model is ADA compliant when properly installed. See specification sheets for details.

Commercial Sinks

The name Elkay is synonymous with commercial-grade stainless steel sinks. We've been manufacturing quality stainless steel sinks for more than 100 years. Elkay's ongoing commitment to superior quality, styling and functionality is evident. More than a century of experience at forming, welding, trimming and polishing goes into every sink we make. The breadth of our line allows you to select from features, sizes and gauges based on your specific needs.

Elkay stainless steel finishes provide superior bacterial cleanability and are easy to sanitize when compared to other sink materials.

From health care facilities, schools and stadiums to restaurants, airports and office buildings, we have the ideal sink for public and professional facilities:

- Service and utility
- Lavatory
- Scrub and hand wash
- General use
- Classroom
- Custom
- Foodservice



ADA Sinks

Our ADA sinks work well in any commercial space, beyond restrooms. Not only do they make washing hands easier, they're stylish enough to complement any design.

Multifamily Housing

With heavy-duty stainless steel options and stain-resistant quartz models, our sinks are built to meet the everyday demands of residents and staff. A variety of bowl configurations and installation types offers options for in-unit kitchens, clubhouses and other common areas.

Assisted Living Centers

Ideal for seniors, ADA sinks accommodate those who have trouble reaching or are more comfortable sitting while working at the sink. They're great assets in residents' rooms and in common areas throughout the facility.

Dart Canyon[™]

Stylish and practical, Dart Canyon is our ADA farmhouse sink that provides better everyday solutions in commercial spaces. Used in the communities stated above, as well as in office lunchrooms, this workstation sink with built-in ledge makes cleaning and prepping much easier. Set soap and scrub pads on the shallow ledge at the front and use the extra-deep rear bowl for filling with large items. This sink goes beyond ADA compliance; it's great for multipurpose use and has a beautiful apron front.

ELKAY.

BASIC PART NUMBER*

LK402 Deck Mount, 4" Dual Control

LK403 Deck Mount, 4" Dual Control, with Pop up

LK406 Exposed Deck Mount, 4"

LK422 Deck Mount, 4" Single Control

LK423 Deck Mount, 4" Single Control, with Pop up

LK500 Deck Mount, Single Hole

LK535 Deck Mount, Single Hole

LK800 Concealed Deck Mount, 8"

LK801 Concealed Deck Mount, 8" with Side Spray

LK804 Concealed Deck Mount, Fixed Spout, 8"

LK804F Concealed Deck Mount, Fixed Spout, 8" Fancy

LK810 Exposed Deck Mount, 8"

LK811 Exposed Deck Mount, 8" with Side Spray

LK940 Wall Mount, 8" Chrome Finish

LK943C Prerinse

LK945 Wall Mount, 3"– 8" Adjustable Centers

*Based off of the waterway

	TYPE OF SPOUT	SIZE OF SPOUT	TYPE AND SIZE OF HANDLE	WALL-MOUNT INLETS	
	AT Arc Tube	AT 08", 10", 12" or 14"	L2 Lever, 2", Two Piece	H 1/2" NPT Female Inlets	
	BP Bucket Hook Polished	BP 03" or 07"	L4 Lever, 4", One Piece†	S Shut-off Valve, 1/2"	
	BR Bucket Hook Rough	BR 03" or 07"	L7 Lever, 7", One Piecet	NPT Female Inlets	
	CF Cast Fixed	CF 06" T4 Wrist Blade,	T 2" Offset, 1/2" NPT Female Inlets		
	DS Double Swing	DS 20"	4", Two Piece		
	GN Gooseneck	GN 04", 05" or 08"	T6 Wrist Blade, 6", Two Piece		
	HA High Arc	A High Arc HA 08" or 10"			
)	TS Tube Spout	TS 08"	† For LK422 and		
	VS Vented Spout	VS 07"	LK423 series only.		








Commercial Faucets

Complete your Elkay sink with an Elkay faucet. We have the ideal faucet for every application.

- Foodservice
- Lavatory
- Classroom
- Scrub and hand wash
- General use
- Service and utility



Shown: LK406AT08T4

Interchangeable spouts available in many styles and sizes

ADA-compliant interchangeable handle options; wrist blade and lever

1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM inserts; key included for low-flow

Ceramic disc cartridge for long-lasting performance and ease of use

Durable and attractive polished chrome finish

Solid brass construction ensures longevity and NSF/ANSI 61 compliance



This symbol means model is ADA compliant when properly installed. See specification sheet for details.





Elkay has the ideal product for every foodservice application:

- Scullery sinks
- Utility sinks
- Mop and hand sinks
- Work tables




Foodservice Products

Why Elkay Foodservice products for plumbing wholesale? There are six key benefits.

- 1. Complementary line: Elkay foodservice products that are NSF certified, expand and supplement our other foodservice offerings to give you the products you need at competitive prices.
- 2. Lead times: Large product inventory allows us to serve customers quickly and hassle free.
- 3. One source: Whether you need one table or a complete kitchen, Elkay can serve all your needs.
- 4. Easy cleanup: Seamlessly welded, coved corners and die stamped to ensure proper drainage.
- 5. Certifications: NSF for foodservice application.
- 6. Quality: Durable products that our customers have come to expect.

Designed for kitchens in school cafeterias to	Dependabilt™	Rigidbilt®	Weldbilt®
five-star restaurants, we have a wide variety of scullery sink options:	16 or 18 gauge	16 gauge	14 gauge
scullery sink options.	Type 300 stainless	Type 304 stainless	Type 304 stainless
	12" or 14" deep	12-3/4" deep	14" deep
	Prefinished material	Hand polished	Hand polished

How to read a scullery sink SKU





Custom Stainless Solutions

Can't find what you're looking for? Whether you need a sink modification or a custom sink, Elkay can help. We are America's No. 1 selling kitchen sink company. Put our experience to work for you.





14 gauge 16 gauge Gauge



Bowl Configuration

Sink Modifications

- Select SKUs from our catalog may be modified
- Only die-drawn, machine-driven products
- 18 gauge; Type 304 or Type 316 stainless steel

Custom Fabrication

- Hand-fabricated sinks and sink tops for residential and commercial applications
- One piece seamlessly crafted to your specifications
- 14 or 16 gauge; Type 304 or Type 316 stainless steel



Download custom or modification forms at elkay.com/custom.



Drinking Water Product Customization

If you are looking for a drinking solution that is outside of our standard offerings, we can help you tailor an existing Elkay product to meet your unique specifications. Whether you want to change activation to fully touchless or create a unique triple fountain combination, our custom program will exceed your expectations.

Custom Product Capabilities and Colors:

- Unique stainless steel panels
- Multilevel cooler and fountain configurations
- Vandal-resistant bubbler installation
- Sensor-activated modifications
- Pantone[®] colors*

*Based on min. order quantity.





Vandal Resistant

ezH2O Nameplate Customization

All ezH2O bottle filling stations are customizable with university- or company-specific logos. Orders can include a combination of units (retrofit, in wall, ezH2O cooler combos, surface mounts).

Customization is available for orders of 10 units or more. Units ordered must be either all filtered or all non-filtered within the same order.

Creating Your Custom Nameplate:

- 1. Choose your Elkay bottle filling stations.
- 2. Send us your desired logo and Pantone[®] colors.
- 3. Elkay's custom team will handle the rest!

Please contact your sales team for complete details about available options in your region.



Enhanced ezH2O Bottle Filling Station LZOTL8WSSK



ezH2O[®] BOTTLE FILLING STATIONS





Cooler Combination Bottle Filling Stations

- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Optional Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor use.





LZS8WSLK

Optional Accessories

LKAPREZL	Cane Apron for EZ Gray
98551C	Filter Mounting Cover (Gray Granite)
98568C	Filter Mounting Cover (Stainless Steel)
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
WSF6000R-2PK	WaterSentry Fresh CTO Replacement Filter
EWF3000	WaterSentry Plus Filter System Kit
51300C	WaterSentry Plus Replacement Filter

Retro-fit models 📩	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZWSRK	-	•		•
EZWSRK	-			•

Single ezH2O with Dual Hands-Free Activation 🕏				Cooler Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	
LZO8WSLK ▼	8.0	•	•		•	
LZO8WSSK▼	8.0	•		•	•	
EZO8WSLK ▼	8.0		•		•	
EZO8WSSK▼	8.0			•	•	

Includes Hands-Free Bubbler and Hands-Free Bottle Filling Station.

Versatile bi-level ezH2O wit	Cooler	Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOOTL8WSLK ▼	8.0	•	•		•
LZOOTL8WSSK ▼	8.0	•		•	•
EZOOTL8WSLK ▼	8.0		•		•
EZOOTL8WSSK ▼	8.0			•	•

Includes 2 Hands-Free Bubblers and 1 Hands-Free Bottle Filling Station

This products are available in 220V, contact your sales team for custom codes



LZO8WSLK



LZOOTL8WSLK

ELKAY

Single ezH2O cooler 🕹			Cooler	Cabinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZS8WSVRS3K ⊗	8.0	•		•	220V/60Hz	
LZSDWSL2K ⊗	-	•	•		220V/50Hz	CE
LZSDWSL3K Ø	-	•	•		220V/60Hz	
LZSDWSS2K ⊗	-	•		•	220V/50Hz	CE
LZSDWSS3K ⊗	-	•		•	220V/60Hz	
EZS8WSL2K ⊗	8.0		•		220V/50Hz	CE
EZS8WSL3K Ø	8.0		•		220V/60Hz	
EZS8WSS2K ⊗	8.0			•	220V/50Hz	CE
EZS8WSS3K ⊗	8.0			•	220V/60Hz	
EZS8WSVRL2K ⊗	8.0		•		220V/50Hz	CE
EZS8WSVRL3K ⊗	8.0		•		220V/60Hz	
EZS8WSVRS2K ⊗	8.0			•	220V/50Hz	CE
EZS8WSVRS3K ⊗	8.0			•	220V/60Hz	

This products are available in 220V, contact your sales team for custom codes



ezH2O Water Cooler Combination Bottle Filling Stations

- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated).
- Visual Filter Monitor: LED filter status indicator for when filter change is necessary.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Includes exclusive Flexi-Guard safety bubbler, which provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.
- Power cord sold separately.







EZSTL8WSS2K

Versatile bi-level ezH2O cooler 🕭			Cooler Cabinet			Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZSTL8WSL2K ⊗	8.0	•	•		220V/50Hz	CE
LZSTL8WSL3K Ø	8.0	•	•		220V/60Hz	
LZSTL8WSS2K ⊗	8.0	•		•	220V/50Hz	CE
LZSTL8WSS3K ⊗	8.0	•		•	220V/60Hz	
LZSTL8WSS3KSA Ø	8.0	•		•	220V/60Hz	SASO
LZSTL8WSVRL2K Ø	8.0	•	•		220V/50Hz	CE
LZSTL8WSVRL3K ⊗	8.0	•	•		220V/60Hz	
LZSTL8WSVRS2K ⅔ ⊗	8.0	•		•	220V/50Hz	CE
LZSTL8WSVRS3K Ø	8.0	•		•	220V/60Hz	
EZSTL8WSL2K 🖁 🛇	8.0		•		220V/50Hz	
EZSTL8WSL3K 🖁 🛇	8.0		•		220V/60Hz	
EZSTL8WSS2K 🖁 🛇	8.0			•	220V/50Hz	
EZSTL8WSS3K 💈 🛇	8.0			•	220V/60Hz	
EZSTL8WSVRL2K ⅔ ⊗	8.0		•		220V/50Hz	
EZSTL8WSVRL3K ⅔ ⊗	8.0		•		220V/60Hz	
EZSTL8WSVRS2K ⅔ ⊘	8.0			•	220V/50Hz	
EZSTL8WSVRS3K ⅔ ⊘	8.0			•	220V/60Hz	

Single ezH2O cooler 🖏				Cabinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZS8WSL2K ⊘	8.0	•	•		220V/50Hz	CE
LZS8WSL3K ⊘	8.0	•	•		220V/60Hz	
LZS8WSS2K ⊗	8.0	•		•	220V/50Hz	CE
LZS8WSS2KWR ⅔ ⊗	8.0	•		•	220V/50Hz	CE, WRAS
LZS8WSS2QK ⊗	8.0	•		•	240V/50Hz	
LZS8WSS3K ⊗	8.0	•		•	220V/60Hz	
LZS8WSS3KSA O	8.0	•		•	220V/60Hz	SASO
LZS8WSVRL2K ⊘	8.0	•	•		220V/50Hz	CE
LZS8WSVRL3K ⊗	8.0	•	•		220V/60Hz	
LZS8WSVRS2K ⊗	8.0	•		•	220V/50Hz	CE

ELKAY.

Versatile bi-level ezH2O with 1 H	Cooler C	Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOTL8WSLK ▼	8.0	•	•		•
LZOTL8WSSK▼	8.0	•		•	•
EZOTL8WSLK ▼	8.0		•		•
EZOTL8WSSK▼	8.0			•	•



Includes 1 Hands-Free Bubbler, 1 Hands-Free Bottle Filling Station, and 1 Push Bar Bubbler

Single ezH2O 🕏			Cooler (Cabinet	Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LZS8WSLK ▼	8.0	•	•		•	
LZS8WSSK ▼	8.0	•		•	•	
LZS8WSVRLK ▼	8.0	•	•			•
LZS8WSVRSK ▼	8.0	•		•		•
LZSDWSLK 🔻	-	•	•		•	
LZSDWSSK ▼	-	•		•	•	
LZSDWSVRLK ▼	-	•	•			•
LZSDWSVRSK ▼	-	•		•		•
EZS8WSLK ▼	8.0		•		•	
EZS8WSSK ▼	8.0			•	•	
EZS8WSVRLK ▼	8.0		•			•
EZS8WSVRSK ▼	8.0			•		•
EZSDWSLK ▼	-		•		•	
ezsdwssk ▼	-			•	•	
EZSDWSVRLK ▼	-		•			•
EZSDWSVRSK ▼	-			•		•

with Hands-Free Bottle Filling Station

Versatile bi-level ezH2O with Ha Station* 💰	Cooler Cabinet		Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LZSTL8WSLK ▼	8.0	•	•		•	
LZSTL8WSSK ▼	8.0	•		•	•	
LZSTL8WSVRLK ▼	8.0	•	•			•
LZSTL8WSVRSK ▼	8.0	•		•		•
LZSTLDDWSLK 🔻	-	•	•		•	
LZSTLDDWSSK ▼	-	•		•	•	
LZSTLDDWSVRLK ▼	-	•	•			•
LZSTLDDWSVRSK ▼	-	•		•		•
EZSTL8WSLK ▼	8.0		•		•	
EZSTL8WSSK ▼	8.0			•	•	
EZSTL8WSVRLK ▼	8.0		•			•
EZSTL8WSVRSK ▼	8.0			•		•
EZSTLDDWSLK ▼	-		•		•	
EZSTLDDWSSK ▼	-			•	•	
EZSTLDDWSVRLK ▼	-		•			•
EZSTLDDWSVRSK ▼	-			•		•

*Units can either be installed left-high and right-low or reversed to be right-high and left-low.

This products are available in 220V, contact your sales team for custom codes



Green Cooler Combo Bottle Filling Stations

- High-performance compressor and insulation greatly reduce energy consumption.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- GreenSpec listed and badged to demonstrate a commitment to sustainability.
- Rated for indoor use.





LZSTLG8WSLK

LZSG8WSSK

Optional Accessories

LKA	PREZL	Cane Apron for EZ Gray
MLP	100	In Wall Carrier (Single)
MLP	200	In Wall Carrier (Bi-Level)
3629	92C	Power Block for multistation BF stations
WSF	6000R-2PK	WaterSentry Fresh CTO Replacement Filter
EWF	3000	WaterSentry Plus Filter System Kit
5130	00C	WaterSentry Plus Replacement Filter

Single green ezH2O ち	Cooler Cabinet			
Model	Chilled GPH	illed GPH Filtered		Stainless Steel
LZSG8WSLK ⊗	8.0	•	•	
LZSG8WSSK ⊗	8.0	•		•
EZSG8WSLK ⊗	8.0		•	
EZSG8WSSK ⊗	8.0			•

Versatile green bi-level ezH2O* ち	Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSTLG8WSLK ⊘	8.0	•	•	
LZSTLG8WSSK ⊗	8.0	•		•
EZSTLG8WSLK ⊗	8.0		•	
EZSTLG8WSSK ⊗	8.0			•

Units can either be installed left-high and right-low or reversed to be right-high and left-low.

Vandal-Resistant Bottle Filling Stations

- Ideal for heavy -use installations such as educational and indoor recreational facilities.
- Vandal-resistant, push -button activation for both the bottle filler and the water cooler.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is nec essary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fil I with minimal splash.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered models rated for indoor use. Non -filtered models rated for indoor/outdoor use.





VRCTL8WSK

LVRC8WSK

Optional Accessories

98324C 36292C WSF6000R2PK EWF3000 51300C Cane Apron - stainless Power Block WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Single vandal-resistant ezH2O 💰			
Model	Chilled GPH	Filtered	Green Ticker
LVRC8WSK Ø	8.0	•	•
LVRCDWSK Ø	-	•	•
VRC8WSK Ø	8.0		•
VRCDWSK ⊗	-		•

Bi-level vandal-resistant ezH2O 🕏					
Model	Chilled GPH	Filtered	Green Ticker		
LVRCTL8WSK ⊗	8.0	•	•		
LVRCTLDDWSK ⊗	-	•	•		
VRCTL8WSK ⊗	8.0		•		
VRCTLDDWSK ⊗	-		•		

Bi-level reverse vandal-resistant ezH2O 🖏				
Model	Chilled GPH	Filtered	Green Ticker	
VRCTLR8WSK⊗	8.0		•	
VRCTLRDDWSK⊗	-		•	



Vandal-Resistant Green Bottle Filling Stations

- Touchless, sensor activation (bottle filler) designed for easy use; vandal-resistant, push-button activation for the water cooler.
- High-performance compressor and insulation greatly reduce energy consumption.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Vandal-resistant, StreamSaver bubblers feature chrome-plated integral hood guard to prevent contamination, tampering and reduce water usage.
- Rated for indoor use.





VRCGRN8WSK

LVRCGRNTL8WSK

Optional Accessories

98324C 36292C WSF6000R-2PK EWF3000 51300C Cane Apron Power Block WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Single vandal-resistant green ezH2O 👶					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	
LVRCGRN8WSK V	8.0	•	•	•	
VRCGRN8WSK V	8.0		•	•	

Bi-level vandal-resistant green ezH2O ち				
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency
LVRCGRNTL8WSK 🔻	8.0	•	•	•
VRCGRNTL8WSK	8.0		•	•

Vandal-Resistant Water Cooler Combination Bottle Filling Stations

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.
- Power cord sold separately.



LVRC8WS2KWR

Single cooler 🕏	ingle cooler 🕏		Cooler Cabinet	Malta an	Global
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LVRC8WS2K ⊘ ▼	8.0	•	•	220V/50Hz	
LVRC8WS2KWR ⅔ ⊗ ▼	8.0	•	•	220V/50Hz	CE, WRAS
LVRC8WS3K ⊘ ▼	8.0	•	•	220V/60Hz	
LVRC8WS3KSA ⊘ ▼	8.0	•	•	220V/60Hz	SASO
LVRCDWS2K ⊘ ▼	-	•	•	220V/50Hz	
LVRCDWS3K ⊘ ▼	-	•	•	220V/60Hz	
VRC8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRC8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCDWS3K ⊘ ▼	-		•	220V/60Hz	

Bi-level cooler 🕭	vel cooler 🗟		Cooler Cabinet		Global
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LVRCTL8WS2K ⊘ ▼	8.0	•	•	220V/50Hz	
LVRCTL8WS3K ⊘ ▼	8.0	•	•	220V/60Hz	
LVRCTL8WS3KSA ⊘ ▼	8.0	•	•	220V/60Hz	SASO
LVRCTLDDWS2K ⊘ ▼	-	•	•	220V/50Hz	
LVRCTLDDWS3K ⊘ ▼	-	•	•	220V/60Hz	
VRCTL8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRCTL8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCTLR8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRCTLR8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCTLDDWS2K 🛇 🔻	-		•	220V/50Hz	
VRCTLDDWS3K ⊘ ▼	-		•	220V/60Hz	
VRCTLRDDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCTLRDDWS3K ⊘ ▼	-		•	220V/60Hz	

Mechanical Combination Bottle Filling Stations

- Touchless, sensor-activated bottle filler, designed for easy use; mechanically-activated bubbler continues to supply water in service disruptions.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic
 components to inhibit the growth of mold and mildew.
 983
- Real drain system eliminates standing water.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.





LMABF8WSLK

EMABFTL8WSSK

97446C	Bubbler Kit Vandal-Resistant	\$141.00
98313C	Cane Apron for EMABF (Gray Granite)	\$223.00
98324C	Cane Apron for HAC HVR EMABF VRC (SS)	\$267.00
MLP100	In Wall Carrier (Single)	\$685.00
MLP200	In Wall Carrier (Bi-Level)	\$1,096.00
36292C	Power Block for multistation BF stations	\$33.60
WSF6000R-2PK	WaterSentry Fresh CTO Replacement Filter	\$349.00
EWF3000	WaterSentry Plus Filter System Kit	\$121.00
51300C	W ntry Plus Replacement Filter	\$113.00
EWF172	WaterSentry VII Filter Kit	\$99.00

Retro-fit models ち			
Model	Chilled GPH	Filtered	Green Ticker
LMABFWS-RF	-	•	•
EMABFWS-RF	-		•

Single ezH2O 👶			
Model	Chilled GPH	Filtered	Green Ticker
LMABF8WSLK ▼	8.0	•	•
LMABF8WSSK ▼	8.0	•	•
LMABFDWSLK ▼	-	•	•
LMABFDWSSK ▼	-	•	•
EMABF8WSLK ▼	8.0		•
EMABF8WSSK ▼	8.0		•
EMABFDWSLK ▼	-		•
EMABFDWSSK ▼	-		•

Bi-level ezH2O 🐍			
Model	Chilled GPH	Filtered	Green Ticker
LMABFTL8WSLK V	8.0	•	•
LMABFTL8WSSK ▼	8.0	•	•
LMABFTLDDWSLK 🔻	-	•	•
LMABFTLDDWSSK 🔻	-	•	•
EMABFTL8WSLK 🔻	8.0		•
EMABFTL8WSSK ▼	8.0		•
EMABFTLDDWSLK 🔻	-		•
EMABFTLDDWSSK ▼	-		•



ezH2O Liv Pro In-Wall Commercial Water Dispensers, Non-refrigerated

- SEAMLESS DESIGN: Install a filtered water dispenser in convenient commercial spaces such as waiting areas, conference rooms, lobbies and break rooms.
- IN-WALL INSTALLATION: Fits within the width and depth of two wall studs near water and electric; includes drip tray with optional drain connection.
- FILTERED WATER: NSF-certified filter reduces lead and harmful contaminants. Filter box and remote filter cable included; optional for install.
- FILTER STATUS LIGHTS: Colorful lights indicate when quick and easy filter changes are needed.
- BOTTLES SAVED: Backlit LED Green Ticker counts the number of disposable, single-use plastic bottles served without the plastic bottle waste.
- CONVENIENT AND SUSTAINABLE: Self-serve design allows people to help themselves to refreshing water in an environmentally friendly way.
- SENSOR ACTIVATED: Hands-free filling with automatic timed shut off to help prevent accidental spills and messes.
- CHIC STYLING: Glass-front and brushed stainless steel design looks great in any space; interactive lighting brightens when dispensing water.
- CHILLER OPTIONS: Unit can be installed with or without a chiller. Various options available, based on application; chiller sold separately.
- SAFETY LOCK: Optional setting prevents unsupervised use.

Filtered ezH2O Liv Pro 🔥					Glass	Color
Model	Filtered	Hands- Free	Ambient	Chilled GPH	Aspen White	Midnight
LBWDC00BKC	•	•	•	-		٠
LBWDC00WHC	•	•	•	-	•	

Filter box and remote filter cable are included based on application.





AP99	Access Panel 9" x 9" x 6"
ECF3000	WaterSentry Plus Commercial
	Repl Filter
ER51Y	Remote Chiller Non-Filtered 5
	GPH
ER101Y	Remote Chiller Non-Filtered 10
	GPH

Surface-Mount Bottle Filling Stations

- Touchless, sensor-activated design for use in limited wall depth applications.
- Fill rate is 1.5 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.

Surface mount 🕭		
Model	Voltage	Filtered
LZWSSM	115V/60Hz	•
EZWSSM	115V/60Hz	



LZWSSM

Optional Accessories

ECH8 WSF6000R-2PK EWF3000 51300C Remote Chiller Non-Filtered 8 GPH WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Surface Mount Bottle Filling Stations

- Touchless, sensor-activation designed for use in limited wall depth applications.
- Fill rate is 1.5 GPM.
- Optional Visual Filter Monitor: LED filter status indicator for when filter change is necessary.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Power cord sold separately.



LZWSSMJO

Optional Accessories

ECH8
WSF6000R-2PK
EWF3000
51300C

Remote Chiller Non-Filtered 8 GPH WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Surface mount 🖏					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSSMJO ⊗	-	•	•	220V/50-60Hz	
EZWSSMJO ⊗	-		•	220V/50-60Hz	CE



Mechanical Surface-Mount Bottle Filling Stations

- Mechanical push button designed for use in limited wall depth applications, for areas where electric is not available.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.

Mechanical surface mount 👶					
Model	Filtered	Green Ticker			
LMASMB	•	•			
EMASM					
EMASMB		•			

Retrofit Cooler Combo Bottle Filling Stations

- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated, if connected to a cooler) or 1.5 (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Styles available to retrofit with existing coolers.
- Real drain system eliminates standing water.
- Rated for indoor use.

Retro-fit models 🖏		
Model	Filtered	Green Ticker
LMABFWS-RF	•	•
LZWSRK	•	•
EMABFWS-RF		•
EZWSRK		•







EMASM

Optional Accessories

56192C ECH8GRN ECH8 Aqua Sentry Replacement Filter Remote Chiller 8 GPH GreenSpec Remote Chiller Non-Filtered 8 GPH





LZWSRK

Optional Accessories

WSF6000R-2PK EWF3000

51300C

WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

ELKAY

Architectural In-Wall Fountains With Integral Bottle Filling Stations

- Styles available that are integrated with both Soft Side and SwirlFlo style fountains.
- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-button activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.





LZWS-LRPBM28K

LZWS-EDFPBM114K

Access Panel

Optional Accessories

ACCESS12X38-5 LKAPR1 97258C WSF6000R-2PK EWF3000 51300C

Cane Apron Cane Apron WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Single SwirlFlo fountain 💰				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-EDFPBM114K ▼	-	•	•	
EZWS-EDFPBM114K ▼	-		•	

Single SwirlFlo refrigerated fountain 🕹				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-LRPBM8K ▼	8.0	•	•	
EZWS-ERPBM8K ▼	8.0		•	

Bi-level Soft Sides fountain 👶				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-EDFP217K ▼	-	•	•	
EZWS-EDFP217K ▼	-		•	

Bi-level SwirlFlo fountain 🕏				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-EDFPBM117K ▼	-	•	•	
EZWS-EDFPBM117K ▼	-		•	

Bi-level SwirlFlo refrigerated fountain 🖒				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-LRPBM28K ▼	8.0	•	•	
EZWS-ERPBM28K ▼	8.0		•	



Architectural In-Wall Fountains With Bottle Filling Stations

- Styles available for pairing with choice of a SwirlFlo high efficiency or Soft Sides refrigerated fountain.
- Touchless, sensor activation designed for easy use (bottle filler); easy-to-operate push-button activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.





Optional Accessories

ACCESS12X38-5Access Panel97258CCane ApronLKAPR1Cane ApronWSF6000R-2PKWaterSentry Fresh CTO Replacement FilterEWF3000WaterSentry Plus Filter System Kit51300CWaterSentry Plus Replacement Filter

Single SwirlFlo green 🕏				
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency
LZWS-SFGRN8K ▼	8.0	•	•	•
EZWS-SFGRN8K ▼	8.0		•	•

Bi-Level SwirlFlo green 💰				
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency
LZWS-SFGRN28K ▼	8.0	•	•	•
EZWS-SFGRN28K ▼	8.0		•	•

Single Soft Sides 🕏			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-SS8K ▼	8.0	•	•
EZWS-SS8K ▼	8.0		•

Bi-level Soft Sides 🖏			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-SS28K ▼	8.0	•	•
EZWS-SS28K ▼	8.0		•



EZWS-SS8K

ELKAY

In-Wall Bottle Filling Stations

- Designed as a stand-alone unit or to be paired with Elkay SwirlFlo or Soft Sides architectural fountains.
- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.





LZWSMDK

LZWSM8K

Optional Accessories

MFWS100 WSF6000R-2PK EWF3000

51300C

Mounting Frame WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

In-wall recessed ezH2O 👶					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	Pre-Ordered Mounting
LZWS8K ▼	8.0	•	•		Order MFWS100
LZWSGRN8K ▼	8.0	•	•	•	Order MFWS100
LZWSGRNM8K ▼	8.0	•	•	•	
LZWSM8K ▼	8.0	•	•		
LZWSDK 🔻	-	•	•		Order MFWS100
LZWSMDK 🔻	-	•	•		
EZWS8K ▼	8.0		•		Order MFWS100
EZWSGRN8K ▼	8.0		•	•	Order MFWS100
EZWSGRNM8K ▼	8.0		•	•	
EZWSM8K ▼	8.0		•		
EZWSMDK ▼	-		•		

For pairing with SwirlFlo EDFPB fountains 🖏					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	Pre-Ordered Mounting
LZWS8PK ▼	8.0	•	•		Order MFWS100
LZWSGRN8PK ▼	8.0	•	•	•	Order MFWS100
LZWSGRNM8PK ▼	8.0	•	•	•	
LZWSM8PK ▼	8.0	•	•		
LZWSDPK ▼	-	•	•		Order MFWS100
LZWSMDPK ▼	-	•	•		
EZWS8PK ▼	8.0		•		Order MFWS100
EZWSGRN8PK ▼	8.0		•	•	Order MFWS100
EZWSGRNM8PK ▼	8.0		•	•	
EZWSM8PK ▼	8.0		•		
EZWSMDPK ▼	-		•		

If pre-ordering the (MFWS100) mounting frame for EZWSMDK, follow with order for the bottle filler only as EZWSMDC. **If pre-ordering the (MFWS100) mounting frame for EZWSMDPK, follow with order for the bottle filler only as EZWSMDPC.



In-Wall Bottle Filling Stations

- Designed as a stand-alone unit or to be paired with Elkay SwirlFlo or Soft Sides architectural fountains.
- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Green Ticker: Informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Power cord sold separately.





LZWSM82K

LZWSMDJOK

In-wall recessed 🕹					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSM82K ⊗	8.0	•	•	220V/50Hz	CE
LZWSM82KWR 🖁 🛇	8.0	•		220V/50Hz	CE, WRAS
LZWSM83K ⊗	8.0	•	•	220V/60Hz	
LZWSM83KSA ⊗	8.0	•	•	220V/60Hz	SASO
LZWSMDJOK Ø	-	•	•	220V/50-60Hz	
EZWSM82K ⊗	8.0			220V/50Hz	CE
EZWSM83K ℤ ⊗	8.0			220V/60Hz	
EZWSMDJOK ⅔ ⊗	-			220V/50-60Hz	

For pairing with SwirlFlo EDFPB fountains 🕹					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSM82PK O	8.0	•	•	220V/50Hz	
LZWSM83PK O	8.0	•	•	220V/60Hz	
LZWSMDJOPK ⊗	-	•	•	220V/50-60Hz	
EZWSM82PK ℤ ⊗	8.0			220V/50Hz	
EZWSM83PK ℤ ⊗	8.0			220V/60Hz	
EZWSMDJOPK ⅔ ⊗	-			220V/50-60Hz	

Retrofit Architectural Fountains

- Touchless, sensor activation (bottle filler) designed to retrofit with an existing refrigerated push-button fountain.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Ships with new top panel, frame and integral ezH2O station.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Bottle filler meets ADA guidelines for reach range; fountain meets ADA guidelines for wheelchair access.

Retrofit for existing Soft Sides bi-level refrigerated fountain				
Model	Filtered	Green Ticker		
LZWS-ERFP8-RF	•	•		
EZWS-ERFP8-RF		•		

Retrofit for existing SwirlFlo bi-level refrigerated fountain				
Model	Filtered	Green Ticker		
LZWS-ERPB8-RF	•	•		
EZWS-ERPB8-RF		•		

To meet full ADA compliance, building level must include a separate unit meeting standing person dimensions. For details visit www.ada.gov.





LZWS-ERPB8-RF

EZWS-ERFP8-RF

ACCESS12X38-5	Access Panel
LKAPR1	Cane Apron
97258C	Cane Apron
WSF6000R-2PK	WaterSentry Fresh CTO Replacement Filter
EWF3000	WaterSentry Plus Filter System Kit
51300C	WaterSentry Plus Replacement Filter











WATER COOLERS, FOUNTAINS AND WATER DISPENSERS





EZ Green Water Coolers

- High-performance compressor and insulation greatly reduce energy consumption.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- GreenSpec Listed and badged to demonstrate commitment to sustainability.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





EZSG8L

Optional Accessories

98481C	Bubbler Kit Water-Efficient VR
LKAPREZL	Cane Apron
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
28410C	Wall Plate (Lo-Hi Bi-Level)
1000004539	Wall Plate (Hi-Lo Bi-Level)
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 🖏	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSG8L	8.0	•	•	
LZSG8S	8.0	•		•
EZSG8L	8.0		•	
EZSG8S	8.0			•

Versatile bi-level 🖏	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSTLG8LC	8.0	•	•	
LZSTLG8SC	8.0	•		•
EZSTLG8LC	8.0		•	
EZSTLG8SC	8.0			•

Units can either be installed left-high and right-low or reversed to be right-high and left-low.

ELKAY

EZ Hands-Free Water Coolers

- Attractive, contemporary design matches modern architecture.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Filtered units display filter status for easy notification of expiration.





Optional Accessories

97446C	Bubbler Kit Vandal-Resistant
98501C	Bubbler StreamSaver Flexi-Guard
LKAPREZL	Cane Apron for EZ Gray
98551C	Filter Mounting Cover (Gray Granite)
98568C	Filter Mounting Cover (Stainless Steel)
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
RP2130	Wall Bezel Black
1000004539	Wall Plate (Hi-Lo Bi-Level)for EZ models
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single ezH2O with Hands-Free A	Cooler (Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZO8L	8.0	•	•		•
LZO8S	8.0	•		•	•
LZODL	-	•	•		•
LZODS	-	•		•	•
EZO8L	8.0		•		•
EZO8S	8.0			•	•
EZODL	-		•		•
EZODS	-			•	•



LZO8S

with Hands-Free Bubbler

Versatile bi-level ezH2O with 2 H	Cooler C	Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOOSTL8LC	8.0	•	•		•
LZOOSTL8SC	8.0	•		•	•
EZOOSTL8LC	8.0		•		•
EZOOSTL8SC	8.0			•	•



Includes 2 Hands-Free Bubblers

Versatile bi-level ezH2O with 1 H	Cooler C	Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOSTL8LC	8.0	•	•		•
LZOSTL8SC	8.0	•		•	•
EZOSTL8LC	8.0		•		•
EZOSTL8SC	8.0			•	•



Includes 1 Hands-Free Bubbler and 1 Push Bar Bubbler

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



EZ Hands-Free Water Coolers

- Units can either be installed left-high and rightlow or reversed to be right-high and left-low.
- Attractive, contemporary design matches modern architecture.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Filtered units display filter status for easy notification of expiration.
- Power cord sold separately.





Optional Accessories

97446C 98501C LKAPREZL 98551C MLP200 RP2130 1000004539 51299C Bubbler Kit Vandal-Resistant Bubbler StreamSaver Flexi-Guard Cane Apron for EZ Gray Filter Mounting Cover (Gray Granite) In Wall Carrier (Bi-Level) Wall Bezel Black Wall Plate (Hi-Lo Bi-Level)for EZ models WaterSentry VII Replacement Filter

Single ezH2O 💰			Cooler C	abinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZO8L2JO ⅔ ⊗	8.0	•	•		220V/50Hz	
LZO8L3JO ∑ ⊗	8.0	•	•		220V/60Hz	
LZO8S2JO ∑ ⊗	8.0	•		•	220V/50Hz	
LZO8S3JO 🖁 🛇	8.0	•		•	220V/60Hz	
EZO8S3JOSA 💈 🛇	8.0			•	220V/60Hz	SASO

Versatible bi-level 💰			Cooler C	abinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZOSTL8L2JOC 💈 🛇	8.0	•	•		220V/50Hz	
LZOSTL8L3JOC ⅔ ⊗	8.0	•	•		220V/60Hz	
LZOSTL8S2JOC ⅔ ⊗	8.0	•		•	220V/50Hz	
LZOSTL8S3JOC 💈 🛇	8.0	•		•	220V/60Hz	
LZOSTL8S3JOCSA ⅔ ⊗	8.0	•		•	220V/60Hz	SASO
EZOSTL8S3JOCSA ℤ ⊗	8.0			•	220V/60Hz	SASO



LZOSTL8S2JOC

EZ Water Coolers

- Attractive, contemporary design matches modern architecture.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EZS8L

• • • • • • • • • • •	
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
98501C	Bubbler StreamSaver Flexi-Guard
LKAPREZL	Cane Apron
LK1110	Glass Filler
LK1114	Glass Filler
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
98551C	Mounting Cover (Gray Granite)
28410C	Wall Plate (Lo-Hi Bi-Level)
1000004539	Wall Plate (Hi-Lo Bi-Level)
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 🖏			Cooler Cabinet		Bubbler		Glass Filler
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	Prepped
LZS8L	8.0	•	•		•		
LZS8LF ⊘	8.0	•	•		•		•
LZS8S	8.0	•		•	•		
LZS8SF ⊗	8.0	•		•	•		•
LZSVR8L	8.0	•	•			•	
LZSVR8S	8.0	•		•		•	
LZSDL	-	•	•		•		
LZSDS	-	•		•	•		
EZS8L	8.0		•		•		
EZS8LF ⊘	8.0		•		•		•
EZS8S	8.0			•	•		
EZS8SF ⊗	8.0			•	•		•
EZSVR8L	8.0		•			•	
EZSVR8S	8.0			•		•	
EZSDL	-		•		•		
EZSDLF ⊗	-		•		•		•
EZSDS	-			•	•		



Versatile bi-level 🕏			Cooler Cabinet		Bubbler		Glass Filler
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	Prepped
LZSTL8LC	8.0	•	•		•		
LZSTL8LFC ⊘	8.0	•	•		•		•
LZSTL8SC	8.0	•		•	•		
LZSTL8SFC ⊘	8.0	•		•	•		•
LZSTLVR8LC	8.0	•	•			•	
LZSTLVR8SC	8.0	•		•		•	
LZSTLDDLC	-	•	•		•		
LZSTLDDSC	-	•		•	•		
EZSTL8LC	8.0		•		•		
EZSTL8LFC ⊘	8.0		•		•		•
EZSTL8SC	8.0			•	•		
EZSTL8SFC ⊗	8.0			•	•		•
EZSTLVR8LC	8.0		•			•	
EZSTLVR8SC	8.0			•		•	
EZSTLDDLC	-		•		•		
EZSTLDDSC	-			•	•		

Units can either be installed left-high and right-low or reversed to be right-high and left-low.

ELKAY.

EZ Water Coolers

- Units can either be installed left-high and right-low or reversed to be right-high and left-low.
- Attractive, contemporary design matches modern architecture.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Power cord sold separately.





LZS8L2JO

LZSTL8L2JOC

97446C	Bubbler Kit Vandal-Resistant
98501C	Bubbler StreamSaver Flexi-Guard
LKAPREZL	Cane Apron for EZ Gray
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
1000004539	Wall Plate (Hi-Lo Bi-Level)for EZ models
51299C	WaterSentry VII Replacement Filter

Single 🕏		Cooler (Cabinet	Glass		Global	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Voltago	Compliance
LZS8L2JO 💈 🛇	8.0	•	•			220V/50Hz	
LZS8L3JO 💈 🛇	8.0	•	•			220V/60Hz	
LZS8L3JOSA ⅔ ⊗	8.0	•	•			220V/60Hz	SASO
LZS8S2JO 💈 🛇	8.0	•		•		220V/50Hz	
LZS8S2QJO 🖁 🛇	8.0	•		•		240V/50Hz	
LZS8S3JO ⅔ ⊗	8.0	•		•		220V/60Hz	
LZS8S3JOSA 🖁 🛇	8.0	•		•		220V/60Hz	SASO
EZS8L2JO ⅔ ⊗	8.0		•			220V/50Hz	CE
EZS8L3JO 💈 🛇	8.0		•			220V/60Hz	
EZS8LF2JO ∑ ⊗	8.0		•		•	220V/50Hz	CE
EZS8S2JO 💈 🛇	8.0			•		220V/50Hz	CE
EZS8S2QJO ⅔ ⊗	8.0			•		240V/50Hz	
EZS8S3JO 💈 🛇	8.0			•		220V/60Hz	
EZS8S3JOSA 🖁 🛇	8.0			•		220V/60Hz	SASO
EZS8SF2JO ⅔ ⊗	8.0			•	•	220V/50Hz	CE

Versatile bi-level 🐍			Cooler C	abinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZSTL8L2JOC ⅔ ⊗	8.0	•	•		220V/50Hz	
LZSTL8S2JOC ⅔ ⊗	8.0	•		•	220V/50Hz	
LZSTL8S3JOCSA 💈 🛇	8.0	•		•	220V/60Hz	SASO
EZSTL8L2JOC ⅔ ⊗	8.0		•		220V/50Hz	CE
EZSTL8S2JOC ⅔ ⊗	8.0			•	220V/50Hz	CE



Heavy-Duty Vandal-Resistant Water Coolers

- Welded and satin polished cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.





VRCHD8S

Optional Accessories

 98481C
 Bub

 LKAPRVRCHD
 Canor

 MLP100
 In W

 MLP200
 In W

 RP2130
 Wall

 EWF172
 Watt

 51299C
 Watt

Bubbler Kit Water-Efficient VR Cane Apron for VRCHD Stainless Steel In Wall Carrier (Single) In Wall Carrier (Bi-Level) Wall Bezel Black WaterSentry VII Filter Kit WaterSentry VII Replacement Filter

Single 🖒		
Model	Chilled GPH	Filtered
LVRCHD8S	8.0	•
LVRCHDDS	-	•
VRCHD8S	8.0	
VRCHDDS	-	

Bi-level 👶					
Model	Chilled GPH	Filtered			
LVRCHDTL8SC	8.0	•			
LVRCHDTLDDSC	-	•			
VRCHDTL8SC	8.0				
VRCHDTLDDSC	-				

Heavy-Duty Vandal-Resistant Water Coolers

- Welded and satin polished cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Power cord sold separately.





LVRCHD8S2JO

98481C	Bubbler Kit Water-Efficient VR
LKAPRVRCHD	Cane Apron for VRCHD Stainless Steel
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level) Replacement
51299C	Filter
75520C	Vandal-Resistant Pinned T25 Torx Bit
75523C	Vandal-Resistant Pinned T27 Torx Bit

Single \delta				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
LVRCHD8S2JO ⊗	8.0	•	220V/50Hz	
LVRCHD8S2QJO ⊗	8.0	•	240V/50Hz	
LVRCHD8S3JO ⊗	8.0	•	220V/60Hz	
VRCHD8S2QJO 🛇	8.0		240V/50Hz	
VRCHD8S3JO 🛇	8.0		220V/60Hz	
VRCHD8SF2JO ⊗	8.0		220V/50Hz	
VRCHD8SF2JO ⊗	8.0		220V/50Hz	
VRCHD8SF3JO ⊗	8.0		220V/60Hz	

Bi-level 🖏				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
LVRCHDTL8S2JOC ⊗	8.0	•	220V/50Hz	
LVRCHDTL8S3JOC ⊗	8.0	•	220V/60Hz	
VRCHD8S3JOSA 🛇	8.0		220V/60Hz	SASO
VRCHDTL8S2JOC ⊗	8.0		220V/50Hz	
VRCHDTL8S3JOC 🛇	8.0		220V/60Hz	
VRCHDTL8S3JOCSA 🛇	8.0		220V/60Hz	SASO
VRCHDTL8SF2JOC ⊗	8.0		220V/50Hz	
VRCHDTL8SF3JOC ⊗	8.0		220V/60Hz	

Vandal-Resistant Green Coolers

- High-performance compressor and insulation greatly reduce energy consumption.
- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant StreamSaver bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering. Lower-flow water-efficient water stream.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.



optional Acces	5501105
98324C	Cane Apron - stainless
LK1110	Glass Filler
LK1114	Glass Filler
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 🕏			
Model	Chilled GPH	Filtered	LK1110 Glass Filler
LVRCGRN8	8.0	•	
LVRCGRN8F	8.0	•	•
VRCGRN8	8.0		
VRCGRN8F	8.0		•

Bi-level 🐍					
Model	Chilled GPH	Filtered	LK1110 Glass Filler		
LVRCGRNTL8C	8.0	•			
LVRCGRNTL8FC	8.0	•	•		
VRCGRNTL8C	8.0				
VRCGRNTL8FC	8.0		•		

Vandal-Resistant Water Coolers

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.



VRC8S

98481C	Bubbler Kit Water-Efficient VR
98324C	Cane Apron for HAC HVR EMABF VRC (SS)
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
75520C	Vandal-Resistant Pinned T25 Torx Bit
75523C	Vandal-Resistant Pinned T27 Torx Bit
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single ち				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
LVRC8S	8.0	•		
LVRCSC8S	8.0	•	•	
LVRCDS	-	•	•	
LVRCSCDS	-	•	•	
VRC8S	8.0			
VRCFR8S ⊗	8.0			•
VRCSC8S	8.0		•	
VRCSCFR8S ⊗	8.0		•	•
VRCDS	-			
VRCFRDS ⊗	-			•
VRCSCDS	-		•	

Bi-level 👶				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
LVRCTL8SC	8.0	•		
LVRCTLSC8SC	8.0	•	•	
LVRCTLDDSC	-	•		
LVRCTLSCDDSC	-	•	•	
VRCTL8SC	8.0			
VRCTLFR8SC	8.0			•
VRCTLSC8SC	8.0		•	
VRCTLSCFR8SC ⊗	8.0		•	•
VRCTLDDSC	-			
VRCTLFRDDSC ⊗	-			•
VRCTLSCDDSC	-		•	



Bi-level reverse 📩				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
VRCTLR8SC	8.0			
VRCTLRFR8SC ⊗	8.0			•
VRCTLRSC8SC	8.0		•	
VRCTLRSCFR8SC ⊗	8.0		•	•
VRCTLRDDSC	-			
VRCTLRSCDDSC	-		•	



Vandal-Resistant Water Coolers

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.
- Power cord sold separately.



LVRC8S2JO

VR

Single 🖒					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
LVRC8S2JO ⊗	8.0	•		220V/50Hz	
LVRC8S3JO ⊗	8.0	•		220V/60Hz	
LVRC8S3JOSA ⊗	8.0	•		220V/60Hz	SASO
LVRCSC8S2JO ⊗	8.0	•	•	220V/50Hz	
LVRCSC8S3JO ⊗	8.0	•	•	220V/60Hz	
LVRCTL8S2JO ⊗	8.0	•		220V/50Hz	
VRC8S2JO ⊗	8.0			220V/50Hz	
VRC8S3JO ⊗	8.0			220V/60Hz	
VRC8S3JOSA 🛇	8.0			220V/60Hz	SASO
VRCSC8S2JO ⊗	8.0		•	220V/50Hz	
VRCSC8S3JO ⊗	8.0		•	220V/60Hz	

Bi-level 👶					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
LVRCTL8S2JOC ⊗	8.0	•		220V/50Hz	
LVRCTL8S2QJOC ⅔ ⊗	8.0	•		240V/50Hz	
LVRCTL8S3JO ⊗	8.0	•		220V/60Hz	
LVRCTL8S3JOC ⊗	8.0	•		220V/60Hz	
LVRCTLSC8S2JOC ⊗	8.0	•	•	220V/50Hz	
LVRCTLSC8S3JOC ⊗	8.0	•	•	220V/60Hz	
VRCTL8S2JOC ⊗	8.0			220V/50Hz	CE
VRCTL8S2QJOC ⅔ ⊗	8.0			240V/50Hz	
VRCTL8S3JOC ⊗	8.0			220V/60Hz	
VRCTLSC8S2JOC ⊗	8.0		•	220V/50Hz	CE
VRCTLSC8S3JOC ⊗	8.0		•	220V/60Hz	

Bi-level reverse 🕉					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
VRCTLR8S2JOC ⊗	8.0			220V/50Hz	
VRCTLR8S3JOC ⊗	8.0			220V/60Hz	
VRCTLRSC8S2JOC Ø	8.0		•	220V/50Hz	
VRCTLRSC8S3JOC ⊗	8.0		•	220V/60Hz	

Mechanically Activated Water Coolers

- Classic design fits well in all building designs.
- Mechanical bubbler push bars continue to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EMABF8L

97446C	Bubbler Kit Vandal-Resistant Bubbler Kit
98481C	Water-Efficient VR
98313C	Cane Apron for EMABF (Gray Granite)
98324C	Cane Apron for HAC HVR EMABF VRC (SS)
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
RP2130	Wall Bezel Black
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 🖏			Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LMABF8L	8.0	•	•		•	
LMABF8S	8.0	•		•	•	
LMABFVR8L	8.0	•	•			•
LMABFDL	-	•	•		•	
LMABFDS	-	•		•	•	
EMABF8L	8.0		•		•	
EMABF8S	8.0			•	•	
EMABFVR8L	8.0		•			•
EMABFVR8S	8.0			•		•
EMABFDL	-		•		•	
EMABFDS	-			•	•	
EMABFVRDL	-		•			•
EMABFVRDS	-			•		•

Bi-level 💰			Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LMABFTL8LC	8.0	•	•		•	
LMABFTL8SC	8.0	•		•	•	
LMABFTLVR8LC	8.0	•	•			•
LMABFTLVR8SC	8.0	•		•		•
LMABFTLDDLC	-	•	•		•	
EMABFTL8LC	8.0		•		•	
EMABFTL8SC	8.0			•	•	
EMABFTLVR8LC	8.0		•			•
EMABFTLVR8SC	8.0			•		•
EMABFTLDDLC	-		•		•	
EMABFTLDDSC	-			•	•	
EMABFTLVRDDLC	-		•			•
EMABFTLVRDDSC	-			•		•



Bi-level reverse 💰			Cooler	Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
EMABFTLR8LC	8.0		•		•
EMABFTLR8SC	8.0			•	•
EMABFTLRDDLC	-		•		•
EMABFTLRDDSC	-			•	•

SwirlFlo Green Water Coolers

- High-performance compressor and insulation greatly reduce energy consumption.
- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard StreamSaver bubbler utilizes a pliable polyester elastomer to prevent accidental mouth injuries. Lower-flow water-efficient water stream.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





ERPBGRNM28K

Access Panel
Bubbler Kit Water-Efficient VR
Bubbler StreamSaver Flexi-Guard
Cane Apron
Lower Back Panel Left Side Louvers
WaterSentry VII Filter Kit
WaterSentry VII Replacement Filter

Single 🕏	Bubb	ler		
Model	Chilled GPH	Filtered	Flex StreamSaver	VR
LRPBGRNM8K ▼	7.5	•	•	
LRPBGRNMV8K ▼	7.5	•		•
ERPBGRNM8K ▼	7.5		•	
ERPBGRNMV8K ▼	7.5			•

Bi-level \delta	Bubbler			
Model	Chilled GPH	Filtered	Flex StreamSaver	VR
LRPBGRNM28K ▼	7.5	•	•	
LRPBGRNMV28K ▼	7.5	•		•
ERPBGRNM28K ▼	7.5		•	
ERPBGRNMV28K ▼	7.5			•

Bi-level reverse 🖄	Bubbler			
Model	Chilled GPH	Filtered	Flex StreamSaver	VR
LRPBGRNM28RAK ▼	7.5	•	•	
LRPBGRNMV28RAK ▼	7.5	•		•
ERPBGRNM28RAK 🔻	7.5		•	
ERPBGRNMV28RAK ▼	7.5			•

SwirlFlo Water Coolers

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.





ERPBM8K

ENOBM28K

ACCESS12X38-5	Access Panel for Architectural Fountains
98501C	Bubbler
97446C	Bubbler Kit Vandal-Resistant Bubbler Kit
98481C	Water-Efficient VR
LKAPR1	Cane Apron for SwirlFlo Gray
27267C	Lower Back Panel Left Side Louvers
MF100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MF200	Mounting Frame 37-1/2" x 12" x 37-1/2"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter
	• •

Single 👶			Bubbler		Includes	Pre-Ordered	
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting
LRPB8K ▼	8.0	•		•			Order MF100
LRPBM8K ▼	8.0	•		•		•	
LRPBMV8K ▼	8.0	•			•	•	
ENOB8K 🔻	8.0		•	•			Order MF100
ENOBM8K 🔻	8.0		•	•		•	
ERPB8K ▼	8.0			•			Order MF100
ERPBM8K ▼	8.0			•		•	
ERPBMV8K ▼	8.0				•	•	
ERPBV8K ▼	8.0				•		Order MF100

Bi-level 🖏			Bubbler		Includes	Pre-Ordered	
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting
LRPB28K ▼	8.0	•		•			Order MF200
LRPBM28K ▼	8.0	•		•		•	
LRPBMV28K ▼	8.0	•			•	•	
ENOB28K ▼	8.0		•	•			Order MF200
ENOBM28K ▼	8.0		•	•		•	
ERPB28K ▼	8.0			•			Order MF200
ERPBM28K ▼	8.0			•		•	
ERPBMV28K ▼	8.0				•	•	
ERPBV28K ▼	8.0				•		Order MF200



Bi-level reverse 🖒				Bub	bler	Includes	Pre-Ordered	
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting	
LRPB28RAK ▼	8.0	•		•			Order MF200	
LRPBM28RAK ▼	8.0	•		•		•		
ENOB28RAK 🔻	8.0		•	•			Order MF200	
ENOBM28RAK 🔻	8.0		•	•		•		
ERPB28RAK ▼	8.0			•			Order MF200	
ERPBM28RAK ▼	8.0			•		•		
ERPBMV28RAK ▼	8.0				•	•		
ERPBV28RAK ▼	8.0				•		Order MF200	

Soft Sides Water Coolers

- Contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EROM28K

LCRSP8K

ACCESS12X38-5	Access Panel
98501C	Bubbler StreamSaver Flexi-Guard
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
97258C	Cane Apron for Contour/Soft Sides Black
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
27267C	Lower Back Panel Left Side Louvers
MF100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MFC100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MF200	Mounting Frame 37-1/2" x 12" x 37-1/2"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Slimline 🖏			Bub	bler	Includes	Pre-Ordered	
Model	Chilled GPH	Filtered	Flex	VR	Surface Mount	Mounting	
LCRSP8K ▼	8.0	•	•			Order MFC100	
LCRSPM8K ▼	8.0	•	•		•		
ECRSP8K ▼	8.0		•			Order MFC100	
ECRSPM8K ▼	8.0		•		•		
ECRSPVR8K ▼	8.0			•		Order MFC100	
ECRSPVRM8K ▼	8.0			•	•		

ELKAY.

Single 📩				Bub	obler	Glass	Includes	Pre-Ordered Mounting
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	
LNFE8FK ⊘ ▼	8.0	•		•				Order MF100
LNFE8K ▼	8.0	•		•				Order MF100
LNFEM8FK ⊘ ▼	8.0	•		•		•	•	
LNFEM8K 🔻	8.0	•		•			•	
LNFEM8VRK 🔻	8.0	•			•		•	
ERFP8FK ⊘ ▼	8.0			•		•		Order MF100
ERFP8K ▼	8.0			•				Order MF100
ERFPM8K 🔻	8.0			•			•	
ERFPVR8K ▼	8.0				•			Order MF100
ERFPVRM8K ▼	8.0				•		•	
ERO8K ▼	8.0		•	•				Order MF100
EROM8K ▼	8.0		•	•			•	

Bi-level 🖒				Bul	obler	Glass	Includes	Pre-Ordered
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Mounting
LNTE8FK ⊘ ▼	8.0	•		•		•		Order MF200
LNTE8K ▼	8.0	•		•				Order MF200
LNTEM8FK ⊘ ▼	8.0	•		•		•	•	
LNTEM8K ▼	8.0	•		•			•	
ERFP28FK ⊘ ▼	8.0			•		•		Order MF200
ERFP28K ▼	8.0			•				Order MF200
ERFPM28FK ⊘ ▼	8.0			•		•	•	
ERFPM28K ▼	8.0			•			•	
ERFPMVR28K ▼	8.0				•		•	
ERFPVR28K ▼	8.0				•			Order MF200
ERO28K ▼	8.0		•	•				Order MF200
EROM28K ▼	8.0		•	•			•	

Bi-level reverse 🖒				Bub	obler	Glass	Includes	Dra Ordarad
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Pre-Ordered Mounting
LNTE8RAK 🔻	8.0	•		•				Order MF200
LNTEM8FRAK ⊘ ▼	8.0	•		•		•	•	
LNTEM8RAK 🔻	8.0	•		•			•	
ERFP28RAK ▼	8.0			•				Order MF200
ERFPM28RAK ▼	8.0			•			•	
ERFPMVR28RAK 🔻	8.0				•		•	
ERFPVR28RAK 🔻	8.0				•			Order MF200
ERO28RAK 🔻	8.0		•	•				Order MF200
EROM28RAK 🔻	8.0		•	•			•	



Legacy Compact Water Coolers

- Compact wall mount design allows for flexible installation height and easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EWCA8L1Z

Optional Accessories

97446C	Bubbler Kit Vandal-Resistant
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single		Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood
LWCE4L1Z	4.0	•	•		
EWCA4L1Z	4.0		•		
EWCA8L1Z	8.0		•		
EWCA8S1Z	8.0			•	
EWCA14L1Z	14.0		•		
EWCA14S1Z	14.0			•	
EWCDAL	-		•		
EWCDAT ⊗	-				•

Legacy Compact Water Coolers

- Compact wall mount design allows for flexible installation height and easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Power cord sold separately.



EWCA4S3YJO

Optional Accessories 98501C Bubbler

98501CBubbler97446CBubbler Kit Vandal-ResistantLK1114Glass Filler Chrome 2-1/2" x 10"LK1110Glass Filler51299CReplacement Filter

Single				Cooler Cat	oinet	Glass	Voltage	Global Compliance
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped		
LWCE14LF3YJOSA ⊗	14.0	•	•			•	220V/60Hz	SASO
EWCA4S3YJO Ø	4.0			•			220V/60Hz	
EWCA4S3YJOSA 🛇	4.0			•			220V/60Hz	SASO
EWCA8T2YJO ⊗	8.0				•		220V/50Hz	CE

ELKAY

Legacy Deluxe Wall-Mount Water Coolers

- Traditional wall mount design allows for easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Bi-level models provide comfortable service for children and adults.





97446C	Bubbler Kit Vandal-Resistant
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single	Cooler Cabinet				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood
LWAE8S1Z	8.0	•		•	
EWA4S1Z	4.0			•	
EWA8L1Z	8.0		•		
EWA8S1Z	8.0			•	
EWA14L1Z	14.0		•		
EWA14S1Z	14.0			•	
EWDAL	-		•		
EWDAS	-			•	
EWDAT Ø	-				•

Bi-level		Cooler Cabinet
Model	Chilled GPH	Light Gray Granite
EWTLA14LK 🔻	14.0	•



Legacy Deluxe Wall Mount Water Coolers

- Traditional wall mount design allows for easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Two-level models provide comfortable service for children and adults.
- Power cord sold separately.





LWAE8LF2YJO

LWTLA14S3K

98501C	Bubbler
97446C	Bubbler Kit Vandal-Resistant
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
51299C	Replacement Filter

Single			Cooler Cabinet		Glass		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Voltage	Global Compliance
LWAE8LF2YJO ⊗	8.0	•	•		•	220V/50Hz	
LWAE20L3YJOSA ⊗	20.0	•	•			220V/60Hz	SASO
LWAE20S3YJOSA ⅔ ⊗	20.0	•		•		220V/60Hz	SASO
EWA8S3YJOSA 🛇	8.0			•		220V/60Hz	SASO
EWA14N3YJOSA	14.0					220V/60Hz	SASO
EWA14S2YJO ⊗	14.0			•		220V/50Hz	
EWA14S3YJOSA O	14.0			•		220V/60Hz	SASO
EWA16N3YJOSA ⊗	16.0					220V/60Hz	SASO
EWA16S3YJOSA O	16.0			•		220V/60Hz	SASO
EWA20N3YJOSA 🛇	20.0					220V/60Hz	SASO
EWA20S3YJOSA ⊗	20.0			•		220V/60Hz	SASO

Bi-level	Cooler Cabinet	N. K	Global		
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LWTLA14S3K ⊗	14.0	•	•	220V/60Hz	

ELKAY.

Legacy Water Coolers

- Barrier-free, ADA design meets adult ADA standards when properly installed.
- One-piece backsplash and basin polished to a satin finish.
- Light-touch controls on front and sides for easy operation.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- Several finishes available to complement any interior space.



EHFSA8L1Z

Optional Accessories

97446C LK1114 EWF172 Bubbler Kit Vandal-Resistant Glass Filler Chrome 2-1/2" x 10" WaterSentry VII Filter Kit

•	Rated	for	indoor	use.

<u>&</u>		Cooler Cabi	Glass	LK109A		
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Glass Filler
EHFSA8L1Z	8.0	•				
EHFSA8LF1Z ⊘	8.0	•				•
EHFSA8S1Z	8.0		•			
EHFSA8SF1Z ⊘	8.0		•			•
EHFSA8T1Z ⊘	8.0			•		
EHFSADL	-	•				
EHFSADLF ⊗	-	•			•	•
EHFSADS	-		•			
EHFSADT Ø	-			•		

High Ambient Water Coolers

- Produces minimum of 9 GPH of 50 degrees F (10 degrees C) or colder drinking water based upon 122 degrees F (50 degrees C) inlet water and 122 degrees F (50 degrees C) ambient operating temperature.
- Removable front panel offers easy accessibility to interior.
- Extra-deep basin minimizes splashing; with integral drain.
- Includes Heavy-Duty Vandal Resistant Bubbler.
- Stainless Steel cooler panel finish.
- Removable plumbing box allows for against the wall installation or installation as free standing cooler.
- Power cord sold separately.



EFA25S4JO

			Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Global Compliance
EFA25S4JO	9.0	•		•	220-240V/50Hz, 220-230V/60Hz	SASO

Legacy Outdoor Vandal-Resistant Water Cooler

- Wall mount barrier-free stainless steel water cooler is ADA compliant.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.

Outdoor vandal-resistant 🖒
Model
OHFAVR8S1Z



OHFAVR8S1Z

Optional Accessories

98481C

Bubbler Kit Water-Efficient VR

Legacy Floor Model Standard Space-ette Water Coolers

- Traditional small footprint floor mount design allows for space-saving installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.

FD7003L1Z

Optional Accessories

97446C LK1114 LK1110 EWF172 51299C Bubbler Kit Vandal-Resistant Glass Filler Chrome 2-1/2" x 10" Glass Filler WaterSentry VII Filter Kit WaterSentry VII Replacement Filter

Standard		Glass				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped
LFDE3T1Z ⊗	3.0	•			•	
LFDE10L1Z	10.0	•	•			
LFDE10LF1Z ⊗	10.0	•	•			•
LFDE10S1Z	10.0	•		•		
LFDE10SF1Z ⊗	10.0	•		•		•
LFDE10T1Z ⊗	10.0	•			•	
LFDE10TF1Z ⊗	10.0	•			•	•
FD7003L1Z	3.0		•			
FD7003LF1Z 0	3.0		•			•
FD7003S1Z	3.0			•		
FD7003SF1Z 0	3.0			•		•
FD7003T1Z	3.0				•	
FD7003TF1Z 0	3.0				•	•
FD7005L1Z	5.0		•			
FD7005LF1Z 0	5.0		•			•
FD7005S1Z	5.0			•		
FD7005SF1Z 0	5.0			•		•
FD7005T1Z 0	5.0				•	
FD7005TF1Z 0	5.0				•	•
FD70010L1Z	10.0		•			
FD70010LF1Z 0	10.0		•			•
FD70010S1Z	10.0			•		
FD70010SF1Z 0	10.0			•		•
FD70010T1Z (0)	10.0				•	
FD70010TF1Z 0	10.0				•	•
FD700DL	-		•			
FD700DS	-			•		
FD700DT O	-				•	



Legacy Floor Model, Standard Space-ette Water Coolers

- Traditional small footprint floor mount design allows for space-saving installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Power cord sold separately.



LFDE7003L2YJO

Optional Accessories

97446C LK1114 LK1110 51299C Bubbler Kit Vandal-Resistant Glass Filler Chrome 2-1/2" x 10" Glass Filler Replacement Filter

				Cooler Cal	oinet	Glass		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Voltage	Global Compliance
LFDE10L2YJO ⊗	10.0	•	•				220V/50Hz	
LFDE10S2YJO ⊗	10.0	•		•			220V/50Hz	
LFDE10SF3YJO ⊗	10.0	•		•		•	220V/60Hz	
LFDE10SF3YJOSA ⊗	10.0	•		•		•	220V/60Hz	SASO
LFDE10T2YJO ⊗	10.0	•			•		220V/50Hz	
FD7003L2YJO ⊗	3.0		•				220V/50Hz	
FD7003L3YJO ⊗	3.0		•				220V/60Hz	
FD7003L3YJOSA	3.0		•				220V/60Hz	SASO
FD7003LF2YJO O	3.0		•			•	220V/50Hz	CE
FD7003S2YJO 0	3.0			•			220V/50Hz	CE
FD7003S3YJO 0	3.0			•			220V/60Hz	
FD7003S3YJOSA ⊗	3.0			•			220V/60Hz	SASO
FD7003SF2YJO O	3.0			•		•	220V/50Hz	CE
FD7003T2YJO 0	3.0				•		220V/50Hz	CE
FD7003T3YJO 0	3.0				•		220V/60Hz	
FD7003TF2YJO O	3.0				•	•	220V/50Hz	CE
FD7005L2YJO ⊗	5.0		•				220V/50Hz	CE
FD7005L3YJO 0	5.0		•				220V/60Hz	
FD7005LF2YJO ⊗	5.0		•			•	220V/50Hz	CE
FD7005S2YJO 0	5.0			•			220V/50Hz	CE
FD7005S3YJO 0	5.0			•			220V/60Hz	
FD7005S3YJOSA ⊗	5.0			•			220V/60Hz	SASO
FD7005SF2YJO ⊗	5.0			•		•	220V/50Hz	CE
FD7005T2YJO 0	5.0				•		220V/50Hz	CE
FD7005T3YJO 0	5.0				•		220V/60Hz	
FD7005TF2YJO O	5.0				•	•	220V/50Hz	CE
FD70010L2YJO 0	10.0		•				220V/50Hz	CE
FD70010L3YJO 0	10.0		•				220V/60Hz	
FD70010LF2YJO 0	10.0		•			•	220V/50Hz	CE
FD70010S2YJO 0	10.0			•			220V/50Hz	CE
FD70010S3YJO 0	10.0			•			220V/60Hz	
FD70010S3YJOSA O	10.0			•			220V/60Hz	SASO
FD70010SF2YJO 0	10.0			•		•	220V/50Hz	CE
FD70010T2YJO 0	10.0				•		220V/50Hz	CE
FD70010T3YJO O	10.0				•		220V/60Hz	
FD70010TF2YJO O	10.0				•	•	220V/50Hz	CE

ELKAY.

Legacy Fully Recessed Water Coolers

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar or push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Optional cup dispensers and glass fillers available.





EFRCM8K

Optional Accessories

97446C EWF172 51299C Bubbler Kit Vandal-Resistant WaterSentry VII Filter Kit WaterSentry VII Replacement Filter

Standard						
Model	Chilled GPH	Filtered	LK109A Glass Filler	Cup Dispenser & Filler	With Cuspidor	Pre-Ordered Mounting
LJNE8FK © ▼	8.0	•	•			Order MB23AL
LJNE8K ▼	8.0	•				Order MB23AL
LJNEM8FK © ▼	8.0	•	•			
LJNEM8K ▼	8.0	•				
LJNE12K ▼	12.0	•				Order MB23AL
LJNEM12FK ⊘ ▼	12.0	•	•			
LJNEM12K ▼	12.0	•				
EFRC8CDK ▼	8.0			•		Order MF23A
EFRC8FK ⊘ ▼	8.0		•			Order MF23A
EFRC8K ▼	8.0					Order MF23A
EFRCM8CDK ▼	8.0			•		
EFRCM8FK ⊗ ▼	8.0		•			
EFRCM8K ▼	8.0					
EFRP8K ▼	8.0					
EFRPC8K ▼	8.0				•	Order MB234A and MB24
EFRPCM8K ▼	8.0				•	
EFRC12CDK ▼	12.0			•		Order MF23A
EFRC12K ▼	12.0					Order MF23A
EFRCM12CDK ▼	12.0			•		
EFRCM12K ▼	12.0					

ADA compliant 🖒				
Model	Chilled GPH	Filtered	LK109A Glass Filler	Pre-Ordered Mounting
EHFRA7FK © ▼	8.0		•	Order MB30
EHFRA7K ▼	8.0			Order MB30
EHFRAM7K ▼	8.0			



Legacy Fully Recessed Water Coolers

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar or push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Optional cup dispensers and glass fillers available.
- Power cord sold separately.





EFRCM8CDK

Optional Accessories

97446C EWF172

Bubbler Kit Vandal-Resistant Filter Kit

Standard							
Model	Chilled GPH	Filtered	LK109A Glass Filler	Cup Dispenser & Filler	With Cuspidor	Voltage	Global Compliance
LJNE82FK 🛇	8.0	•	•			220V/50Hz	
LJNEM82K ⊘	8.0	•				220V/50Hz	
LJNEM83K ⊘	8.0	•				220V/60Hz	
LJNEM83KSA ⊗	8.0	•				220V/60Hz	SASO
LJNEM102QCDK ⊗	10.0	•				240V/50Hz	
LJNE122FK Ø	12.0	•	•			220V/50Hz	
LJNEM122FK Ø	12.0	•	•			220V/50Hz	
LJNEM122K Ø	12.0	•				220V/50Hz	
LJNEM123K Ø	12.0	•				220V/60Hz	
LJNEM123KSA O	12.0	•				220V/60Hz	SASO
EFRC82K ⊗	8.0					220V/50Hz	
EFRC83K ⊗	8.0					220V/60Hz	
EFRCM82CDK ⊗	8.0			•		220V/50Hz	
EFRCM82FK ⊗	8.0		•			220V/50Hz	
EFRCM82K O	8.0					220V/50Hz	
EFRCM82QCDK ⊗	8.0			•		240V/50Hz	
EFRCM83FK O	8.0		•			220V/60Hz	
EFRCM83K Ø	8.0					220V/60Hz	
EFRCM83KSA O	8.0					220V/60Hz	SASO
EFRPCM82K ⊗	8.0				•	220V/50Hz	
EFRPM82K ⊗	8.0					220V/50Hz	
EFRC122K O	12.0					220V/50Hz	
EFRC123K O	12.0					220V/60Hz	
EFRCM122CDK O	12.0			•		220V/50Hz	
EFRCM122FK ⊗	12.0		•			220V/50Hz	
EFRCM122FKWR 🗟 🛇	12.0		•			220V/50Hz	WRAS
EFRCM122K O	12.0					220V/50Hz	
EFRCM123CDK O	12.0			•		220V/60Hz	
EFRCM123FK ⊗	12.0		•			220V/60Hz	
EFRCM123K O	12.0					220V/60Hz	
EFRPM122CDK O	12.0			•		220V/50Hz	
EFRPM122K ⊗	12.0					220V/50Hz	



ADA Compliant 💰				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
EHFRA72K ⊗	8.0		220V/50Hz	
EHFRA73K ⊗	8.0		220V/60Hz	
EHFSA8L2ZJO ⊗	8.0		220V/50Hz	CE
EHFSA8L3ZJO ⊗	8.0		220V/60Hz	
EHFSA8S2ZJO ⊗	8.0		220V/50Hz	CE
EHFSA8S3ZJO ⊗	8.0		220V/60Hz	

Legacy Simulated Semi-Recessed Water Coolers

- Space-saving simulated semi-recessed design.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Stainless steel finish is corrosion resistant and attractive.
- Provides cold water without intruding into wall.



ESWA8L1Z

Optional Accessories

97446C EWF172 Bubbler Kit Vandal-Resistant WaterSentry VII Filter Kit

		Cooler Cabinet
Model	Chilled GPH	Stainless Steel
ESWA8S1Z	8.0	•



Legacy Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Optional foot pedal activation for hands-free use.



EFA8L1Z

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single			Cooler Cabinet					
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Glass Filler Prepped	Back Plate	Foot Pedal
LFAE8L1Z	8.0	•	•					
LFAE8LF1Z ⊗	8.0	•	•			•		
LFAE8S1Z	8.0	•		•				
LFAE8SF1Z ⊗	8.0	•		•		•		
LFAE8TF1Z ⊗	8.0	•			•	•		
LFAE14L1Z	14.0	•	•					
LFAE14S1Z	14.0	•		•				
LFAE14SF1Z ⊗	14.0	•		•		•		
LFAE20SF1Y ⊗	20.0	•		•		•		
EFA4L1Z	4.0		•					
EFA4LF1Z ⊗	4.0		•			•		
EFA4LFK1Z O	4.0		•			•	•	
EFA4LFP1Z ⊗	4.0		•			•		•
EFA4LK1Z	4.0		•				•	
EFA4LP1Z ⊗	4.0		•					•
EFA4S1Z	4.0			•				
EFA4SFK1Z ⊗	4.0			•		•	•	
EFA4T1Z ⊗	4.0				•			
EFA4TF1Z ⊗	4.0				•	•		
EFA8L1110P ⊗	8.0		•					•
EFA8L1Z	8.0		•					
EFA8LF1Z ⊗	8.0		•			•		
EFA8LFK1Z ⊗	8.0		•			•	•	
EFA8LFP1Z ⊗	8.0		•			•		•
EFA8LFPK1Z ⊘	8.0		•			•	•	•
EFA8LK1Z	8.0		•				•	
EFA8LP1Z ⊗	8.0		•					•
EFA8S1110P 0	8.0			•				•
EFA8S1Z	8.0			•	1			
EFA8SF1Z ⊗	8.0			•	1	•		
EFA8SK1Z	8.0			•	T		•	
EFA8SP1Z ⊗	8.0			•	1			•
EFA8T1Z ⊗	8.0				•			1
EFA8TF1Z ⊗	8.0				•	•		1
EFA8TP1Z ⊗	8.0		İ		•			•

ELKAY

Single				Cooler Cabi	net	Glass		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Back		Foot Pedal
EFA14L1Z	14.0		•					
EFA14LF1Z O	14.0		•			•		
EFA14LFK1Z O	14.0		•			•	•	
EFA14LFP1Z O	14.0		•			•		•
EFA14LK1Z	14.0		•				•	
EFA14LP1Z ⊗	14.0		•					•
EFA14S1Z	14.0			•				
EFA14SF1Z O	14.0			•		•		
EFA14SFP1Z O	14.0			•		•		•
EFA14SP1Z ⊗	14.0			•				•
EFA14T1Z O	14.0				•			
EFA16L1Y	16.0		•					
EFA16LF1Y O	16.0		•			•		
EFA16LFK1Y O	16.0		•			•	•	
EFA16LP1Y ⊗	16.0		•					•
EFA16S1Y	16.0			•				
EFA20L1Y	20.0		•					
EFA20LF1Y O	20.0		•			•		
EFA20LFP1Y O	20.0		•			•		•
EFA20LK1Y	20.0		•				•	
EFA20LP1Y ⊗	20.0		•					•
EFA20S1Y	20.0			•				
EFA20SF1Y O	20.0			•		•		
EFA20SFK1Y O	20.0			•		•	•	
EFA20SP1Y ⊗	20.0			•				•
EFA20SPK1Y O	20.0			•				•
EFDAL	-		•					



Legacy Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Optional foot pedal activation for hands-free use.
- Power cord sold separately.



LFAE8L2YJO

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
51299C	Replacement Filter

Single			Cooler Cabinet		Glass			Global Compliance
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Filler Filler Prepped		Voltage	
LFAE8L2YJO ⊗	8.0	•	•				220V/50Hz	
LFAE8S2YJO ⊗	8.0	•		•			220V/50Hz	
LFAE20S3YJOSA ⊗	20.0	•		•			220V/60Hz	SASO
LFAE20SF3YJOSA O	20.0	•		•	•		220V/60Hz	SASO
EFA8L2YJO ⊗	8.0		•				220V/50Hz	CE
EFA8LF2YJO ⊗	8.0		•		•		220V/50Hz	CE
EFA8LFP2YJO ⊗	8.0		•		•	•	220V/50Hz	CE
EFA8S2YJO ⊗	8.0			•			220V/50Hz	CE
EFA8S3YJOSA ⊗	8.0			•			220V/60Hz	SASO
EFA8SF2YJO ⊗	8.0			•	•		220V/50Hz	CE
EFA8SP2YJO ⊗	8.0			•		•	220V/50Hz	CE
EFA14L2YJO ⊗	14.0		•				220V/50Hz	
EFA14L3YJO ⊗	14.0		•				220V/60Hz	
EFA14S2YJO O	14.0			•			220V/50Hz	
EFA14S3YJOSA O	14.0			•			220V/60Hz	SASO
EFA16L2YJO O	16.0		•				220V/50Hz	
EFA16SFP2YJO O	16.0			•	•	•	220V/50Hz	
EFA20L2YJO ⊗	20.0		•				220V/50Hz	
EFA20N3YJOSA ⊗	20.0						220V/60Hz	SASO
EFA20S2YJO O	20.0			•			220V/50Hz	
EFA20S3YJOSA O	20.0			•			220V/60Hz	SASO

ELKAY

Legacy Sensor-Activated Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.



EFOA8L1Z

Optional Accessories 974

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler
LK1110	Glass Filler
EWF172	WaterSentry VII Filter Kit

Single	Cooler Cabinet			
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood
EFOA8L1Z	8.0	•		
EFOA8S1Z	8.0		•	
EFOA8T1Z ⊗	8.0			•

Legacy Water-Cooled Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature or dusty environments.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.
- Optional foot pedal for hands-free use.



97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

Single					
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood	Foot Pedal
EFW16L1Z	16.0	•			
EFW16LP1Z ⊗	16.0	•			•
EFW16S1Z	16.0		•		
EFW16T1Z ⊗	16.0			•	

Legacy Water-Cooled Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.
- Power cord sold separately.



EFW16S2YJO

Optional Accessories

27517C	
97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler Chrome 2-1/2" x 10"
LK1110	Glass Filler

Single		Cooler Cabinet			
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Voltage	Global Compliance
EFW16S2YJO ⊗	12.0		•	220V/60Hz	
EFW16L2YJO ⊗	16.0	•		220V/50Hz	
EFW16N3YJOSA ⊗	16.0			220V/60Hz	SASO
EFW16S3YJOSA ⊗	16.0		•	220V/60Hz	SASO

Legacy Hot and Cold Service Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Provides cold water for refreshing drinks and piping hot water for soups and beverages.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Optional foot pedal activation for hands-free use.



EFHA8I1Z

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler Chrome 2-1/2" x 10"
LK1110	Glass Filler
EWF172	WaterSentry VII Filter Kit

Single		Cooler Cabinet			
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Glass Filler Prepped	Foot Pedal
EFHA8L1Z O	8.0	•			
EFHA8LF1Z ⊗	8.0	•		•	
EFHA8LFP1Z ⊘	8.0	•		•	•
EFHA8LP1Z ⊗	8.0	•			•
EFHA8S1Z O	8.0		•		
EFHA8SFP1Z ⊘	8.0		•	•	•
EFHA14L1Z ⊗	14.0	•			
EFHA14S1Z ⊗	14.0		•		

ELKAY

Legacy Hot and Cold Service Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Provides cold water for refreshing drinks and piping hot water for soups and beverages.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Power cord sold separately.



EFHFA8L2YJO

Optional Accessories

97446C	Bubble
27521C	Cooler
27519C	Cooler
LK1114	Glass
LK1110	Glass

ler Kit Vandal-Resistant r Back Plate - Light Gray Granite r Back Plate - Stainless Filler Chrome 2-1/2" x 10" Filler

Single		Cooler Cabinet				
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Glass Filler Prepped	Voltage	Global Compliance
EFHA8L2YJO ⊗	8.0	•			220V/50Hz	
EFHA8S2YJO ⊗	8.0		•		220V/50Hz	
EFHFA8L2YJO ⊗	8.0	•		•	220V/50Hz	
EFHFA8S2YJO ⊗	8.0		•	•	220V/50Hz	

Legacy Special Use Water Coolers

- Special use floor mount water coolers for specific installation and environmental needs.
- EFWC16S1Z consists of a 316 stainless steel cabinet and special coatings inside and out for extreme corrosion resistance.
- EFY8S1Z is a water cooled unit UL listed for use in hazardous locations (see Specification Sheet for specific flammable gas, dust, and debris certifications).
- Stainless steel finish is corrosion resistant and attractive.
- Rated for indoor use.





Optional Accessories

-EWF172

WaterSentry VII Filter Kit

Single Bubbler **Chilled GPH** Model Standard VR EFY8S1Z 8.0 • EFWC16S1Z 16.0 •



Heavy-Duty Slimline Soft Sides Drinking Fountains

- Low-profile fountain provides an attractive and durable product, while enhancing applications requiring child ADA compliance.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.





FHWM17C

EHWM14C

Optional Accessories

AP99 98481C LKAPR2

EWF172

ACCESS12X38-5 Access Panel for Architectural Fountains Access Panel 9" x 9" x 6" Bubbler Kit Water-Efficient VR Cane Apron for EHW Stainless Steel WaterSentry VII Filter Kit

An access panel is required when using the filter kit.

Single 🕏	
Model	Freeze Resistant
EHWM14FPK ⊘ ▼	•
EHWM14C	

Bi-level 🖒		
Model	Freeze Resistant	
EHWM17FPK ⊘ ▼	•	
EHWM17C		

Heavy-Duty Soft Sides Drinking Fountains

- Contoured fountain provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.

• Freeze-resistant models extend outdoor usage season.





EHWM214C

Optional Accessories

ACCESS12X38-5 Access Panel for Architectural Fountains AP99 Access Panel 9" x 9" x 6" 98481C Bubbler Kit Water-Efficient VR LKAPR2 Cane Apron for EHW Stainless Steel MPW200 In Wall Carrier (Bi-Level) MPW101 In Wall Carrier (Single) WaterSentry VII EWF172 Filter Kit An access panel is required when using the filter kit.

Single 🕏		Includes Surface	Pre-Ordered	
Model	Freeze Resistant	Mount	Mounting	
EHW214FPK ⊘ ▼	•		Order MPW101	
EHWM214FPK ⊘ ▼	•	•		
EHW214C			Order MPW101	
EHWM214C		•		

Bi-level 👶		Includes Surface	Pre-Ordered	
Model	Freeze Resistant	Mount	Mounting	
EHW217FPK ⊘ ▼	•		Order MPW200	
EHWM217FPK ⊘ ▼	•	•		
EHW217C			Order MPW200	
EHWM217C		•		

Bi-level reverse 🖒	Includes Surface	Pre-Ordered	
Model	Freeze Resistant	Mount	Mounting
EHW217FPRAK ⊘ ▼	•		Order MPW200
EHWM217FPRAK ⊘ ▼	•	•	
EHW217RAC			Order MPW200
EHWM217RAC		•	

Slimline Soft Sides Drinking Fountains

- Low-profile fountain provides an attractive and durable product, while enhancing applications requiring child ADA compliance.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.



ECDFPW314C

Optional Accessories

	AP99	Access Panel
	98481C	Bubbler Kit Water-Efficient VR
	LKAPR2	Cane Apron
_	EWF172	WaterSentry VII Filter Kit

•	Freeze-resistant	models extend	l outdoor	usage season.	
---	------------------	---------------	-----------	---------------	--

ر ج		Bub	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
ECDFPW314C	-	•		
ECDFPW314FPK ⊘ ▼	-		•	•
ECDFPWVR314C	-		•	

Slimline Soft Sides Drinking Fountains

- Low-profile fountain provides an attractive, safe product, while enhancing applications requiring child ADA compliance.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Vandal-resistant bubblers are one-piece, chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Power cord sold separately.



ECDFPW314C

Optional Ac		
98501C	Bubbler	\$34.00
97446C	Bubbler Kit Vandal-Resistant	\$134.00
LK1110	Glass Filler	\$258.00
51299C	Replacement Filter	\$88.00

	Bubbler		Global		
Model	Chilled GPH	Filtered	VR	Voltage	Compliance
LCRSPM102QK S ⊗	10.0	•	•	240V/50Hz	

ELKAY

Soft Sides Drinking Fountains

- Contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.





EDFP210C

Optional Accessories ACCESS12X38-5 Access Panel for Architectural Fountains AP99 Access Panel 9" x 9" x 6" Bubbler Kit Water-Efficient VR 98481C 97258C Cane Apron for Contour/Soft Sides Black LK1110 Glass Filler LK1114 Glass Filler Chrome 2-1/2" x 10" MPW200 In Wall Carrier (Bi-Level) MPW101 In Wall Carrier (Single) Wall Plate EDFP210C/EDFP214C fountains WP2 EWF172 WaterSentry VII Filter Kit

Single short		Bubbler		Freeze	
Model	Chilled GPH	Flex	VR	Resistant	
EDFP210C	-	•			
EDFP210FPK ⊘ ▼	-		٠	•	

Single 🖏		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP214C	-	•		
EDFP214FC ⊗	-	•		
EDFP214FPK ▼	-		•	•
EDFPVR214C	-		•	

Bi-level 🕹		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP217C	-	•		
EDFP217FC	-	•		
EDFP217FPK ▼	-		•	•
EDFPVR217C	-		•	

Bi-level reverse 🕹		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP217FPRAK ⊘ ▼	-		•	•
EDFP217RAC	-	•		
EDFPVR217RAC	-		•	



Soft Sides Drinking Fountains

- Contoured fountain provides an attractive and safe product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubblers are one-piece, chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Freeze-resistant models extend outdoor usage season.
- Power cord sold separately.





ACCESS12X38-5	Access Panel 9" x 9" x 6"
98501C	Bubbler
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
97258C	Cane Apron for Contour/Soft Sides Black
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MPW200	In Wall Carrier (Bi-Level)
MPW101	In Wall Carrier (Single)
51299C	Replacement Filter

Single 🐍			Bubbler	Voltage	Global Compliance
Model	Chilled GPH	Filtered	Flex	voltage	Giobal compliance
LNFE82K ⊘	8.0	•	•	220V/50Hz	
LNFEM82K ⊗	8.0	•	•	220V/50Hz	
LNFEM83K O	8.0	•	•	220V/60Hz	
ERFP82K ⊗	8.0		•	220V/50Hz	
ERFPM82K ⊗	8.0		•	220V/50Hz	
EROM82K ⊗	8.0		•	220V/50Hz	

Bi-level 🕹			Bubbler	Voltage	Global Compliance
Model	Chilled GPH	Filtered	Flex	voltage	Giobal Compliance
LNTE82K ⊗	8.0	•	•	220V/50Hz	
LNTEM82K ⊗	8.0	•	•	220V/50Hz	
LNTEM83K 🛇	8.0	•	•	220V/60Hz	
ERFP282K ⊗	8.0		•	220V/50Hz	
ERFPM282K ⊗	8.0		•	220V/50Hz	
EROM282K Ø	8.0		•	220V/50Hz	

Soft Sides Premium Composite Drinking Fountains

- Durable and nonporous granite-like contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use, and appropriate for environments caustic to stainless steel.
- Freeze-resistant models extend outdoor usage season.





EDFPVR217RC

AP99	Access Panel 9" x 9" x 6"
ACCESS12X38-5	Access Panel for Architectural Fountains
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler KitWater-Efficient VR
MPW200	In Wall Carrier (Bi-Level)
MPW101	In Wall Carrier (Single)
WP2	Wall Plate EDFP210C/EDFP214C fountains
EWF172	WaterSentry VII Filter Kit

Single 🖏		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP214RC	-	•		
EDFPVR214RC 🕈	-		•	
EDFPVR214RFPK 🖁 🛇 🔻	-		•	•

Bi-level 🕹	Bubbler	Freeze	
Model	Chilled GPH	VR	Resistant
EDFPVR217RC 💈	-	•	
EDFPVR217RFPK ⊘ ▼	-	•	•

Multistations 🕏	Bubb	Freeze		
Model	Chilled GPH	Flex	VR	Resistant
EDFP220RC 🕈	-	•		
EDFPVR220RC 🕱	-		•	
EDFPVR320RC 🖁	-		•	
EDFPVR320RFPK 🗟 ⊙ 🔻	-		•	•

Single short		Bubbler
Model	Chilled GPH	Flex
EDFP210RC 🕈	-	•

SwirlFlo Drinking Fountains

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.





EDFPBM117C

AP99	Access Panel 9" x 9" x 6"
ACCESS12X38-5	Access Panel for Architectural Fountains
98501C	Bubbler StreamSaver Flexi-Guard
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
LKAPR1	Cane Apron for SwirlFlo Gray
MPW200	In Wall Carrier (Bi-Level)
MPW101	In Wall Carrier (Single)
ML100	In Wall Carrier Support Legs
EWF172	WaterSentry VII Filter Kit

Single 🕏			Bub	bler	Includes	Pre-Ordered	
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Mounting	
EDFPB114C			•			Order MPW101	
EDFPB114FPK ▼	•	•	•			Order MPW101	
EDFPBM114K ▼	•		•		•		
EDFPBMV114K ▼	•			•	•		
EDFPBV114C				•		Order MPW101	
EDFPBW114C	•		•			Order MPW101	
EDFPBW114FPK ⊘ ▼	•	•	•			Order MPW101	
EDFPBWM114C	•		•		•		
EDFPBWM114FPK Ø			•				
▼		_					
EDFPBWMV114C	•			•	•		
EDFPBWV114C	•			•		Order MPW101	

Bi-level 🕏			Bub	bler	Includes	Pre-Ordered
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Mounting
EDFPB117C	•		•			Order MPW200
EDFPB117FPK ▼	•	•	•			Order MPW200
EDFPBM117C	•		•		•	
EDFPBM117FPK ⊘ ▼	•	•	•		•	
EDFPBM117K ▼	•		•			Order MPW200
EDFPBMV117C	•			•	•	
EDFPBV117C	•			•		Order MPW200
EDFPBVM117FPK ⊗ ▼	•	•		•	•	
EDFPBVM117K ▼	•			•		



Bi-level reverse 📩			Bub	obler	Includes	Pre-Ordered
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Mounting
EDFPB117FPRAK ◎ ▼	•	•	•			Order MPW200
EDFPB117RAC	•		•			Order MPW200
EDFPBM117FPRAK ⊗ ▼	•	•	•		•	
EDFPBM117RAC	•		•		•	
EDFPBM117RAK ▼	•		•			Order MPW200
EDFPBMV117RAC	•			•	•	
EDFPBV117RAC	•			•		Order MPW200
EDFPBVM117FPRAK ⊗ ▼	•	•		•	•	
EDFPBVM117RAK ▼	•			•		

SwirlFlo Drinking Fountains

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.
- Power cord sold separately.





EDFPBM117C

ACCESS12X38-5	Access Panel
98501C	Bubbler
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
LKAPR1	Cane Apron
EWF172	Filter Kit
27267C	Lower Back Panel left side louvers

Bi-level 🔂 Bubb				Bubbler	Includes		Global
Model	Chilled GPH	Filtered	Sensor Activated	Flex	Surface Mount	Voltage	Compliance
LRPBM282K ⊗	8.0	•		•	•	220V/50Hz	
LRPBM282QK ⊗	8.0	•		•	•	240V/50Hz	
ENOBM282QK 🖁 🛇	8.0		•	•	•	240V/50Hz	
ERPBM282K ⊗	8.0			•	•	220V/50Hz	
ERPBM83K ⊗	8.0			•	•	220V/60Hz	

Single 💰				Bubbler	Includes		Global
Model	Chilled GPH	Filtered	Sensor Activated	Flex	Surface Mount	Voltage	Compliance
LRPBM82K Ø	8.0	•		•	•	220V/50Hz	
LRPBM82QK O	8.0	•		•	•	240V/50Hz	
ENOBM82QK 🕱 🛇	8.0		•	•	•	240V/50Hz	
ERPBM283K ⊗	8.0			•	•	220V/60Hz	
ERPBM82K ⊗	8.0			•	•	220V/50Hz	



Bi-level reverse 🕏			Bubbler	Includes		Global
Model	Chilled GPH	Filtered	Flex	Surface Mount	Voltage	Compliance
LRPBM282RAK ⊗	8.0	•	•	•	220V/50Hz	
ERPBM282RAK O	8.0		•	•	220V/50Hz	
ERPBM283RAK Ø	8.0		•	•	220V/60Hz	

Legacy Fully Recessed Drinking Fountains

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.





EDFBC212C

Optional Accessories

Access Panel 9" x 9" x 6" Bubbler
StreamSaver Flexi-Guard
Bubbler Kit Vandal-Resistant
Bubbler Kit Water-Efficient VR

Standard With LK109A Model Cuspidor **Glass Filler** EDFB12C EDFB12FC Ø EDFBC212C •

Cuspidor only	
Model	With Cuspidor
EDFBC12PBC	•

Legacy Simulated Semi-Recessed Drinking Fountain

- Space-saving simulated semi-recessed design.
- Mechanical bubbler push bar continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Stainless steel finish is corrosion resistant and attractive.
- Flush wall mount provides a recessed appearance without extra wall work.



Optional Accessories

AP99	Access Panel 9" x 9" x 6"
98501C	Bubbler StreamSaver Flexi-Guard
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR

Model EDFP19C



Legacy Multistation Stainless Steel Drinking Fountains

- Unique stainless steel wall mount design provides service to multiple users at the same time.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.





EDF210C

Optional Accessories

97446C	Bubbler Kit Vandal-Resistant
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

Two station	
Model	
EDF210C	

Three station
Model
EDF310C

Legacy Bracket Drinking Fountain

- Stainless steel bracket provides mounting to wall.
- 300 Series stainless steel basin resists corrosion.
- Equipped with one-piece, chrome-plated push-button bubbler.
- Mechanical bubbler continues to provide water when electrical service is interrupted.
- Includes removable chrome-plated strainer.
- Rated for indoor or outdoor use.

Model	
EDF15R	



EDF15R



Legacy Countertop Drinking Fountains

- Attractive stainless steel modular drinking fountain can be installed into a surface of your choice.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Remote button allows flexible positioning of activation.
- Units with vandal-resistant bubblers are rated for indoor or outdoor use.





Optional Accessories

97446C	Bubbler Kit Vandal-Resistant
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

Oval		Bubbler			
Model	Chilled GPH	Remote Pushbutton	Standard	Flex	VR
DRKR14C	-		•		
DRKR14RC	-	•		•	
DRKRV14RC	-	•			•

Circular		Bubbler
Model	Chilled GPH	Standard
DRKR10C	-	•

Water Chillers

- Converts any drinking fountain into a water cooler.
- Allows flexible installation location of refrigeration up to 15 feet from dispensing location.
- Several chilling capacities available to serve many usage and installation scenarios.
- Available with a high-performance compressor and insulation to greatly reduce energy consumption.
- Available with a water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature or dusty environments.





ECH8

PM3	Chiller Shelf 20" x 11" x 9-1/4"
PM4	Chiller Shelf 23-1/2" x 13" x 9-1/4"
EG2	Louvered Grill 21" x 1/2" x 28"
EG3	Louvered Grill 26" x 1/2" x 26-1/2"
EG1	Louvered Grill (SS) 21" x 1/2" x 28"

Model	Chilled GPH	Stations Served	Air-Cooled	Water Cooled
ERS11Y	1.0	1	•	
ER21Y	2.0	1	•	
ER51Y	5.0	1	•	
ECH8	8.0	2	•	
ECH8GRN	8.0	2	•	
ECP8	8.0	2	•	
ECU8	8.0	2	•	
ER101Y	10.0	2	•	
ER191	19.0	3	•	
ER301	30.0	3	•	
ERW321	32.0	3		•



Remote Water Chillers

- Converts any drinking fountain into a water cooler.
- Allows flexible installation location of refrigeration up to 15 feet from dispensing location.
- Several chilling capacities available to serve many usage and installation scenarios.
- Available with a high-performance compressor and insulation to greatly reduce energy consumption.
- Power cord sold separately.





ECH82

optional Accessories				
	PM3	Chiller Shelf 20" x 11" x 9-1/4"		
	PM4	Chiller Shelf 23-1/2" x 13" x 9-1/4"		
	EG2	Louvered Grill 21" x 1/2" x 28"		
	EG3	Louvered Grill 26" x 1/2" x 26-1/2"		
	EG1	Louvered Grill (SS) 21" x 1/2" x 28"		

Model	Chilled GPH	Stations Served	Air-Cooled	Voltage	Global Compliance
ECH102Q O	10.0		•	240V/50Hz	
ECH82WR ⅔ ⊗	8.0	1	•	220V/50Hz	CE, WRAS
ERS12Y Ø	1.0	1	•	220V/50Hz	
ER22Y ⊗	2.0	1	•	220V/50Hz	CE
ER52Y ⊗	5.0	1	•	220V/50Hz	CE
ER53Y O	5.0	1	•	220V/60Hz	
ECH82 ⊗	8.0	1	•	220V/50Hz	CE
ECH82Q ⅔ ⊗	8.0	1	•	240V/50Hz	
ECH83	8.0	1	•	220V/60Hz	
ECH83SA ⊗	8.0	1	•	220V/60Hz	SASO
ECP82 ⊗	8.0	1	•	220V/50Hz	
ECP82Q ⊗	8.0	1	•	240V/50Hz	
ECP83 ⊗	8.0	1	•	220V/60Hz	
ECP83SA 🛇	8.0	1	•	220V/60Hz	
ECU82 ⊗	8.0	1	•	220V/50Hz	
ECU83 🛇	8.0	1	•	220V/60Hz	
ER102Y 🛇	10.0	2	•	220V/50Hz	
ER103Y O	10.0	2	•	220V/60Hz	
ER192 ⊗	19.0	3	•	220V/50Hz	CE
ER193 🛇	19.0	3	•	220V/60Hz	
ER303 🛇	30.0	3	•	220V/60Hz	
ER302 🛇	30.0	3	•	220V/50Hz	



High Ambient Remote Water Chillers

- Produces minimum of 8 gallons per hour (30 liters/hour) of 50 degrees F (10 degrees C) or colder drinking water based upon 122 degrees F (50 degrees C) inlet water and 122 degrees (50 degrees C) ambient.
- When operated at standard rating conditions chiller produces 19 gallons per hour (72 liters/hour) of 50 degrees F (10 degrees C) or colder drinking water based upon 80 degrees F (27 degrees C) inlet water and 90 degrees (32 degrees C) ambient.
- Installs directly under fountain or other application, or may be located in a service area to serve a remote outlet (within 15 feet recommended).
- Stainless steel finish.
- Power cord sold separately.



ER194H

Model	Chilled GPH	Stations Served	Air-Cooled	Voltage	Global Compliance
ER194H 🕿	8.0	0		220- 240V/50Hz, 220- 230V/60Hz	SASO







OUTDOOR DRINKING SOLUTIONS

Multiple configurations available.



Shown: LK4420BF1UEVG



Outdoor Bottle Filling Stations

- Corrosion-resistant 316 stainless steel base material provides the ultimate protection from the elements.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Multistation wall-mount models require only a single water line for installation making them a great choice when upgrading or replacing older fountains.
- Laminar flow provides clean fill with minimal splash.
- Pet fountain features slow drainage for easy drinking.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.
- Available in 12 stunning finishes.*







Optional Accessories

97890C	
LK4471LHB	
I K4471I HBE\	/G

Direct Bury Adaptor Locking Hose Bib Locking Hose Bib Evergreen

(URN)	(PUR)	(RED)	(TER)	(WHI)	(YLW)		
Wall mour	nt 💰						
Model					Bottle Filling Stations	Bubbler Stations	Global Compliance
LK4405BF					1		
LK4405BFEV	/GWR 🖁 🛇				1		WRAS
LK4408BF ©)				1	1	
LK4409BF 6)				1	1 Upper, 1 Lower	

Single station 🖏				
Model	Bottle Filling Stations	Global Compliance		
LK4400BF 🕱	1			
LK4400BFEVGWR ⅔ ⊗	1	WRAS		
LK4410BF	1			

Dual station 🕏				
Model	Bottle Filling Stations	Bubbler Stations	Pet Fountain	Global Compliance
LK4420BF1L	1 (Low)	1 (Upper)		
LK4420BF1LDB 🕈	1 (Low)	1 (Upper)	•	
LK4420BF1U ⊗	1 (Upper)	1 (Low)		
LK4420BF1UDB 🕈	1 (Upper)	1 (Low)	•	



Triple station 💰			
Model	Bottle Filling Stations	Bubbler Stations	Global Compliance
LK4430BF1L	1 (Low)	2 (Upper-Mid)	
LK4430BF1M	1 (Mid)	2 (Upper-Low)	
LK4430BF1U	1 (Upper)	2 (Mid-Low)	

*Colors other than Evergreen are non-returnable. Freeze-resistant models are non-returnable. Additional models rated for outdoor use available.

Outdoor Fountains

- Corrosion-resistant 316 stainless steel base material provides the ultimate protection from the elements.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Multistation wall-mount models require only a single water line for installation making them a great choice when upgrading or replacing older fountains.
- Pet fountain features slow drainage for easy drinking.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.
- Available in 12 stunning finishes.*





Optional Accessories

97890C LK4471LHB **ssories** Direct Bury Adaptor Locking Hose Bib LK4406ORN



Wall mount single station 💰	
Model	Global Compliance
LK4405	

Wall mount double station \delta	
Model	Global Compliance
LK4406 ⊗	

Single station		
Model	Pet Fountain	Global Compliance
LK4400 🕱		
LK4400DB 🕱	•	
LK4410		

Dual station 🕏		
Model	Pet Fountain	Global Compliance
LK4420 O		
LK4420DB 🕱	•	

Stone Aggregate Fountains

- Attractive and durable stone aggregate finish withstands elements and complements any outdoor landscape.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Freeze resistant system is located either below the frost line or in temperature controlled space.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.

Single station 🕏		
Model	Freeze Resistant	Sealed Freeze Resistant
LK4590		
LK4590FR ⊗	•	
LK4590SFR Ø		•

Standard	
Model	
LK4591	

Wall mount 🕏		
Model	Freeze Resistant	
LK4593		
LK4593FR 0	•	

Dual station 🕏		
Model	Freeze Resistant	Sealed Freeze Resistant
LK4595		
LK4595FR 0	•	
LK4595SFR O		•








LK4595



Vandal-resistant Retrofit Filtration Kit with WaterSentry[®] VII Filter EF1500VRBMC



WATERSENTRY® FILTERS

Elkay's filter offerings are certified to NSF 53 and 42 for lead, class 1 particulate, chlorine, taste and odor reduction.



Shown: 51300C



Vandal-resistant retrofit filtration kit

EF1500VRBC



Vandal-Resistant Retrofit Filtration Kit with 1500-Gallon Lead and CTO Filter

- Includes WaterSentry VII Filter. Order 51299C as a replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

EF1500VRBMC



Vandal-Resistant Retrofit Filtration Kit with 1500-Gallon Lead and CTO Filter and Filter Status Monitor

- Includes WaterSentry VII Filter. Order 51299C as a replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

WaterSentry bottle filling station filters

51300C 51300C_3PK WaterSentry Plus Replacement Filter (Bottle Fillers) WaterSentry Plus Replacement Filters (3-pack)

• Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.

• Filter should be replaced every 3,000 gallons or 1 year after installation.

51300C_12PK



WaterSentry® Plus Replacement Filters (12-pack) (Bottle Fillers)

- Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.
- Filter should be replaced every 3,000 gallons or 1 year after installation.

(Bottle Fillers)

• Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.



Same Street
1
ELKAY
TRANSPORT - F
and the second s
- Andrews

of the

WaterSentry Plus Filter System Kit (Bottle Fillers)

- For use with ezH2O Bottle Fillers Order 51300C as replacement filter (available in multipacks).
- Filter should be replaced every 3,000 gallons or 1 year after installation.

ELKAY

WaterSentry cooler + fountain filters



LF2



WaterSentry VII Replacement Filter (Coolers + Fountains)

- Replacement filter for EWF172 WaterSentry VII systems in water coolers + fountains.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

EWF172

56192C



- WaterSentry VII Filter Kit (Coolers + Fountains)
- For use with Coolers + Fountains Order 51299C as replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.



Aqua Sentry Filter System Kit (Coolers + Fountains)

- In-Line filter for use with coolers + fountains -Order 56192C as replacement filter.
- Filter should be replaced every 500 gallons or 6 months after installation.

Aqua Sentry Replacement Filter

- Replacement filter for LF2 filter system.
- Filter should be replaced every 500 gallons or 6 months after installation.

WaterSentry Water Dispenser, Bottle Filling **Station and Cooler + Fountain filters**



(2pack)

- Replacement filter for premium water dispensers. Optional for select bottle filling stations, coolers and fountains with WaterSentry systems.
- Filter should be replaced every 6,000 gallons or 1 year after installation.

C-91



Point-of-entry

EFC1150D-A



Central Water Filtration System, Plug Type A

• Removes 1200T for chlorine, taste, and odor. Removes 400T for lead, cadmium, copper, sulfate, and nitrite.



Central Water Softener, Plug Type A

• Removes scale causing minerals (Calcium and Magnesium).



Reverse Osmosis System, Plug Type A

• Removes suspended matter, rust, redworm, sediment, color, odor, chlorine, virus, bacteria, inorganic compounds, and small molecule organic compounds.

EFC1150D-B



Central Water Filtration System, Plug Type G

• Removes 1200T for chlorine, taste, and odor. Removes 400T for lead, cadmium, copper, sulfate, and nitrite.

ELKAY.



Composite Filter

EFU23-A



3-Stage Undermount Ultra Filtration System

• Removes suspended matter, rust, redworm, sediment, color, odor, chlorine, heavy metals, bacteria, and small molecule organic compounds.





Stainless Steel Dispensing Faucet





Bacteria Reduction Replacement

WSP35000



35,000 Gallon Bacteria Water Filtration System

- This ultrafiltration system has a process that reduces particles and microorganisms of up to .2 microns. It also reduces odor, taste and chlorine.
- The system includes a connection head for the water supply. Also, a Quick-Connect head that allows easy installation and replacement of the cartridge.

WSP35000SR



Replacement Sediment Pre-Filter for the WSP35000

• Change filter every 12 months

WSP35000R



Replacement Carbon Block Filter for the WSP35000

Change filter every 12 months

These products are only available in the Asia-Pacific area



ezH2O Hands Free Retrofit Kit				
Model	List Price	Description	Special Note	Image
1000005817		Elkay EZS/LZS to EZO Retrofit Kit	For use with refrigerated coolers only.	

WaterSentry filter mounting covers			
Model	Description	Special Note	Image
100000887	Elkay Filter Mounting Cover Kit (L)	For use with EMABF and LMAF light gray granite vinyl models.	
98551C	WaterSentry Filter Mounting Cover (Gray Granite)	For use with EZ and LZ light gray granite vinyl models.	
98568C	WaterSentry Filter Mounting Cover (Stainless Steel)	For use with EZ and LZ stainless steel models.	
98669C	WaterSentry Filter Mounting Cover for EMABF, LMABF, VRC, and LVRC stainless steel models	For use with EMABF, LMABF, VRC, and LVRC stainless steel models.	

Access and decorative panels			
Model	Description	Special Note	Image
1000004539	Accessory - Wall Plate (Hi-Lo Bi-Level) for EZ style bi-level models	For use with EZ style bi-level models.	
28410C Ø	Accessory - Wall Plate (Lo-Hi Bi-Level) for EZ style bi-level reverse models	For use with EZ style bi-level reverse models.	2
28904C Ø	Accessory - Wall Plate (Splash Guard) for EZ style models	For use with EZ style models.	
ACCESS12X38-5	Accessory - Stainless Steel Access Panel for Bi- Level Architectural Fountains	ACCESS12X38-5 can be installed above or below Bi-Level Architectural Fountains and Bi-Level Architectural Fountains with Integral Bottle Fillers.	\square
AP99	Elkay Access Panel 9" x 9" x 6"		



RP2130	Accessory - Wall Bezel Black		-
WP2	Accessory - Wall Plate for EDFP210C and EDFP214C fountains	For use with EDFP210C and EDFP214C fountains.	

Additional accessories			
Model	Description	Special Note	Image
36292C	Accessory - Power Block for Multistation Bottle Filling Stations	For use with multistation bottle filling stations.	Telle .
75520C	Accessory - Vandal-Resistant Pinned T25 Torx Bit	For removing fasteners on vandal- resistant models.	
75523C	Accessory - Vandal-Resistant Pinned T27 Torx Bit	For removing fasteners on vandal- resistant models.	
98032C	Accessory - Vandal-Resistant Drain Kit for models with 1-1/4" drain openings	For use on models with 1-1/4" drain openings.	

Bubblers			
Model	Description	Special Note	Image
92715C	Accessory - Bubbler Replacement Kit, Flexi- Guard		0
97446C	Accessory - Bubbler Kit Vandal-Resistant		00
98481C	Accessory - Bubbler Kit Water-Efficient Vandal- Resistant		
98501C	Elkay Bubbler - Stream Saver Flexi-Guard		-



LK142	Elkay Push Button Bubbler	For use with Elkay EDF214WC ,DRKR, EDF15R, EFWC16 models.	
-------	---------------------------	--	--

Cane aprons			
Model	Description	Special Note	Image
97258C	Accessory - Cane Apron for Contour & Soft Sides Models Black	For use with the Soft Sides & Contour models.	V
98313C	Elkay Cane Apron for EMABF (Gray Granite)	For use with EMABF style models.	
98324C	Accessory - Cane Apron for HAC, HVR, EMABF & VRC Models (Stainless)	For use with EMABF, VRC and VRCGRN models.	
LKAPR1	Elkay Cane Apron for SwirlFlo Gray	For use with SwirlFlo models.	
LKAPR2	Elkay Cane Apron for EHW Stainless Steel	For use with EHW(M) models.	5
LKAPREZL	Elkay Cane Apron for EZ Gray	For use with EZ style models.	
LKAPRVRCHD	Elkay Cane Apron for VRCHD Stainless Steel	For use with (L)VRCHD models.	

Glass fillers			
Model	Description	Special Note	Image
98498C	Elkay Glass Filler Kit Chrome	For use with various Elkay models.	
LK109A	Elkay Glass Filler Chrome	Factory installed only.	



LK1110	Elkay Glass Filler	Ordered separately with glass filler prepped models.	ſ
LK1114	Elkay Glass Filler Chrome 2-1/2" x 10"	Ordered separately with glass filler prepped models.	

Mounting plates			
Model	Description	Special Note	Image
MP20	Elkay Surface Mounting Plate RH 38-1/4" x 20- 1/8"	For use with EDFP217 and EDFP217FP bi-level models requiring additional support. Secures directly to a variety of load-bearing surfaces.	
MP20RA	Elkay Surface Mounting Plate LH 38-1/4" x 20- 1/8"	For use with EDFP217RA and EDFP217FPRA reverse bi-level models requiring additional support. Secures directly to a variety of load- bearing surfaces.	

Mounting systems / in wall carriers			
Model	Description	Special Note	Image
ML100	Accessory - In Wall Carrier Support Legs for MPW101, MPW200 or MPW201 mounting plates	For optional use with MPW101, MPW200 or MPW201 mounting plates.	
MLP100	Accessory - In Wall Carrier (Single) for single EZ, LZ, EMABF, LMABF, VRC, LVRC models	For use with single EZ, LZ, EMABF, LMABF, VRC, LVRC models.	
MLP200	Accessory - In Wall Carrier (Bi-Level) for bi- level EZ, LZ, EMABF, LMABF, VRC, LVRC models	For use with bi-level EZ, LZ, EMABF, LMABF, VRC, LVRC models.	Ħ
MPW100	Accessory - In Wall Carrier (Single) for single OVL-II drinking fountains	For use with single OVL-II drinking fountains.	1
MPW101	Accessory - In Wall Carrier (Single) for EDFP210, EDFP214, EDFPB114, EDFPBW114, EHW214 models	For use with EDFP210, EDFP214, EDFPB114, EDFPBW114, EHW214 models.	
MPW200	Accessory - In Wall Carrier (Bi-Level) for EDFP217, EDFPB117 & EHW217 models	For use with EDFP217, EDFPB117 & EHW217 models.	
MPW201	Accessory - In Wall Carrier (Bi-Level) for EDFP220 models	For use with EDFP220 models.	



Remote chillers optional accessories - shelves			
Model	Description	Special Note	Image
РМЗ	Elkay Chiller Shelf 20" x 11" x 9-1/4"	For use with ER5 and ER10 water chillers.	
PM4 Q	Elkay Chiller Shelf 23-1/2" x 13" x 9-1/4"	For use with ER19 and ERW20 water chiller.	

Remote chillers optional accessories - grills			
Model	Description	Special Note	Image
EG1	Elkay Louvered Grill (Stainless Steel) 21" x 1/2" x 28"	For use with ERS1, ER2 and ECH8 chillers.	
EG2 Ø	Elkay Louvered Grill 21" x 1/2" x 28"	For use with ERS1, ER2 and ECH8 chillers.	
EG3	Elkay Louvered Grill 26" x 1/2" x 26-1/2"	For use with ER5, ER10 and ER19 chillers.	

Model	Description	Special Note	Image
MB232A 🛇	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel 220V	For use with 220V EFRC models	
MB232AL O	Elkay Mounting Frame with Filter Head Non- Filtered, Non-Refrigerated Galvanized Steel 220V	For use with 220V LJNE models	
MB23A	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with 115V EFRC models.	
MB23AL	Elkay Mounting Frame with Filter Head Non- Filtered, Non-Refrigerated Galvanized Steel	For use with 115V LJNE models.	
MB24	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with EFRPC models.	

ELKAY.

MB30	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with 115V EHFRA models.	
MB302 🛇	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel 220V	For use with 220V EHFRA models	
MF100	Elkay Mounting Frame 18-3/4" x 12" x 37-3/4"	For use with ENOB, ERFP, ERO, ERPB, LNFE, LRPB models.	
MF200	Elkay Mounting Frame 37-1/2" x 12" x 37-1/2"	For use with ENOB, ERFP, ERO, ERPB, LNTE, LRPB models.	
MFC100	Elkay Mounting Frame 18-3/4" x 12" x 37-3/4"	For use with ECRSP and LCRSP models.	
MFWS100	Accessory - Mounting Frame for in-wall ezH2O models	For use with in-wall ezH2O models.	
MFWS200	Accessory - Mounting Frame for bi-level ezH2O SwirlFlo and Soft Sides Architectural Fountain Combination Units	For use with bi-level ezH2O SwirlFlo and Soft Sides architectural fountain combination units.	
MFWS210	Accessory - Mounting Frame for bi-level ezH2O SwirlFlo and Soft Sides Architectural Cooler Combination Units	For use with bi-level ezH2O SwirlFlo and Soft Sides architectural cooler combination units.	A HIGH
MFWSF100	Accessory - Mounting Frame for single ezH2O SwirlFlo and Soft Sides Architectural Fountain Combination Unit	For use with single ezH2O SwirlFlo and Soft Sides architectural fountain combination unit.	
MFWSF110	Accessory - Mounting Frame for single ezH2O SwirlFlo and Soft Sides Architectural Cooler Combination Unit	For use with single ezH2O SwirlFlo and Soft Sides architectural cooler combination unit.	NH
MFWSF120	Halsey Taylor Mounting Frame for HTHB(WF)- EBP-I models	For use with HTHB(WF)-EBP-I models.	
MFWSF130	Halsey Taylor Mounting Frame for HTHB(WF)- ER-I models	For use with HTHB(WF)-ER-I models.	




ADA-COMPLIANT PRODUCTS

Elkay offers a full line of products that comply with the requirements as specified by the Americans with Disabilities Act (ADA). They provide better access for everyone, making them ideal for residential and commercial spaces. Multifamily housing, assisted living centers, handicap restrooms, schools and health care facilities are just some facilities that can benefit from ADA solutions.





ADA SINKS





ELDSSF36279DBG




- Dimensions: 35-7/8" x 27-1/4" x 9-5/8" • 16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Work Shelf, Workstation

ELDSSF33279DBG



- Dimensions: 32-7/8" x 27-1/4" x 9-5/8"
- 16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •33" minimum cabinet size
- Features: Work Shelf. Workstation

Elkay Dart Canyon Stainless Steel 35-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink






Includes: ELDSSF36279 sink, CTXBG3113R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain ADA Compliant

Optional Accessories

Drain LKDD Ship dims: 41-3/4" x 32-11/16" x 12-13/16" Approx. ship weight: 69 lbs.

Elkay Dart Canyon Stainless Steel 32-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink





Includes: ELDSSF33279 sink, CTXBG2813R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

- ADA Compliant Optional Accessories
- Drain

LKDD

Ship dims: 38-5/8" x 32-11/16" x 12-13/16" Approx. ship weight: 65 lbs.



ELDSSF30279DBG



- •Dimensions: 29-7/8" x 27-1/4" x 9-5/8"
- •16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- 3-1/2" (89mm) drain opening
 Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •30" minimum cabinet size
- Features: Work Shelf, Workstation

ELUHAD141855



- •Dimensions: 16-1/2" x 20-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size


29-7/8° (759mm) 14-7/16° 27-1/4° (367mm) (692mm) (692mm) (927m) (692mm) (367mm) (367mm) (10mm) (558mm) (25-7/8° (10mm) (558mm) (25-7/8° (10mm) (25-7/8°) (25-7/8°) (25-7/8°) (367mm) (377mm)
Bowl Farmhouse ADA Workstation Sink

Includes: ELDSSF30279 sink, CTXBG2513R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain ADA Compliant Optional Accessories

Drain LKDD Ship dims: 36" x 32-11/16" x 12-13/16" Approx. ship weight: 60 lbs.

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 5-3/8", Single Bowl Undermount ADA Sink

Elkay Dart Canyon Stainless Steel 29-7/8" x 27-1/4" x 9-5/8", Single




ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1418SS Cutting board CBS1418* Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 LKAD35 Ship dims: 23-5/16" x 8-15/16" x 23-3/16" Approx. ship weight: 11 lbs.

ELUHAD111655



- •Dimensions: 14" x 18-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1116SS Drain LK99 LKAD35 Ship dims: 23-1/2" x 19-3/4" x 8-1/2" Approx. ship weight: 11 lbs.



LFRAD251955



- Dimensions: 25" x 19-1/2" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •30" minimum cabinet size

LRAD221955L




- Dimensions: 22" x 19-1/2" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

LRAD221955R




- Dimensions: 22" x 19-1/2" x 5-1/2"
- •18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink




ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Rinsing basket LKWERBSS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 18 lbs.

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories Cutting board CBS1418 Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 LKAD35 Ship dims: 20-13/16" x 7-13/16" x 27-15/16" Approx. ship weight: 13 lbs.

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories Cutting board CBS1418 Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 LKAD35 Ship dims: 20-13/16" x 7-13/16" x 27-15/16" Approx. ship weight: 13 lbs.

C-105



LRAD191855L



- •Dimensions: 19" x 18" x 5-1/2"
- •18 gauge
- •Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

LRAD191855R



- •Dimensions: 19" x 18" x 5-1/2"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

ELUHAD361855



- •Dimensions: 35-3/4" x 18-1/2" x 5-3/8"
- •18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •39" minimum cabinet size




Made in USA Optional Accessories Rinsing basket LKWRB1116SS Drain LK99 LKAD35 Ship dims: 19-5/16" x 7-13/16" x 25-15/16" Approx. ship weight: 10 lbs.

Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink

5-1/2" (140mm)

Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single



(127mm) 16" (406mm)


19" (483mm)

1-3/4" R (44mm)

> 1-3/4" R (44mm)

> > ADA Compliant Made in USA Optional Accessories Rinsing basket LKWRB1116SS Drain LK99 LKAD35 Ship dims: 19-5/16" x 7-13/16" x 25-15/16" Approx. ship weight: 10 lbs.

Elkay Lustertone Classic Stainless Steel 35-3/4" x 18-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1616SS Cutting board CB1713* CBS1316* Rinsing basket LKWRB1316SS LKWERBSS Drain LK99 LKAD35 Ship dims: 44-7/8" x 26-1/4" x 10-1/2"


Approx. ship weight: 27 lbs.



ELUHAD312055R

- •Dimensions: 31-1/4" x 20-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 5-3/8", Offset Double Bowl Undermount ADA Sink ADA Compliant




Made in USA **Optional Accessories** Bottom grid LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl) **Cutting board** CBS1418* CB1613* CB1713* CBS1316* **Rinsing basket** LKWRB1418SS LKWERBSS LKWRB1316SS Drain LK99 LKAD35 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 21 lbs.

LRAD372255



- Dimensions: 37" x 22" x 5-1/2"
- •18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 37" x 22" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1616SS Cutting board CB1713 CBS1316 Rinsing basket LKWRB1316SS LKWERBSS Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 10-1/2" Approx. ship weight: 24 lbs.




LRAD25055



- •Dimensions: 33" x 22" x 5-1/2"
- •18 gauge
- •Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 5-1/2", Offset Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA **Optional Accessories Bottom grid** LKWOBG1316SS **Cutting board** CBS1418 CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1418SS LKWRB1316SS LKWERBSS Drain LK99 LKAD35 **Ship dims:** 37-3/4" x 26-1/4" x 8-1/2" Approx. ship weight: 21 lbs.



ELUHAD281655PD



- •Dimensions: 30-1/2" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

ELUHAD281655




- •Dimensions: 30-1/2" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

ECTSRAD25226TBG



- •Dimensions: 25" x 22" x 6"
- 18 gauge
- ◆Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant


Built in USA Models are also available with 4-1/2" and 5" depths

Optional Accessories Bottom grid LKWOBG2816SS

Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 26 lbs.

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink




ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid LKWOBG2816SS Drain LK99

LKAD35

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.

Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit Includes: ECTSRAD25226T Sink,



Includes: ECTSRAD25226T Sink, CTXBG2115 Bottom Grid ADA Compliant Optional Accessories Drain LKAD35 LK35

Ship dims: 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.



ELGUAD2519PD

- •Dimensions: 25" x 18-1/2" x 5-1/2"
- ◆3-5/8" (92mm) drain opening
- •30" minimum cabinet size

Features: Perfect Drain



ELUHAD211555PD




- •Dimensions: 23-1/2" x 18-1/4" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •27" minimum cabinet size
- Features: Perfect Drain

ELUHAD211555



- Dimensions: 23-1/2" x 18-1/4" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Elkay Quartz Classic 25" x 18-1/2" x 5-1/2", Undermount ADA Sink with Perfect Drain






Includes: One LKPDQ1CR Perfect Drain and strainer.

Optional Accessories Drain LKPDQ1LS

Ship dims: 29-1/4" x 26-1/4" x 11" **Approx. ship weight:** 32 lbs.

Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain





Includes: One LKPD1 Perfect Drain and strainer.


ADA Compliant Built in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid

LKWOBG2115SS Drain

LKPDVR18B LKPDAD18B LKDS99

Ship dims: 30-11/16" x 26-1/4" x 9-1/2" **Approx. ship weight:** 19 lbs.

Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 5-3/8", Single Bowl Undermount ADA Sink





ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid

LKWOBG2115SS

Drain LK99 LKAD35

Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 12 lbs.



ELUHAD191655



- •Dimensions: 21-1/2" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

ELUHAD161655




- •Dimensions: 18-1/2" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

ELUHAD141855PD



- •Dimensions: 16-1/2" x 20-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size
- Features: Perfect Drain


Elkay Lustertone Classic Stainless Steel 21-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Drain LK99 LKAD35

Ship dims: 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 17 lbs.

Elkay Lustertone Classic Stainless Steel, 18-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid


LKWOBG1616SS

Drain LK99

LKAD35

Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 11 lbs.

Elkay Lustertone Classic Stainless Steel, 16-1/2" x 20-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA Models are also available with 4-1/2" and 5" depths Optional Accessories

Bottom grid

LKWOBG1418SS

Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 9-1/2" **Approx. ship weight:** 14 lbs.

ELKAY

ELUHAD141455PD



- •Dimensions: 16-1/2" x 16-1/2" x 5-3/8"
- 18 gauge
- •Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size
- Features: Perfect Drain

ELUHAD141455




- •Dimensions: 16-1/2" x 16-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆21" minimum cabinet size

ELUHAD131655PD



- •Dimensions: 16" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel, 16-1/2" x 16-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain




Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 15 lbs.


Elkay Lustertone Classic Stainless Steel, 16-1/2" x 16-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Drain LK99 LKAD35 Ship dims: 17-5/16" x 8-13/16" x 22-15/16"

Approx. ship weight: 11 lbs.

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink with Perfect Drain



strainer. ADA Compliant Built in USA

Includes: One LKPD1 Perfect Drain and

Models are also available with

4-1/2" and 5" depths

Optional Accessories Bottom grid

LKWOBG1316SS

Drain

LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 9-1/2" **Approx. ship weight:** 13 lbs.



ELUHAD131655



- Dimensions: 16" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •21" minimum cabinet size

ELUHAD121255




- Dimensions: 14-1/2" x 14-1/2" x 5-3/8"
- ♦18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size

ELUHAD111655PD



- •Dimensions: 14" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size
- Features: Perfect Drain


Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid LKWOBG1316SS Drain LK99 LKAD35

Ship dims: 19-5/16" x 7-13/16" x 25-15/16" Approx. ship weight: 11 lbs.


Elkay Lustertone Classic Stainless Steel 14-1/2" x 14-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Drain LK99 LKAD35

Ship dims: 16-5/16" x 9-3/16" x 21-7/16" **Approx. ship weight:** 9 lbs.

Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink with Perfect Drain Includes: One LKPD1 Perfect Drai



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant

Built in USA Optional Accessories Bottom grid LKWOBG1116SS

Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-7/16" x 24-3/8" x 9-11/16" **Approx. ship weight:** 15 lbs.

ADA Sinks C-113



ELGUAD3319PD



- Dimensions: 33" x 18-1/2" x 5-1/2"
- ♦3-5/8" (92mm) drain opening
- •36" minimum cabinet size
- Features: Perfect Drain



ECTSRAD33226TBG





- Dimensions: 33" x 22" x 6"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size
- Features: Slim Rim

ELUHAD321655



- •Dimensions: 31-3/4" x 16-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size





Elkay Quartz Classic 33" x 18-1/2" x 5-1/2", Undermount ADA Sink with Perfect Drain Includes: Two LKPDO1CR Perfect

 R1"
 18-1/2"

 (470mm)
 16-3/16"

 16-3/16"
 16-3/16"

 14-1/4"
 14-1/4"

 (362mm)
 33"

 (388mm)
 5-1/2"

 6-3/8"
 (140mm)

 (16mm)
 14-1/4"

Includes: Two LKPDQ1CR Perfect Drains and strainers. Optional Accessories Drain LKPDQ1LS

Ship dims: 37-1/8" x 26-1/4" x 11" **Approx. ship weight:** 42 lbs.

Dual Mount ADA Sink Kit

Includes: ECTSRAD33226T Sink, two CTXBG1315 Bottom Grids

Optional Accessories


Drain LKDD

Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl

LK35

Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 34 lbs.

Elkay Lustertone Classic Stainless Steel 31-3/4" x 16-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Drain LK99 LKAD35

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.

C-114



ELUHAD312055RPD


Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 5-3/8", Double Bowl Undermount ADA Sink w/Perfect Drain

Elkay Lustertone Classic Stainless Steel, 30-3/4" x 18-1/2" x 5-3/8",

Double Bowl Undermount ADA Sink w/Perfect Drain



- Dimensions: 31-1/4" x 20-1/2" x 5-3/8"
- ◆18 gauge
- Lustrous Satin finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant **Built in USA** Models are also available with 4-1/2" and 5" depths **Optional Accessories** Bottom grid LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl) Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 26 lbs.

ELUHAD311855PD




- Dimensions: 30-3/4" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

ELUHAD311855



- Dimensions: 30-3/4" x 18-1/2" x 5-3/8"
 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size



Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant


Built in USA Models are also available with

4-1/2" and 5" depths Optional Accessories Bottom grid LKWOBG1316SS

Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 26 lbs.

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid LKWOBG1316SS Drain LK99

LKAD35

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.



LRAD312255



- •Dimensions: 31" x 22" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size

LRAD312265PD




- •Dimensions: 31" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- •3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

LRAD252255



- •Dimensions: 25" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads

•30" minimum cabinet size



14" (356mm)

28" (711mm)

31" (787mm)

5" (127mm)

1-3/4" R (44mm)

1-3/4" R (44mm) ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG2816SS Drain LK99 LKAD35

Ship dims: 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 19 lbs.

Elkay Lustertone Classic Stainless Steel 31" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain

Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System Optional Accessories Bottom grid


LKWOBG2816SS

Drain

LKPDVR18B LKPDAD18B LKDS99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 19 lbs.

Elkay Lustertone Classic Stainless Steel 25" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories Bottom grid

LKWOBG2115SS

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 9-1/2" **Approx. ship weight:** 15 lbs.

Elkay Lustertone Classic Stainless Steel 31" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink

22* (559mm)

16" ⁽ 06mm)

> 5-1/2" (140mm)



LRAD252255-CU



- Dimensions: 25" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •30" minimum cabinet size

ECTSRAD25226TBG




- Dimensions: 25" x 22" x 6"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •30" minimum cabinet size

LRAD252265PD



- Dimensions: 25" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •30" minimum cabinet size
- Features: Perfect Drain


Elkay CuVerro Antimicrobial Copper 25" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

Ship dims: 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 15 lbs.


Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit



Includes: ECTSRAD25226T Sink, CTXBG2115 Bottom Grid ADA Compliant Optional Accessories Drain LKAD35 LK35

Ship dims: 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.

Elkay Lustertone Classic Stainless Steel 25" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant

Built in USA

Models are also available with

Quick-Clip Mounting System **Optional Accessories**

Bottom grid

LKWOBG2115SS

Drain


LKPDVR18B LKPDAD18B LKDS99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 17 lbs.





Elkay Quartz Classic 25" x 22" x 5-1/2", Drop-in ADA Sink with



Includes: One LKPDQ1CR Perfect Drain and strainer. **Optional Accessories**

Drain LKPDQ1LS Ship dims: 29-1/4" x 26-1/4" x 11"

Approx. ship weight: 34 lbs.

LRAD252155



- Dimensions: 25" x 21-1/4" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

LRAD252155-CU



- Dimensions: 25" x 21-1/4" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •30" minimum cabinet size

5" (127mm) 15-3/4" 21-1/4" (400mm) (540mm) 1-3/4" R (44mm) 21" (533mm 25 (635mm) 1-3/4" R (44mm) 5-1/2" (140mm)


Single Bowl Drop-in ADA Sink

ADA Compliant Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System **Optional Accessories Bottom grid** LKWOBG2115SS Drain LK99 LKAD35

Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 15 lbs.

Elkay CuVerro Antimicrobial Copper 25" x 21-1/4" x 5-1/2", Single **Bowl Drop-in ADA Sink**

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 5-1/2",



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths **Optional Accessories** Drain LKVR18-CU Ship dims: 30-11/16" x 26-1/4" x 8-1/2"

Approx. ship weight: 15 lbs.

C-118



LRAD252165PD



- Dimensions: 25" x 21-1/4" x 6-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •30" minimum cabinet size
- Features: Perfect Drain

LRAD222255



- Dimensions: 22" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

5° (127mm) 1-3/4° R (44mm) (406mm) (40

ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35


Ship dims: 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 14 lbs.

LRAD222255-CU



- Dimensions: 22" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 22" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink





ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

Ship dims: 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 14 lbs.

Optional Accessories Bottom grid LKWOBG2115SS Drain

Quick-Clip Mounting System

Models are also available with

LKPDVR18B LKPDAD18B LKDS99

strainer. ADA Compliant

Built in USA

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 6-1/2",

21-1/4" (540mm)

15-3/4" 400mm)

(204mm)

Elkay Lustertone Classic Stainless Steel 22" x 22" x 5-1/2", Single

Single Bowl Drop-in ADA Sink with Perfect Drain

5" (127mm)

T

6-1/2" (166mm)

1

R1-3/4

10-1/2" (267mm)

Bowl Drop-in ADA Sink

25" (635mm)

21" (533mm)

> R1-3/4" (44mm)

> > **Ship dims:** 30-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 17 lbs.

Includes: One LKPD1 Perfect Drain and



LRAD221955



- Dimensions: 22" x 19-1/2" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •27" minimum cabinet size

LRAD221955-CU




- Dimensions: 22" x 19-1/2" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- +27" minimum cabinet size

LRAD202255



- Dimensions: 19-1/2" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size



Single Bowl Drop-in ADA Sink


ADA Compliant Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35 Ship dims: 20-13/16" x 7-13/16" x 27-

Approx. ship weight: 12 lbs.

15/16"


Elkay CuVerro Antimicrobial Copper 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2",



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU Ship dims: 26-1/4" x 24-1/4" x 8-1/2" Approx. ship weight: 13 lbs.

Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG16165S Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 14 lbs.

s



LRAD202255-CU



- Dimensions: 19-1/2" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

LRAD202265PD



- Dimensions: 19-1/2" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- •3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size
- Features: Perfect Drain

t (127mm) (127mm) (55mm) (559mm) 16" (406mm) 16" (406mm) 16" (406mm) 16" (406mm) 16" (406mm) 16" (204mm) 16" (204mm) 16" (204mm) 16" (204mm) 16" (10) 10" (10)

Bowl Drop-in ADA Sink

1-3/4" R

8" (203mm)

16"

(406mm)

19-1/2" (495mm

1-3/4" R (44mm)

(44mm)

5" (127mm)

Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain Includes: One LKPD1 Perfect Drain and

> strainer. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1616SS

Drain LKPDVR18B LKPDAD18B LKDS99

ADA Compliant Made in USA

Drain

LK99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 18 lbs.

LRAD191955



- •Dimensions: 19-1/2" x 19" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink

Elkay CuVerro Antimicrobial Copper 19-1/2" x 22" x 5-1/2", Single

22" (559mm)

16" (406mm)

5-1/2" (140mm) ADA Compliant Made in USA

Drain

LKVR18-CU


Optional Accessories

Models are also available with

4", 4-1/2", 5", 6" and 6-1/2" depths

Approx. ship weight: 14 lbs.

Ship dims: 30-11/16" x 26-1/4" x 8-1/2"



LKAD35 Ship dims: 20-5/16" x 8-13/16" x 24-15/16"

Models are also available with

4", 5", 6" and 6-1/2" depths

Quick-Clip Mounting System **Optional Accessories**

Approx. ship weight: 13 lbs.

ADA Sinks C-121

ELKAY

LRAD191955-CU



- Dimensions: 19-1/2" x 19" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- 3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

LRAD191965PD




- •Dimensions: 19-1/2" x 19" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size
- Features: Perfect Drain

PSRADQ191955L



- •Dimensions: 19-1/2" x 19" x 5-1/2"
- ◆20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size
- ◆ Features: Quick-Clip Mounting System


Elkay CuVerro Antimicrobial Copper 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain




Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B

LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 13 lbs.

Elkay Celebrity Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories Drain LK99

Ship dims: 20-5/16" x 8-13/16" x 24-15/16" **Approx. ship weight:** 13 lbs.





PSRADQ191955R



- Dimensions: 19-1/2" x 19" x 5-1/2"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size
- Features: Quick-Clip Mounting System

LRAD191855




- Dimensions: 19" x 18" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- +24" minimum cabinet size

LRAD191855-CU



- Dimensions: 19" x 18" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

Elkay Celebrity Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink






ADA Compliant Made in USA Optional Accessories Drain LK99 Ship dims: 20-5/16" x 8-13/16" x 24-15/16" Approx. ship weight: 13 lbs.

Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink

Elkay CuVerro Antimicrobial Copper 19" x 18" x 5-1/2", Single Bowl





Drop-in ADA Sink

ADA Compliant Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35 Ship dims: 19-5/16" x 7-13/16" x 25-15/16"

Approx. ship weight: 10 lbs.

5° (127mm) 1.344° R (44mm) (483mm) (483mm) (483mm) (11-112° (1457mm) (292mm) (



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 10 lbs.



LRAD191865PD



- •Dimensions: 19" x 18" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆24" minimum cabinet size
- Features: Perfect Drain

LRAD172255




- •Dimensions: 17" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •21" minimum cabinet size

LRAD172255-CU




- •Dimensions: 17" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •21" minimum cabinet size

(127m) (127m) (134" R (44mm) (44mm



Elkay Lustertone Classic Stainless Steel 19" x 18" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant

Built in USA Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 10 lbs.


Elkay Lustertone Classic Stainless Steel 17" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink

ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1316SS Drain

LK99 LKAD35

Ship dims: 23-5/16" x 8-15/16" x 23-3/16" Approx. ship weight: 13 lbs.

Elkay CuVerro Antimicrobial Copper 17" x 22" x 5-1/2", Single Bowl



Drop-in ADA Sink

ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.



LRAD172265PD



- Dimensions: 17" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size
- Features: Perfect Drain

LRAD172055




- Dimensions: 17" x 20" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size

LRAD172065PD



- Dimensions: 17" x 20" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 17" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain




Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Optional Accessories Bottom grid LKWOBG1316SS

Drain LKPDVR18B LKPDAD18B LKDS99


Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 13 lbs.

Elkay Lustertone Classic Stainless Steel 17" x 20" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35 Ship dims: 23-5/16" x 8-15/16" x 23-3/16" Approx. ship weight: 12 lbs.

Elkay Lustertone Classic Stainless Steel 17" x 20" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 12 lbs.

ELKAY

LRAD171655



- •Dimensions: 17" x 16" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆21" minimum cabinet size

LRAD171665PD




- •Dimensions: 17" x 16" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size
- Features: Perfect Drain

LRAD152255



- •Dimensions: 15" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- 18" minimum cabinet size




ADA Compliant Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35 Ship dims: 17-5/16" x 8-13/16" x 22-15/16"

Approx. ship weight: 8 lbs.

Elkay Lustertone Classic Stainless Steel 17" x 16" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain

Elkay Lustertone Classic Stainless Steel 15" x 22" x 5-1/2", Single

Elkay Lustertone Classic Stainless Steel 17" x 16" x 5-1/2", Single



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 23-1/2" x 19-3/4" x 12-1/2" **Approx. ship weight:** 8 lbs.

4-1/2" (114mm) 4-1/2" (114mm) 4-1/2" (114mm) 4-1/2" (155mm) 16" (406mm) 1-3/4" R (44mm) 1-3/4" R (44mm) 1-3/4" R

1.3/4" R (44mm)

Bowl Drop-in ADA Sink

ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Optional Accessories Bottom grid LKWOBG1116SS Drain LK99 LKAD35

Ship dims: 23-5/16" x 8-15/16" x 23-3/16" **Approx. ship weight:** 10 lbs.



LRAD152255-CU



- Dimensions: 15" x 22" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size

LRAD152265PD




- Dimensions: 15" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆18" minimum cabinet size
- Features: Perfect Drain

LRAD151755



- Dimensions: 15" x 17-1/2" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆18" minimum cabinet size


Elkay CuVerro Antimicrobial Copper 15" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 12 lbs.

Elkay Lustertone Classic Stainless Steel 15" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.


ADA Compliant Built in USA Optional Accessories

Bottom grid LKWOBG1116SS

Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 12 lbs.

Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



1-3/4" R (44mm) ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Optional Accessories Drain

LK99 LKAD35

Ship dims: 20-13/16" x 7-13/16" x 21-13/16" Approx. ship weight: 10 lbs.

ELKAY

LRAD151765PD



- •Dimensions: 15" x 17-1/2" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size
- Features: Perfect Drain

LRAD131655




- •Dimensions: 13" x 16" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

LRAD131655-CU



- •Dimensions: 13" x 16" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆18" minimum cabinet size


Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 23-5/16" x 19-9/16" x 10-1/16" Approx. ship weight: 10 lbs.


Elkay Lustertone Classic Stainless Steel 13" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Optional Accessories Drain LK99 LKAD35

Ship dims: 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.

Elkay CuVerro Antimicrobial Copper 13" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

Ship dims: 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.




LRAD131665PD



- Dimensions: 13" x 16" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •18" minimum cabinet size
- Features: Perfect Drain

ELGAD3322PD



Elkay Lustertone Classic Stainless Steel 13" x 16" x 6-1/2", Single

Elkay Quartz Classic 33" x 22" x 5-1/2", Drop-in ADA Sink with

Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 10 lbs.

Perfect Drain

R5/8* (16mm) (175mm) (175mm) **Includes:** Two LKPDQ1CR Perfect Drains and strainers.

Optional Accessories Drain LKPDQ1LS

Ship dims: 37-1/8" x 26-1/4" x 11" **Approx. ship weight:** 46 lbs.

• Dimensions: 33" x 22" x 5-1/2"

-

- Available in Pre-scored for up to 5 faucet holes
- +3-5/8" (92mm) drain opening
- •36" minimum cabinet size
- Features: Perfect Drain





LRAD332255



- •Dimensions: 33" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size

ECTSRAD33226TBG




- Dimensions: 33" x 22" x 6"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size
- Features: Slim Rim

LRAD332265PD



- Dimensions: 33" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆36" minimum cabinet size
- Features: Perfect Drain




ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1316SS


Drain LK99 LKAD35

LKAD

Ship dims: 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 23 lbs.

Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl Dual Mount ADA Sink Kit






Includes: ECTSRAD33226T Sink, two CTXBG1315 Bottom Grids Optional Accessories

- **Drain** LKDD
- LK35

Ship dims: 38" x 24-1/2" x 13" **Approx. ship weight:** 34 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System **Optional Accessories**

Bottom grid LKWOBG1316SS

Drain

LKPDVR18B LKPDAD18B LKDS99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 23 lbs.

Elkay Lustertone Classic Stainless Steel 33" x 22" x 5-1/2", Equal Double Bowl Drop-in ADA Sink




LRAD332155



- •Dimensions: 33" x 21-1/4" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- ◆36" minimum cabinet size

LRAD331955



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1316SS Drain

LK99 LKAD35

Ship dims: 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 23 lbs.

Equal Double Bowl Drop-in ADA Sink

Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 5-1/2",

Elkay Lustertone Classic Stainless Steel 33" x 21-1/4" x 5-1/2",



- •Dimensions: 33" x 19-1/2" x 5-1/2"
- ◆18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

13-112" (127mm) 1-3/4" R (44mm) 1-3/4" R (356mm) 33" (356mm) 14" (356mm) 15" (356mm) 14" (356mm) 14" (356mm) 15" (350mm) 15" (35" (35" (35" (35") (

ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35


Ship dims: 37-3/4" x 26-1/4" x 8-1/2" **Approx. ship weight:** 20 lbs.

LRAD331965PD



- •Dimensions: 33" x 19-1/2" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 6-1/2", Double Bowl Drop-in ADA Sink w/Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 20 lbs.



LRAD292255



- •Dimensions: 29" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •33" minimum cabinet size

LRAD292265PD



- Dimensions: 29" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •33" minimum cabinet size
- Features: Perfect Drain

i 4.1/2 (114mm) R1-3/4* (44mm) - 5-3/4* (44mm) - 5-3/4* (44mm) - 5-3/4* (44mm) - 11-1/2* (292mm) - (292mm)

Double Bowl Drop-in ADA Sink

1-3/4" R

(44mm)

1-3/4" R (44mm) 29" (737mm)

12-3/4"_____ (324mm)

11-1/2" (292mm)

4-1/2" (114mm) ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1116SS Drain LK99

LKAD35

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 17 lbs.

Elkay Lustertone Classic Stainless Steel 29" x 22" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain

Elkay Lustertone Classic Stainless Steel 29" x 22" x 5-1/2", Equal

22" (559mm)

(406mm)

5-1/2* (140mm)

> Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant Built in USA Models are also available with

Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1116SS

Drain


LKPDVR18B LKPDAD18B LKDS99


Ship dims: 30-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 17 lbs.

LRAD291855



- Dimensions: 29" x 18" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •33" minimum cabinet size





ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35

Ship dims: 37-3/4" x 26-1/4" x 8-1/2" **Approx. ship weight:** 16 lbs.



EFS3321C Floor Mount Service Sink LK940BP03T4S Faucet ESS2520C Sink LK69C Faucet



CUSTOM

Modify an Existing SKU





Weldbilt Scullery Sinks

- Superior quality 14-gauge, Type 304 stainless steel.
- Designed to withstand the heavy-duty requirements of hotel, restaurant, cafeteria and other commercial kitchens.
- Sink compartments have welded 1/4" radius coved corner construction; ground smooth for easy cleaning.
- Channel rim design with 2" apron, slanting sanitary turn under and inward sloping rim to minimize spillage.
- 8" high, full-length, sloped backsplash resists grime and is 2" thick to allow for plumbing.
- Sink polished to a uniform Lustrous Satin finish.
- Sink compartment pitched to drain.
- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs, 1-5/8" O.D. with up to 1" adjustable, bullet-shaped stainless steel feet.
- Carries NSF International certification.

Single compartment - right drainboard

Model

Model

WNSF8124R2

WNSF8130R2

WNSF8136R2 💈

WNSF8124LR2

WNSF8130LR2 💈 🛇

WNSF8136LR2 💈

List Price

\$4,102.00

\$4,194.00

\$4,437.00


Single compartment - left and right drainboard

List Price

\$5,180.00

\$5,274.00

\$5,527.00



Optional Accessories

SSD24

24" Detachable Drainboard

\$974.00

Single compartmen	t - no drainb	oard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
WNSF81242	\$2,907.00	27"	27-1/2"	24"	24"
WNSF81302	\$3,110.00	33"	27-1/2"	30"	24"
WNSF81362	\$3,351.00	39"	27-1/2"	36"	24"



WNSF81242

Drainboard

24"

24"

24"

Single compartmen	ıt - left drain	board				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8124L2	\$4,102.00	49-1/2"	27-1/2"	24"	24"	24"
WNSF8130L2 🖁 🛇	\$4,194.00	55-1/2"	27-1/2"	30"	24"	24"
WNSF8136L2 💈	\$4,437.00	61-1/2"	27-1/2"	36"	24"	24"

Overall

Width

27-1/2"

27-1/2"

27-1/2"

Overall

Width

27-1/2"

27-1/2"

27-1/2"

Bowl

Length

24"

30"

36"

Bowl

Length

24"

30"

36"

Bowl

Width

24"

24"

24"

Bowl

Width

24"

24"

24"

Overall

Length

49-1/2"

55-1/2"

61-1/2"

Overall

Length

72"

78"

84"



WNSF8124L2




WNSF8124R2



		-	

WNSF8124LR2





ELKAY

Weldbilt Scullery Sinks

Double compartment - no drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
WNSF82302 💈 🛇	\$4,223.00	33"	27-1/2"	15"	24"			
WNSF82362 💈	\$4,458.00	39"	27-1/2"	18"	24"			
WNSF82422 💈 🛇	\$4,709.00	45"	27-1/2"	21"	24"			
WNSF82482 💈	\$4,933.00	51"	27-1/2"	24"	24"			
WNSF82542 💈 🛇	\$5,268.00	57"	27-1/2"	27"	24"			
WNSF82602 💈	\$5,565.00	63"	27-1/2"	30"	24"			



WNSF82482

Double compartment - left drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8230L2 💈 🛇	\$5,308.00	55-1/2"	27-1/2"	15"	24"	24"
WNSF8236L2 💈 🛇	\$5,535.00	61-1/2"	27-1/2"	18"	24"	24"
WNSF8248L2 💈 🛇	\$6,026.00	73-1/2"	27-1/2"	24"	24"	24"
WNSF8254L2 🖁 🛇	\$6,346.00	79-1/2"	27-1/2"	27"	24"	24"
WNSF8260L2 💈 ⊗	\$6,642.00	85-1/2"	27-1/2"	30"	24"	24"

Double compartme	nt - right dra	ainboard				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8230R2 💈	\$5,308.00	55-1/2"	27-1/2"	15"	24"	24"
WNSF8236R2 💈	\$5,535.00	61-1/2"	27-1/2"	18"	24"	24"
WNSF8248R2 💈	\$6,026.00	73-1/2"	27-1/2"	24"	24"	24"
WNSF8254R2 💈 🛇	\$6,346.00	79-1/2"	27-1/2"	27"	24"	24"
WNSF8260R2 💈 🛇	\$6,642.00	85-1/2"	27-1/2"	30"	24"	24"

Double compartme	ent - left and	right drai	nboard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8230LR2 💈	\$6,387.00	78"	27-1/2"	15"	24"	24"
WNSF8236LR2 💈 🛇	\$6,626.00	84"	27-1/2"	18"	24"	24"
WNSF8248LR2 💈	\$7,107.00	96"	27-1/2"	24"	24"	24"
WNSF8254LR2 💈	\$7,430.00	105"	27-1/2"	27"	24"	24"
WNSF8260LR2 💈	\$7,723.00	108"	27-1/2"	30"	24"	24"



WNSF8248R2

WNSF8248L2

Triple compartme	nt - no drainb	oard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
WNSF83454 💈	\$5,901.00	48"	27-1/2"	15"	24"
WNSF83544 💈	\$6,407.00	57"	27-1/2"	18"	24"
WNSF83604 💈 🛇	\$6,702.00	63"	27-1/2"	20"	24"
WNSF83724 💈	\$7,267.00	75"	27-1/2"	24"	24"





Weldbilt Scullery Sinks

Triple compartmen	t - left drain	board				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8345L4 🖁 ⊘	\$6,980.00	70-1/2"	27-1/2"	15"	24"	24"
WNSF8354L4 💈 🛇	\$7,484.00	79-1/2"	27-1/2"	18"	24"	24"
WNSF8372L4 🖁 ⊘	\$8,348.00	97-1/2"	27-1/2"	24"	24"	24"

Triple compartmen	t - right drai	nboard				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8345R4 💈 🛇	\$6,980.00	70-1/2"	27-1/2"	15"	24"	24"
WNSF8354R4 💈	\$7,484.00	79-1/2"	27-1/2"	18"	24"	24"
WNSF8372R4 💈 🛇	\$8,348.00	97-1/2"	27-1/2"	24"	24"	24"



WNSF8354L4



WNSF8345R4

Triple compartmen	t - left and ri	ight draink	ooard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8345LR4 💈	\$8,070.00	93"	27-1/2"	15"	24"	24"
WNSF8354LR4 🕈	\$8,567.00	102"	27-1/2"	18"	24"	24"
WNSF8360LR4 🕈	\$8,860.00	108"	27-1/2"	20"	24"	24"
WNSF8372LR4 💈	\$9,430.00	120"	27-1/2"	24"	24"	24"





Rigidbilt Scullery Sinks

- 16-gauge, Type 304 stainless steel.
- Large die-drawn sink compartments pitched to drain.
- Seamless drawn 3-1/2" radius coved corners.
- Exposed surfaces blended into a Lustrous Satin finish.
- Steel channel-reinforced drainboards have a conical shaped pitch for drainage.
- 8" high, full-length backsplash with 45-degree sloped top to resist dirt and grime.
- 2" thick backsplash to allow for plumbing.

Double compartment - no drainboard

List Price

\$3,177.00

\$3,833.00

- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs with cross-brace supports.
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet.
- Channel rim design with 1" apron, has inward sloping rim to minimize spillage.

Single compartmen	t - no drainb	oard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
RNSF81182	\$2,359.00	27"	29-3/4"	18"	24"
RNSF81242	\$2,542.00	33"	29-3/4"	24"	24"

Overall

Length

47-1/4"

59-1/4"

Single compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
RNSF8118LR2 💈 🛇	\$3,304.00	57"	29-3/4"	18"	24"	19-1/2"		
RNSF8124LR2 💈	\$3,877.00	63"	29-3/4"	24"	24"	19-1/2"		

Overall

Width

29-3/4"

29-3/4"

Bowl

Length

18"

24"

Bowl

Width

24"

24"

RNSF8118LR2


FAR

RNSF81182

RNSF82362

Double compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
RNSF8236LR2	\$4,394.00	77-1/4"	29-3/4"	18"	24"	19-1/2"		
RNSF8248LR2 💈 ⊗	\$5,489.00	89-1/4"	29-3/4"	24"	24"	19-1/2"		





Model

RNSF82362

RNSF82482 ⅔ ⊗

ELKAY.

Rigidbilt Scullery Sinks

Triple compartment - no drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
RNSF83544 🕈 🛇	\$4,136.00	67-1/2"	29-3/4"	18"	24"	1			
RNSF83724 🖁 ⊘	\$5,015.00	85-1/2"	29-3/4"	24"	24"				



RNSF83544


Triple compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
RNSF8354LR4	\$5,456.00	97-1/2"	29-3/4"	18"	24"	19-1/2"		
RNSF8372LR4 💈	\$6,911.00	115-1/2"	29-3/4"	24"	24"	19-1/2"		






Dependabilt Scullery Sinks, 16 Gauge

- 16 Gauge 300 Series Stainless Steel Construction
- 10", 12" or 14" deep bowls with 3/4" coved corners.
- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 9"or 10" backsplash with tile ledge for easy installation.





Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
1C18X18-0X	\$1,081.00	23"	23-3/4"	18"	18"
1C18X24-0X	\$1,128.00	23"	29-3/4"	18"	24"
1C24X24-0X	\$1,315.00	29"	29-3/4"	24"	24"



1 Compartment - 12" deep bowl, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
1C18X18-L-18X	\$1,296.00	38-1/2"	23-3/4"	18"	18"	18"		
1C24X24-L-24X	\$1,721.00	50-1/2"	29-3/4"	24"	24"	24"		



1 Compartment - 12" deep bowl, right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
1C18X18-R-18X	\$1,296.00	38-1/2"	23-3/4"	18"	18"	18"		
1C24X24-R-24X	\$1,721.00	50-1/2"	29-3/4"	24"	24"	24"		

1 Compartment - 12" deep bowl, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
1C18X18-2-18X	\$1,523.00	54"	29-3/4"	18"	18"	18"		
1C18X24-2-24X	\$1,784.00	66"	29-3/4"	18"	24"	24"		
1C24X24-2-24X	\$2,115.00	72"	29-3/4"	24"	24"	24"		

1 Compartment - 14" deep bowl									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
14-1C16X20-0X	\$1,072.00	21"	25-3/4"	16"	20"				
14-1C18X24-0X	\$1,206.00	23"	29-3/4"	18"	24"				
14-1C22X22-0X	\$1,242.00	27"	27-3/4"	22"	22"				
14-1C24X24-0X	\$1,293.00	29"	29-3/4"	24"	24"				



14-1C16X20-0X

1C18X24-R-18X

1C18X18-2-18X

Dependabilt Scullery Sinks, 16 Gauge

1 Compartment - 14" deep bowl, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
14-1C16X20-L-18X	\$988.00	36-1/2"	25-3/4"	16"	20"	18"		
14-1C18X24-L-18X	\$1,486.00	38-1/2"	29-3/4"	18"	24"	18"		

1 Compartment - 14" deep bowl, right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
14-1C16X20-R-18X	\$988.00	36-1/2"	25-3/4"	16"	20"	18"		
14-1C18X24-R-18X	\$1,486.00	38-1/2"	29-3/4"	18"	24"	18"		

1 Compartment - 14" deep bowl, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
14-1C16X20-2-18X	\$1,606.00	52"	25-3/4"	16"	20"	18"		

2 Compartments - 12" deep bowls								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
2C18X18-0X	\$1,620.00	43"	23-3/4"	18"	18"			
2C18X24-0X	\$1,682.00	43"	29-3/4"	18"	24"			
2C24X24-0X	\$2,101.00	55"	29-3/4"	24"	24"			

2C18X24-0X

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
2C18X18-L-18X	\$1,847.00	58-1/2"	23-3/4"	18"	18"	18"
2C18X18-L-24X	\$2,003.00	64-1/2"	23-3/4"	18"	18"	24"

2 Compartments - 12" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
2C18X18-2-18X	\$2,174.00	74"	23-3/4"	18"	18"	18"	
2C18X18-2-24X	\$2,306.00	86"	23-3/4"	18"	18"	24"	
2C18X24-2-18X	\$2,185.00	74"	29-3/4"	18"	24"	18"	
2C24X24-2-24X	\$2,879.00	98"	29-3/4"	24"	24"	24"	



14-1C16X20-L-18X



14-1C16X20-R-18X





18X24-L-18X







Dependabilt Scullery Sinks, 16 Gauge

2 Compartments - 14" deep bowls								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
14-2C16X20-0X	\$1,625.00	39"	25-3/4"	16"	20"			
14-2C18X24-0X	\$1,916.00	43"	29-3/4"	18"	24"			



14-2C16X20-0X

Drainboard

18"

18"

24"

2 Compartments - 14" deep bowls, left drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
14-2C18X24-L-18X	\$2,133.00	58-1/2"	29-3/4"	18"	24"	18"

Overall

Width

25-3/4"

29-3/4"

29-3/4"

Overall

Width

23-3/4"

29-3/4"

Bowl

Length

16"

18"

24"

Bowl

Length

18"

18"

Bowl

Width

20"

24"

24"

Bowl

Width

18"

24"



14-2C16X20-2-18X

3 Compartments - 10" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
3C10X14-0X	\$1,615.00	39"	19-3/4"	10"	14"				
3C12X16-0X	\$1,651.00	45"	21-3/4"	12"	16"				

Overall

Length

63"

63"

Overall

Length

70"

74"

98"

2 Compartments - 14" deep bowls, left and right drainboards

List Price

\$2,115.00

\$2,379.00

\$2,949.00

List Price

\$2,129.00

\$2,334.00

3 Compartments - 12" deep bowls

3C10X14-	0X
----------	----



3C18X24-0X

3 Compartments - 10" deep bowls, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
3C10X14-L-12X	\$1,679.00	48-1/2"	19-3/4"	10"	14"	12"	



Model

Model

3C18X18-0X

3C18X24-0X

14-2C16X20-2-18X

14-2C18X24-2-18X

14-2C24X24-2-24X

Dependabilt Scullery Sinks, 16 Gauge

3 Compartments - 10" deep bowls, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
3C10X14-R-12X	\$1,679.00	48-1/2"	19-3/4"	10"	14"	12"	

3 Compartments - 10" deep bowls, left and right drainboards						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
3C10X14-2-12X	\$1,869.00	58"	19-3/4"	10"	14"	12"
3C10X14-2-16X	\$1,942.00	66"	19-3/4"	10"	14"	16"
3C12X16-2-12X	\$2,129.00	64"	21-3/4"	12"	16"	12"
3C12X16-2-16X	\$2,146.00	72"	21-3/4"	12"	16"	16"

3 Compartments	3 Compartments - 12" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
3C16X20-2-18X	\$2,599.00	88"	25-3/4"	16"	20"	18"		
3C18X18-2-18X	\$2,868.00	94"	23-3/4"	18"	18"	18"		
3C18X18-2-24X	\$2,633.00	106"	29-3/4"	18"	18"	24"		
3C18X24-2-18X	\$3,061.00	94"	29-3/4"	18"	24"	18"		
3C18X24-2-24X	\$3,195.00	106"	29-3/4"	18"	24"	24"		
3C24X24-2-24X	\$3,368.00	124"	29-3/4"	24"	24"	24"		

3 Compartments - 14" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
14-3C16X20-0X	\$2,093.00	57"	25-3/4"	16"	20"				
14-3C18X24-0X	\$2,311.00	63"	29-3/4"	18"	24"				
14-3C24X24-0X	\$2,930.00	81"	29-3/4"	24"	24"				

3 Compartments - 14" deep bowls, left drainboard

14-3C16X20-0X

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
14-3C16X20-L-18X	\$2,320.00	72-1/2"	25-3/4"	16"	20"	18"	1
							-

3 Compartments - 14" deep bowls, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
14-3C16X20-R-18X	\$2,320.00	72-1/2"	25-3/4"	16"	20"	18"	







3C18X24-2-18X



14-3C16X20-L-18X







Dependabilt Scullery Sinks, 16 Gauge

3 Compartments - 14" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
14-3C16X20-2-18X	\$2,639.00	88"	25-3/4"	16"	20"	18"		
14-3C16X20-2-24X	\$2,954.00	100"	25-3/4"	16"	20"	24"		
14-3C18X24-2-18X	\$3,120.00	94"	29-3/4"	18"	24"	18"		
14-3C18X24-2-24X	\$3,251.00	104"	29-3/4"	18"	24"	24"		
14-3C20X20-2-20X	\$3,089.00	106"	25-3/4"	20"	20"	20"		
14-3C24X24-2-24X	\$2,750.00	124"	29-3/4"	24"	24"	24"		



14-3C16X20-2-18X

ELKAY

Dependabilt Scullery Sinks, 18 Gauge


- 18 Gauge 300 Series Stainless Steel Construction
- 11", 12" or 14" deep bowls with 3/4" coved corners.

1 Compartment - 11" deep bowl, right drainboard

List Price

Model

- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 8" or 9" backsplash with tile ledge for easy installation.



1 Compartment - 11" deep bowl								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
SE1C18X18-0X	\$949.00	23"	23-3/4"	18"	18"			
SE1C24X24-0X	\$1,212.00	29"	29-3/4"	24"	24"			



SE1C18x18-0X

1 Compartment - 11" deep bowl, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
SE1C18X18-L-18X	\$1,212.00	38-1/2"	23-3/4"	18"	18"	18"	



SE1C18x18-L-18X



SE1C18x18-R-18X

Model	List Price	Length	Width	Length	Width	Drainboar
SE1C18X18-R-18X	\$1,212.00	38-1/2"	23-3/4"	18"	18"	18"

Overall

Bowl

Bowl

Overall

1 Compartment - 12" deep bowl							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
E1C16X20-0X	\$712.00	21"	25-3/4"	16"	20"		
E1C20X20-0X	\$1,041.00	25"	25-3/4"	20"	20"		
E1C24X24-0X	\$1,223.00	29"	29-3/4"	24"	24"		

1 Compartment - 12" deep bowls							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
B1C18X18X	\$974.00	21"	21-1/2"	18"	18"		
B1C18X21X	\$982.00	21"	24-1/2"	18"	21"		
B1C24X24X	\$1,147.00	27"	27-1/2"	24"	24"		



Drainboard

E1C16X20-0X



B1C24X24X



Dependabilt Scullery Sinks, 18 Gauge

1 Compartment - 12" deep bowl, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E1C16X20-L-18X	\$921.00	36-1/2"	25-3/4"	16"	20"	18"	
E1C20X20-L-20X	\$1,360.00	42-1/2"	25-3/4"	20"	20"	20"	
E1C24X24-L-24X	\$1,511.00	50-1/2"	29-3/4"	24"	24"	24"	



E1C16X20-L-18X

E1C16X20-R-18X

Model	List Price	Overall	Overall	Bowl	Bowl	Drainboard
		Length	Width	Length	Width	
E1C16X20-R-18X	\$921.00	36-1/2"	25-3/4"	16"	20"	18"
E1C20X20-R-20X	\$1,360.00	42-1/2"	25-3/4"	20"	20"	20"
E1C24X24-R-24X	\$1,511.00	50-1/2"	29-3/4"	24"	24"	24"

1 Compartment - 14" deep bowl							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
S1C18X18-0X	\$996.00	23"	23-3/4"	18"	18"		
S1C24X24-0X	\$887.00	29"	29-3/4"	24"	24"		

						S1C18X18	3-0X	
1 Compartment - 14" deep bowl, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
S1C18X18-L-18X	\$1,256.00	38-1/2"	23-3/4"	18"	18"	18"		

artment - 14" deep bowl, left drainboard										
	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
-L-18X	\$1,256.00	38-1/2"	23-3/4"	18"	18"	18"				

Overall

Width

23-3/4"

Overall

Width

23-3/4"

Bowl

Length

18"

Bowl

Length

18"

Bowl

Width

18"

Bowl

Width

18"

Drainboard

18"





S1C18X18-R-18X



Drainboard	
18"	

Model	List Price	Overall	Overall	Bowl	Bowl
Woder	LIST FILE	Length	Width	Length	Width
S1C18X18-0X	\$996.00	23"	23-3/4"	18"	18"
S1C24X24-0X	\$887.00	29"	29-3/4"	24"	24"

Overall

Length

38-1/2"

Overall

Length

54"

1 Compartment - 14" deep bowl, right drainboard

List Price

\$1,256.00

List Price

\$1,386.00

1 Compartment - 14" deep bowl, left and right drainboards

Model

Model

S1C18X18-2-18X

S1C18X18-R-18X

Dependabilt	Scullery Sinks, 18 Gauge	
2 Compartmonte	11" doop howle laft and right drainhoa	rde

2 Compartments - 11" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SE2C18X18-2-18X	\$1,928.00	72"	23-3/4"	18"	18"	18"		

2 Compartments - 12" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
B2C18X21X	\$1,568.00	39"	24-1/2"	18"	21"				
B2C24X24X	\$1,802.00	51"	27-1/2"	24"	24"				
E2C16X20-0X	\$1,125.00	39"	25-3/4"	16"	20"				
E2C20X20-0X	\$1,640.00	47"	25-3/4"	20"	20"				
E2C24X24-0X	\$1,830.00	55"	29-3/4"	24"	24"				

2 Compartments - 12" deep bowls, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E2C16X20-L-18X	\$1,232.00	54-1/2"	25-3/4"	16"	20"	18"	

2 Compartments - 12" deep bowls, right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E2C16X20-R-18X	\$1,232.00	54-1/2"	25-3/4"	16"	20"	18"		

Model	List Price	Overall Length	ainboard Overall Width	Bowl Length	Bowl Width	Drainboard
S2C18X18-L-18X	\$1,691.00	56-1/2"	26-3/4"	18"	18"	18"

2 Compartments - 14" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
S2C18X18-2-18X	\$1,797.00	72"	23-3/4"	18"	18"	18"		

2 Compartments - 12" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E2C16X20-2-18X	\$1,369.00	70"	25-3/4"	16"	20"	18"	
E2C20X20-2-20X	\$2,112.00	82"	25-3/4"	20"	20"	20"	
E2C24X24-2-24X	\$2,543.00	98"	29-3/4"	24"	24"	24"	



E2C16X20-R-18X

S2C18X18-L-18X



S2C18X18-2-18X











SE2C18x18-2-18X





Dependabilt Scullery Sinks, 18 Gauge

3 Compartments - 11" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SE3C18X18-2-18X	\$2,467.00	90"	23-3/4"	18"	18"	18"		
SE3C24X24-2-24X	\$2,940.00	120"	29-3/4"	24"	24"	24"		



SE3C18x18-2-18X

3 Compartments - 12" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
B3C12X21X	\$1,836.00	39"	24-1/2"	12"	21"				
B3C18X21X	\$1,525.00	57"	24-1/2"	18"	21"				
E3C16X20-0X	\$1,419.00	57"	25-3/4"	16"	20"				
E3C24X24-0X	\$2,244.00	81"	29-3/4"	24"	24"				



3 Compartments - 12" deep bowls, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E3C16X20-L-18X	\$1,525.00	72-1/2"	25-3/4"	16"	20"	18"		

E3C16X20-L-18X

3 Compartments - 12" deep bowls, right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E3C16X20-R-18X	\$1,525.00	72-1/2"	25-3/4"	16"	20"	18"		

3 Compartments - 1	3 Compartments - 12" deep bowls, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
E3C16X20-2-18X	\$1,734.00	88"	25-3/4"	16"	20"	18"				
E3C20X20-2-20X	\$2,641.00	104"	25-3/4"	20"	20"	20"				
E3C24X24-2-24X	\$3,198.00	124"	29-3/4"	24"	24"	24"				

3 Compartments - 14" deep bowls, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
S3C18X18-2-18X	\$2,583.00	90"	23-3/4"	18"	18"	18"			
S3C24X24-2-24X	\$2,429.00	120"	29-3/4"	24"	24"	24"			



E3C16X20-R-18X

E3C16X20-2-18X





Hand Wash Sinks, Pedestal Mount & Wall Mount

- 18 Gauge 300 Series Stainless Steel Construction
- Easy to clean and sanitize.
- 1-1/2" drain opening.
- NSF certified.

Model

EHS-18-SDX

Splash mounted basic									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
EHS-14X	\$453.00	14"	16-1/2"	10"	12"				
EHS-18X	\$468.00	18"	14-1/2"	14"	10"				
SEHS-17X	\$228.00	17"	15"	14"	10"				



Splash mounted with knee valve									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
EHS-18-KVX	\$1,888.00	18"	14-1/2"	14"	10"				

Splash mounted with pedestal base and foot valve								
Model List Price Overall Overall Bowl Bowl Model List Price Length Width Length Width								
EHS-14-PEDX 🕈	\$2,931.00	14"	16-1/2"	10"	12"			
EHS-18-PEDX	\$2,123.00	18"	14-1/2"	14"	10"			

Splash mounted	l with side splas	shes			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-18-SSX	\$440.00	18"	14-1/2"	14"	10"

Splash mounted with side splashes, lever waste, overflow, and p-trap Overall

Length

18"

List Price

\$1,224.00

Overall

Width

14-1/2"

Bowl

Length

14"

Bowl

Width

10"



EHS-18-SSX



EHS-18-SDX



F		4
	EHS-1	4X
	6	

EHS-18-KVX



EHS-14-PEDX

Hand Wash Sinks, Pedestal Mount & Wall

Splash mounted with soap and towel dispenser								
Model List Price Overall Overall Bowl Bowl List Price Length Width Length Width Width								
EHS-18-STDX 💈	\$1,551.00	18"	14-1/2"	14"	10"			



EHS-18-STDX

300 Series Stainless Steel Drop-in Sinks

- 18 Gauge 300 Series Stainless Steel Construction
- 3-1/2" drain opening.
- Strainer and faucet included.
- NSF certified.

1 Compartment - 10" deep bowls							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
DI-1C-101410X	\$605.00	13-1/2"	19-1/2"	10"	14"		

1 Compartment - 6" deep bowls							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
DI10126X	\$663.00	12"	16-3/4"	10"	12"		



DI-1C-101410X



D1-10116

3 Compartments - 10" deep bowls						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
DI-3C-101410X	\$949.00	37"	19-1/2"	10"	14"	



Floor Service Sinks

- 16 Gauge 300 Series Stainless Steel Construction
- 18 gauge stainless steel skirt.
- 2" no-caulk drain included.
- NSF certified.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
FLR-1X	\$657.00	24"	20"	20"	16"
FLR-2X	\$727.00	32"	24"	28"	20"
FLR-3X	\$936.00	24"	20"	20"	16"
FLR-4X	\$1,059.00	32"	24"	28"	20"



FLR-3X



Floor Service Sinks

- 16 Gauge 300 Series Stainless Steel Construction
- 18 gauge stainless steel skirt.
- 2" no-caulk drain included.
- NSF certified.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
FLR-1X	\$657.00	24"	20"	20"	16"
FLR-2X	\$727.00	32"	24"	28"	20"
FLR-3X	\$936.00	24"	20"	20"	16"
FLR-4X	\$1,059.00	32"	24"	28"	20"




FLR-3X



C-152

Work Tables Standard Series

- 16 Gauge 304 Series Stainless Steel Construction
- Two galvanized hat channels per table.
- 1-5/8" heavy gauge tubing with fully adjustable 1" feet.
- Available with under shelf or cross bracing.
- Tables are shipped knocked down.
- Work tables larger than 72" have 6 legs.
- Backsplash models are 4" with 1" return.
- Carries NSF certification for foodservice application.



 Flat top with stainless steel cross brace and legs

 Model
 List Price
 Overall Length
 Overall

 WT30X84-STSX
 \$1,404.00
 84"
 30"



Flat top with stainless steel under shelf and legs							
Model	List Price	Overall Length	Overall Width				
WT24S36-STSX	\$617.00	36"	24"				
WT24S48-STSX	\$730.00	48"	24"				
WT24S60-STSX	\$897.00	60"	24"				
WT24S72-STSX	\$1,065.00	72"	24"				
WT30S120-STSX	\$1,935.00	120"	30"				
WT30S48-STSX	\$774.00	48"	30"				
WT30S60-STSX	\$968.00	60"	30"				
WT30S72-STSX	\$1,078.00	72"	30"				
WT30S84-STSX	\$1,329.00	84"	30"]			

WT30X72-STSX

WT30S72-STSX



Wash Lavatory Sinks, Rectangular Compartment

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 22" x 19" x 10".
- Bowl dimensions 16" x 11-1/2" x 5-1/2".
- 1-3/4" coved corners, 2-1/2" high backsplash, and 2-1/2" apron front and sides.
- Front and side decks with raised rim.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Drain placement provides more usable space on the bottom of the sink.
- 1-5/8" drain opening.
- Furnished with wall hanger and integral stainless steel support brackets.
- Carries NSF International certification.

ELV2219 series 🔥							
Model	List Price	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes	
ELV22191	\$1,617.00					1	
ELV22193	\$1,617.00					3	
ELV2219CS3	\$1,617.00					CS3	
ELV2219SACC ▼	\$2,442.00				•	1	
ELV2219SACMC ▼	\$2,578.00		•		•	1	
ELV2219SACTMC ▼	\$2,757.00			•	•	1	
ELVWO22191	\$1,659.00	•				1	
ELVWO22193	\$1,659.00	•				3	
ELVWO2219CS3	\$1,659.00	•				CS3	
ELVWO2219SACC ▼	\$2,484.00	•			•	1	
ELVWO2219SACMC ▼	\$2,620.00	•	•		•	1	
ELVWO2219SACTMC ▼	\$2,798.00	•		•	•	1	

*Includes LKB721C sensor faucet and AC/battery power.





ELVWO2219SACC

LAVATORY



Wash Lavatory Sinks, Oval Compartment

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 18" x 17-1/16" x 5-13/16".
- Bowl dimensions 13-5/8" x 10-1/8" x 5-13/16".
- Anti-splash rim.
- 5-1/2" high backsplash.
- 2" wide apron.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 1-5/8" drain opening.
- Furnished with stainless steel wall support brackets.

ELV1817 🔥		
Model	List Price	Holes
ELV18173	\$1,525.00	3
ELV1817CS3	\$1,525.00	CS3



LAVATORY



Wheelchair Wash Lavatory Sinks

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 19" x 23" x 9".
- Bowl dimensions 13-1/2" x 16" x 4".
- Uniform Lustrous Satin finish.
- 1-3/4" coved corners, 2-1/2" apron, front and sides, and 2-1/2" high backsplash.
- Wide top deck with raised rim.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Drain placement provides more usable space on the bottom of the sink.
- 1-5/8" drain opening.
- Furnished with wall hanger and integral stainless steel support brackets.
- Carries NSF International certification.

Sensor faucet packages 🔥							
Model	List Price	Overflow	Faucet*	Holes			
WCL1923OSDC	\$2,200.00		•	3			
WCLWO1923OSDC	\$2,244.00	•	•	3			

*Includes faucet LKD232SBH5C.

($\overline{)}$		
1	R		
		0	

WCLWO1923OSDC

Sensor faucet kits 🔥								
Model	List Price	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes		
WCL1923OSDSACC ▼	\$2,147.00				•	1		
WCL1923OSDSACMC ▼	\$2,284.00		•		•	1		
WCL1923OSDSACTMC ▼	\$2,461.00			•	•	1		
WCLWO1923OSDSACC ▼	\$2,192.00	•			•	1		
WCLWO1923OSDSACMC ▼	\$2,327.00	•	•		•	1		
WCLWO1923OSDSACTMC ▼	\$2,505.00	•		•	•	1		



WCLWO1923OSDSACC

*Includes LKB721C sensor faucet and AC/battery power.

Sink only 👶			
Model	List Price	Overflow	Holes
WCL1923OSD1	\$1,323.00		1
WCL1923OSD3	\$1,323.00		3
WCLWO1923OSD1	\$1,365.00	•	1
WCLWO1923OSD3	\$1,365.00	•	3



WCLWO1923OSD3



WCL1923OSDC



LAVATORY

Multiple Station Urinals

- 14-gauge, Type 304 stainless steel.
- Welded seamless 1/4" coved corners.
- Full-length sloping backsplash with flush pipe.
- 1-1/2" wide top channel rims with 2" flat front apron.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with continuous-length wall hanger and integral stainless steel mounting "Z" brackets.
- Exposed surfaces polished to a Satin finish; easy to clean and sanitize.
- Designed for use with any water control flush valve, time valve or tank.
- Easy to clean and sanitize.
- LK177 strainer included.

With exposed flush	n pipe					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	-
EU4814C ⅔ ⊗	\$3,789.00	48"	14"	46-1/2"	11"	
EU6014C 💈	\$4,060.00	60"	14"	58-1/2"	11"	EU48

With integral hood						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EUH4814C 💈	\$4,245.00	48"	14"	46-1/2"	11"	1
EUH6014C 💈	\$4,528.00	60"	14"	58-1/2"	11"	



EUH4814C

ELKAY.

Surgeon's Lavatory Sinks With Instrument Trays

- 16-gauge, Type 304 stainless steel.
- Sink dimensions 28" x 20" x 14".
- Bowl dimensions 14" x 14" x 7-1/2".
- Integral instrument tray dimensions 3-3/4" x 14".
- 1-3/4" coved corners.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with stainless steel support brackets.
- Mounts 1-1/2" from wall.
- 2" drain opening.
- Easy to clean and sanitize.

ESLV2820W4C wristblade faucet packages				
List Price	Faucet*	Grid Drain	Holes	
\$4,518.00	•	•	3	
	List Price	List Price Faucet*	List Price Faucet* Grid Drain	

*Includes faucet LK940GN05T4H.

ESLV2820W6C wristblade faucet packages				
Model	List Price	Faucet*	Grid Drain	Holes
ESLV2820W6C 💈 ▼	\$4,532.00	•	•	3

*Includes faucet LK940GN05T6H.

Sensor faucet packages	i					
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
ESLV2820SACC ⅔ ▼	\$5,034.00			•	•	1
ESLV2820SACMC 🖁 🔻	\$5,170.00	•		•	•	1
ESLV2820SACTMC 💈 ▼	\$5,348.00		•	•	•	1



*Includes LKB721C sensor faucet and AC/battery power.

	Grid	
st Price	Drain	Holes
,492.00	•	1
	,492.00	Drain

Includes LK398C foot control and LK396A spout.

Knee control package			
Model	List Price	Grid Drain	Holes
ESLV2820KC 🕈 ▼	\$5,867.00	•	1

Includes LK397C knee control and LK396A spout.







ESLV2820W4C



SCRUB AND HAND WASH

Surgeon's Lavatory Sinks With Instrument Trays

Sink only		
Model	List Price	Holes
ESLV28201 💈	\$4,145.00	1
ESLV28203 💈	\$4,145.00	3



SCRUB AND HAND WASH



Wall Scrub Sinks 25" x 19-1/2"

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 25" x 19-1/2" x 10-1/2".
- Bowl dimensions 22" x 16" x 10-1/2".
- 1-3/4" radius coved corners.
- 1-1/2" rolled rims.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.
- 6" high, full-length backsplash.

4" wristblade faucet packages					
Model	List Price	Faucet*	Holes		
EWS2520W4C ▼	\$2,501.00	•	2		

*Includes faucet LK940GN05T4H.



6" wristblade faucet packages					
List Price	Faucet*	Holes			
\$2,511.00	•	2			
	List Price \$2,511.00	List Price Faucet*			

*Includes faucet LK940GN05T6H.

Sensor faucet packages					
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes
EWS2520SACC ▼	\$3,029.00			•	1
EWS2520SACMC ▼	\$3,166.00	•		•	1
EWS2520SACTMC ▼	\$3,344.00		•	•	1

*Includes LKB722C sensor faucet and AC/battery power.

Foot control package		
Model	List Price	Holes
EWS2520FC ▼	\$3,493.00	1

Includes LK398C foot control and LK396 spout.





EWS2520SACC



Wall Scrub Sinks 25" x 19-1/2"

Knee control package		
Model	List Price	Holes
EWS2520KC ▼	\$3,656.00	1
		•

Includes LK397C knee control and LK396A spout.



Sink only		
Model	List Price	Holes
EWS25201	\$2,102.00	1
EWS25202	\$2,102.00	2



EWS25202



Wall Scrub Sinks 31" x 19-1/2"

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 31" x 19-1/2" x 10-1/2".
- Bowl dimensions 28" x 16" x 10-1/2".
- 1-3/4" radius coved corners.
- 1-1/2" rolled rims.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.
- 6" high, full-length backsplash.

4" wristblade faucet packages					
List Price	Faucet*	Holes			
\$2,636.00	•	2			
	List Price	List Price Faucet*			

*Includes faucet LK940GN05T4H.



6" wristblade faucet packages					
/lodel	List Price	Faucet*	Holes		
WS3120W6C V	\$2,646.00	•	2		
WS3120W6C V	. ,	•			

*Includes faucet LK940GN05T6H.

Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes	
EWS3120SACC ▼	\$3,165.00			•	1	
EWS3120SACMC ▼	\$3,300.00	•		•	1	
EWS3120SACTMC ▼	\$3,480.00		•	•	1	

*Includes LKB722C sensor faucet and AC/battery power.

Foot control package		
Model	List Price	Holes
EWS3120FC ▼	\$3,628.00	1

Includes LK398C foot control and LK396A spout.





EWS3120SACC



Wall Scrub Sinks 31" x 19-1/2"

Knee control package		
Model	List Price	Holes
EWS3120KC ▼	\$4,016.00	1
La du de a LIZ207C lus a a sete		

Includes LK397C knee control and LK396A spout.



Sink only		
Model	List Price	Holes
EWS31201	\$2,238.00	1
EWS31202	\$2,238.00	2



EWS31202

ELKAY

Wall Scrub Sinks, Wall Mount

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 13".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Exposed surfaces have a Brushed finish.
- 2" drain opening.
- Easy to clean and sanitize.
- Furnished with hanger and integral stainless steel support brackets.

Lever faucet package					
Model	List Price	Faucet*	Side Splashes	Holes	
CHS1716C	\$1,236.00	•		2	
CHS1716LRSC ▼	\$1,802.00	•	•	2	

*Includes LK940GN04L2H faucet.

Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Side Splashes	Holes
CHS1716LRSSACC ▼	\$2,445.00			•	•	1
CHS1716LRSSACMC ▼	\$2,590.00	•		•	•	1
CHS1716LRSSACTMC ▼	\$2,782.00		•	•	•	1
CHS1716SACC ▼	\$1,823.00			•		1
CHS1716SACMC ▼	\$1,970.00	•		•		1
CHS1716SACTMC ▼	\$2,155.00		•	•		1

*Includes LKB722C sensor faucet and AC/battery power.

Sink only					
Model	List Price	Side Splashes	Holes		
CHS17161	\$779.00		1		
CHS17162	\$779.00		2		
CHS1716LRS1	\$1,243.00	•	1		
CHS1716LRS2	\$1,243.00	•	2		





CHS1716LRSSACTMC



CHS1716LRSC





CHS17162



Hand Wash Sinks, Pedestal Mount

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 43".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Exposed surfaces have a Brushed finish.
- Easy to clean and sanitize.
- 2" drain opening.
- 36" floor to rim.
- Stainless steel pedestal.

Foot control packages				
Model	List Price	Grid Drain	Side Splashes	Holes
CHSP1716C	\$1,618.00	•		1
CHSP1716LRSC ▼	\$1,992.00	•	•	1

Includes LK399A foot control and LK395A spout.

Sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Side Splashes	Holes
CHSP1716LRSSACC ▼	\$2,480.00			•	•	•	1
CHSP1716LRSSACMC ▼	\$2,627.00	•		•	•	•	1
CHSP1716LRSSACTMC ▼	\$2,816.00		•	•	•	•	1
CHSP1716SACC 💈 ▼	\$1,945.00			•	•		1
CHSP1716SACMC 🖁 🔻	\$2,091.00	•		•	•		1
CHSP1716SACTMC 幕 ▼	\$2,281.00		•	•	•		1



*Includes LKB722C sensor faucet and AC/battery power.





CHSP1716LRSC

CHSP1716C



Hand Wash Sinks, Wall Mount

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 13".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Inverted edge on sink rim.
- Exposed surfaces have a Brushed finish.
- 2" drain opening.
- Easy to clean and sanitize.
- Furnished with hanger support bracket.

Lever faucet package			
Model	List Price	Faucet*	Holes
CHSB1716C	\$659.00	•	2

*Includes faucet LKB400.

500
CUS D171CC

-

CHSB1716C

Sink only		
Model	List Price	Holes
CHSB17162	\$529.00	2



CHSB17162



Single Station Wash Sinks With Right Drainboard

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 49-1/2" x 24" x 18".
- Bowl dimensions 18" x 20-1/2" x 10". Drainboard 30" x 20-1/2".
- 1/4" radius vertical and horizontal coved corners with 1-1/2" rolled rims.
- 8" high, full-length backsplash with 45-degree sloped top.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- Easy to clean and sanitize.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.

Wristblade faucet packages						
Model	List Price	Faucet*	Grid Drain	Holes		
ESS4924RW4C 🖁 🛇 ▼	\$4,972.00	•	•	2		
ESS4924RW6C 🖁 🛇 ▼	\$4,981.00	•	•	2		



*Includes faucet LK940GN08T4H.

Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
ESS4924RSACC 🕈 ▼	\$5,497.00			•	•	1
ESS4924RSACMC ℤ ▼	\$5,633.00	•		•	•	1
ESS4924RSACTMC ℤ ▼	\$5,811.00		•	•	•	1



ESS4924RSACC

*Includes LKB722C sensor faucet and AC/battery power.

Foot control package			
Model	List Price	Grid Drain	Holes
ESS4924RFC 🕈 ▼	\$5,960.00	•	1
ESS4924RFC ℤ ▼	\$5,960.00	•	1

Includes LK398C foot control and LK395A spout.

a	1	
1		
Ţ	-	
	EN.	
	17	
	99	

0

ESS4924RFC

Knee control package				
Model	List Price	Grid Drain	Holes	
ESS4924RKC 🕈 ▼	\$6,349.00	•	1	

Includes LK397C knee control and LK395A spout.



ESS4924RKC



Single Station Wash Sinks With Right Drainboard

Sink only		
Model	List Price	Holes
ESS4924R1 🕈	\$4,570.00	1
ESS4924R2 🖁 ⊗	\$4,570.00	2



ESS4924R2

Sink only without backsplash			
Model	List Price		
ESS4220R	\$3,612.00		





Multiple Station Wash Sinks

- 14-gauge, Type 304 stainless steel.
- 1/4" coved corners.
- 1-1/2" wide inward sloping top channel rims with 2" flat apron.
- 10" high, full-length backsplash.
- Square rim corners.
- 3-1/2" drain opening.
- Exposed surfaces are blended by hand to a uniform Lustrous finish.
- Furnished with wall hanger and stainless steel support brackets.

48" two station wash sinks				
Model	List Price	Holes		
EWMA48202	\$3,602.00	2		
EWMA48204	\$3,602.00	4		



Sink dimensions 48" x 20" x 25-3/4". Bowl dimensions 45" x 16-1/2" x 8".

EWMA48204

48" two station wash sinks with wristblade faucet package								
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes		
EWMA4820C ▼	\$4,316.00			•		4		
EWMA4820SACC ▼	\$5,373.00			•	•	1		
EWMA4820SACMC 🔻	\$5,644.00	•		•	•	1		
EWMA4820SACTMC ▼	\$6,002.00		•	•	•	1		



EWMA4820C

*Includes two LK940GN05T4H faucets and one LK18B drain.

60" three station wash sinks					
Model	List Price	Holes			
EWMA60203	\$3,932.00	3			
EWMA60206	\$3,932.00	6			
C' : : CON 201 25 2/41 P					



Sink dimensions 60" x 20" x 25-3/4". Bowl dimensions 57" x 16-1/2" x 8".

EWMA60203

60" three station wash sinks with wristblade faucet package								
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes		
EWMA6020C 🔻	\$4,962.00			•		6		
EWMA6020SACMC ▼	\$7,142.00	•		•	•	1		
EWMA6020SACTMC ▼	\$7,678.00		•	•	•	1		



EWMA6020C

*Includes three LK940GN05T4H faucets and one LK18B drain.

60" three station wash sinks with sensor faucet package						
Model	List Price	Faucet*	Grid Drain	Holes		
EWMA6020SACC V	\$6,734.00	•	•	1		

*Includes three LKB722 sensor faucets, AC/battery power and one LK18B drain.



EWMA6020SACTMC

ELKAY.

Multiple Station Wash Sinks

72" three station wash sinks					
List Price	Holes				
\$4,263.00	3				
\$4,263.00	6				
	List Price \$4,263.00				

Sink dimensions 72" x 20" x 25-3/4". Bowl dimensions 69" x 16-1/2" x 8".

72" three station wash sinks with wristblade faucet package					
Model	List Price	Faucet*	Holes		
EWMA7220C ▼	\$5,293.00	•	6		



EWMA72206

*Includes three LK940GN05T4H faucets and one LK18B drain.

72" three station wash sinks with sensor faucet packages							
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes	
EWMA7220SACC ▼	\$7,064.00			•	•	1	
EWMA7220SACMC ▼	\$7,474.00	•		•	•	1	
EWMA7220SACTMC ▼	\$8,008.00		•	•	•	1	



EWMA7220SACC

*Includes three LKB722 sensor faucets, AC/battery power and one LK18B drain.

96" four station wash sinks				
Model	el List Price Hole			
EWMA96204	\$5,022.00	4		
EWMA96208	\$5,022.00	8		

Sink dimensions 96" x 20" x 25-3/4". Bowl dimensions 93" x 16-1/2" x 8".

96" four station wash sinks with wristblade faucet package					
Model	List Price	Faucet*	Holes		
EWMA9620C ▼	\$6,367.00	•	8		
the short as farme LKOAOCNOETALL farmante and an a LKAOD sharing					

*Includes four LK940GN05T4H faucets and one LK18B drain.



EWMA96204

EWMA9620C

96" four station wash sinks with sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes	
EWMA9620SACC V	\$8,686.00			•	•	1	
EWMA9620SACMC 🔻	\$9,230.00	•		•	•	1	
EWMA9620SACTMC V	\$9,942.00		•	•	•	4	



EWMA9620SACC

*Includes four LKB722 sensor faucets, AC/battery power, and one LK18B drain.



Knee Operated Wash Sinks

- 16-gauge, Type 304 stainless steel.
- Knee-operated water and soap push panels.
- Exposed surfaces are polished to a Satin finish.
- Latched front panel.
- User-adjustable water temperature valve.
- Full-length backsplash.
- 3-1/2" drain opening.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.

-			
Overall Length	Overall Width	Bowl Length	Bowl Width
30"	23"	26"	16-1/4"
	Length 30"	Length Width 30" 23"	LengthWidthLength30"23"26"

Includes LK394A spout and LK18B drain.



EWSF13026KWSC

Single compartment with knee operated water						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF13026KWC 💈	\$9,608.00	30"	23"	26"	16-1/4"	
Includes K394A spout	and LK18B dra	in				

Includes LK394A spout and LK18B drain.

Double compartment with knee operated soap and water								
Model	List Price Overall Overall Bowl Length Width Length							
EWSF26026KWC 💈	\$11,739.00	60"	23"	26"	16-1/4"			
la alcala a true 11/2011 av		1/100 1 .						

Includes two LK394A spouts and two LK18B drains.

Double compartment with knee operated water							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF26026KWSC 💈	List Price Overall Overall Bowl				16-1/4"		

Includes two LK394A spouts and two LK18B drains.

Triple compartment with knee operated soap and water							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF39026KWC 💈	\$13,860.00	90"	23"	28"	16-1/4"		
la alcola a thus a LK2044							

Includes three LK394A spouts and three LK18B drains.

Triple compartment with knee operated water							
Model	List Price Overall Overall Bowl Length Width Length						
EWSF39026KWSC 💈	\$15,435.00	90"	23"	28"	16-1/4"		

Includes three LK394A spouts and three LK18B drains.



EWSF26026KWC

EWSF39026KWC

ELKAY

Sensor-Operated Wash Sinks

- 16-gauge, Type 304 stainless steel.
- Keyed access door(s) to hide plumbing.
- 4" high, full-length backsplash.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Coved corners.
- Wall hanger.
- Full enclosure.
- Exposed surfaces are polished to a uniform Lustrous finish.
- 3-1/2" drain opening.
- Double and triple compartment models include removable clear acrylic partitions.

ADA compliant single compartment sink

List Price

\$7,878.00

Model

EWSFAD136201

Single compartment sensor faucet package								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF13026SACC ▼	\$6,880.00	30"	23"	26"	16-1/4"			
	6							

Includes LKB721C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain.



EWSF13026SACC

ADA compliant sing	le compartn	nent senso	or faucet p	ackage	Ġ.
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EWSFAD13620SACC ▼	\$8,784.00	33"	16-13/16"	33"	16-1/2"

Includes LKB722C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain.

Single compartmen	t sink				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EWSF130261	\$5,531.00	30"	23"	26"	16-1/4"

Overall

Length

33"

3

Overall

Width

16-13/16"

Bowl

Length

33"

Bowl

Width

16-1/2"



EWSFAD13620SACC

EWSF130261



EWSFAD136201



ELKAY

SCRUB AND HAND WASH

Sensor-Operated Wash Sinks

Double compartme	list Price				
Model	List Price				Bowl Width
EWSF26026SACC ▼	\$8,924.00	60"	23"	28"	16-1/4"



EWSF26026SACC

Double compartme	Double compartment sink								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
EWSF260262	\$6,233.00	60"	23"	28"	16-1/4"				

Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains.

Triple compartment sensor faucet package							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF39026SACC ▼	\$11,521.00	90"	23"	28"	16-1/4"		


Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains.

Triple compartmen	t sink				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EWSF390263	\$7,485.00	90"	23"	28"	16-1/4"



EWSF39026SACC

EWSF390263



EWSF260262

ELKAY

Wall Service Sinks

- 14-gauge, Type 304 stainless steel.
- 1-3/4" coved corners.
- 1-1/2" rolled rims.
- 12" high, full-length backsplash.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.

Cross arm faucet packages									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
ESS2118C ▼	\$2,633.00	21"	17-1/2"	18"	14"				
ESS2319C ▼	\$2,647.00	23"	18-1/2"	20"	15"				
ESS2520C ▼	\$2,779.00	25"	19-1/2"	22"	16"				

Includes faucet LK69C.

Lever Faucet Packages									
Model List Price Overall Overall Bowl Bowl Model List Price Length Width Length Width									
ESSB2118C ▼ \$2,741.00 21" 17-1/2" 18" 14"									
Includes fauset LK040D									

Includes faucet LK940BR03L2H.

ESSB Lever faucet packages										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
ESSB2319C ▼	\$2,756.00	23"	18-1/2"	20"	15"					
ESSB2520C ▼ \$2,888.00 25" 19-1/2" 22" 16"										
La alvala a favorat LIZO 40D	0001011									

Includes faucet LK940BR03L2H.

ESSW Lever faucet packages										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
ESSW2118C ▼	\$2,687.00	21"	17-1/2"	18"	14"					
ESSW2319C ▼	\$2,805.00	23"	18-1/2"	20"	15"					
ESSW2520C ▼	\$2,833.00	25"	19-1/2"	22"	16"					

Includes faucet LKB940C.



ESS2520C



ESSB2520C



ESSB2520C



ESSW2319C





Wall Service Sinks

Sink only					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
ESS21182	\$2,063.00	21"	17-1/2"	18"	14"
ESS23192	\$2,077.00	23"	18-1/2"	20"	15"
ESS25202	\$2,208.00	25"	19-1/2"	22"	16"



ESS23192

Floor Service Sinks

- 16-gauge, Type 304 stainless steel.
- Eliminates high lifting of heavy containers.
- Fits into closet corners and limited work spaces.
- 1-3/4" coved corners.
- Apron on three sides.
- Top has 5/32" raised rims.
- Exposed surfaces are polished to a Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with wall hanger.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EFS2523C	\$2,168.00	25"	23"	20-1/16"	17-15/16"
EFS3321C	\$2,296.00	33"	21"	28"	16"



EFS2523C

Back And Side Panels For Floor Service Sinks

- For use on EFS model floor sinks.
- 18-gauge, Type 304 stainless steel.
- 1/2" returns on all sides.
- Furnished with concealed wall hangers.
- Protects walls from splashing.
- Easy to clean and sanitize.

Model	List Price	Overall Length	Overall Width	
EFSBP25	\$238.00	25"	12"	
EFSBP33 💈	\$290.00	33"	12"	
EFSSP21 🕈	\$207.00	20-3/8"	12"	
EFSSP23	\$221.00	22-3/8"	12"	

EFSBP33



ELKAY.


EFS3321C

EFSBP25



Sturdibilt Scullery Sinks

- 14-gauge, Type 304 stainless steel.
- Square corner welded compartment construction.
- Distinctive channel rim design with 2" apron minimizes spillover.
- 14" deep compartments.
- 8" high, full-length backsplash with 45-degree slope to resist grime.
- Sink compartments pitched to drain.
- 3-1/2" drain opening.
- Sink polished to a uniform Lustrous Satin finish.
- Sink supported on (4) LK251 stainless steel adjustable tubular legs.
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet.



Optional Accessories

SSD24 24" Detachable Drainboard \$974.00

Single compartment - no drainboard										
Model	Overall Width	Bowl Length	Bowl Width							
SS81242	\$2,582.00	27"	27-1/2"	24"	24"					
SS81302	\$2,682.00	33"	27-1/2"	30"	24"					
SS81362	\$2,890.00 39" 27-1/2" 36"									



SS81242


Single compartment - left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8124L2	\$3,633.00	49-1/2"	27-1/2"	24"	24"	24"			
SS8130L2 💈 🛇	\$3,734.00	55-1/2"	27-1/2"	30"	24"	24"			
SS8136L2 ⅔ ⊗	\$3,960.00	61-1/2"	27-1/2"	36"	24"	24"			

Single compartment - right drainboard Overall Overall Bowl Bowl Model **List Price** Drainboard Length Width Length Width SS8124R2 \$3,633.00 24" 49-1/2" 27-1/2" 24" 24" SS8130R2 💈 🛇 \$3,734.00 55-1/2" 27-1/2" 30" 24" 24" SS8136R2 💈 🛇 \$3,960.00 61-1/2" 27-1/2" 36" 24" 24"





SS8124R2





ELKAY.

Sturdibilt Scullery Sinks

Double compartment - no drainboard										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
SS82302 💈	\$3,421.00	33"	27-1/2"	15"	24"					
SS82362 🕈	\$3,646.00	39"	27-1/2"	18"	24"					
SS82422 💈	\$3,871.00	45"	27-1/2"	21"	24"					
SS82482 🕈	\$4,115.00	51"	27-1/2"	24"	24"					
SS82542 💈 🛇	\$4,410.00	57"	27-1/2"	27"	24"					
SS82602 💈	\$4,687.00	63"	27-1/2"	30"	24"					



Double compartment - left drainboard										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
SS8230L2 💈	\$4,499.00	55-1/2"	27-1/2"	15"	24"	24"				
SS8236L2 🖁	\$4,725.00	61-1/2"	27-1/2"	18"	24"	24"				
SS8248L2 ⅔ ⊗	\$5,174.00	73-1/2"	27-1/2"	24"	24"	24"				
SS8254L2 💈 🛇	\$5,453.00	79-1/2"	27-1/2"	27"	24"	24"				
SS8260L2 💈 🛇	\$5,731.00	85-1/2"	27-1/2"	30"	24"	24"				

Double compartment - right drainboard										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
SS8230R2 💈 🛇	\$4,499.00	55-1/2"	27-1/2"	15"	24"	24"				
SS8236R2 💈	\$4,725.00	61-1/2"	27-1/2"	18"	24"	24"				
SS8248R2 💈	\$5,174.00	73-1/2"	27-1/2"	24"	24"	24"				
SS8254R2 ⅔ ⊗	\$5,453.00	79-1/2"	27-1/2"	27"	24"	24"				
SS8260R2 💈 🛇	\$5,731.00	85-1/2"	27-1/2"	30"	24"	24"				

Double compartment - left and right drainboard										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
SS8230LR2 💈	\$5,543.00	78"	27-1/2"	15"	24"	24"				
SS8236LR2 💈	\$5,770.00	61-1/2"	27-1/2"	18"	24"	24"				
SS8248LR2 💈 🛇	\$6,222.00	96"	27-1/2"	24"	24"	24"				
SS8254LR2 ⅔ ⊗	\$6,502.00	102"	27-1/2"	27"	24"	24"				
SS8260LR2 💈 🛇	\$6,779.00	108"	27-1/2"	30"	24"	24"				

Triple compartment - no drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
SS83454 🕈	\$4,751.00	48"	27-1/2"	15"	24"				
SS83544 💈	\$5,171.00	57"	27-1/2"	18"	24"				
SS83604 💈 🛇	\$5,439.00	63"	27-1/2"	20"	24"				
SS83724 💈 🛇	\$5,983.00	75"	27-1/2"	24"	24"				





SS8248L2



SS8248R2



Commercial Sinks C-177

ELKAY

SERVICE AND UTILITY

Sturdibilt Scullery Sinks

Triple compartment - left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8345L4 🖁 🛇	\$5,826.00	70-1/2"	27-1/2"	15"	24"	24"			
SS8354L4 🖁 🛇	\$6,216.00	79-1/2"	27-1/2"	18"	24"	24"			
SS8372L4 🖁 🛇	\$7,032.00	97-1/2"	27-1/2"	24"	24"	24"			



SS8345L4

Triple compartment - right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8345R4 💈 🛇	\$5,826.00	70-1/2"	27-1/2"	15"	24"	24"			
SS8354R4 💈 🛇	\$6,216.00	79-1/2"	27-1/2"	18"	24"	24"			
SS8360LR4 🖁 ⊗	\$7,541.00	108"	27-1/2"	20"	24"	24"			
SS8372R4 💈 🛇	\$7,032.00	97-1/2"	27-1/2"	24"	24"	24"			



SS8345R4

Triple compartment - left and right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8345LR4 🕈	\$6,872.00	93"	27-1/2"	15"	24"	24"			
SS8354LR4 🖁 🛇	\$7,266.00	102"	27-1/2"	18"	24"	24"			
SS8372LR4 💈	\$8,068.00	120"	27-1/2"	24"	24"	24"			







Waste Fittings: For 3-1/2" Drain Openings (4-1/2" top diameter) 🛛 ち							
Model	Description	Image					
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	C					
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece						
LKADOS	Elkay 3-1/2" Drain Fitting Chrome Plated Brass Offset Tailpiece	N •					

Waste Fittings:	Waste Fittings: For 1-1/2" to 1-3/4" Drain Openings (For Lavatory sinks 2-1/4" top diameter) 🛛 💰							
Model	Description	Image						
LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	-						
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow							

ELKAY.

Dart Canyon Accessory							
Model	Description	Image					
CTXBG2513R	Elkay Dart Canyon Stainless Steel 24-1/2" x 13" x 4-3/8" Reversible Bottom Grid						
CTXBG2813R	Elkay Dart Canyon Stainless Steel 27-1/2" x 13" x 4-3/8" Reversible Bottom Grid						
CTXBG3113R	Elkay Dart Canyon Stainless Steel 30-1/2" x 13" x 4-3/8" Reversible Bottom Grid						
CTXC0712	Elkay Dart Canyon Stainless Steel 6-7/16" x 11-7/8" x 2-1/2" Colander						
CTXDC0606	Elkay Dart Canyon Stainless Steel 5-1/8" x 5-1/4" x 7/8" Bottom Grid Drain Cover						
LKC0722LSS	Elkay Dart Canyon Stainless Steel 6-7/16" x 21-1/2" x 2-1/2" Colander						
LKCB1223LWN	Elkay Dart Canyon Hardwood 12" x 22-1/2" x 1" Cutting Board						




LRAD291865PD



- •Dimensions: 29" x 18" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- •Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •33" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 29" x 18" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 16 lbs.





GENERAL USE SINKS





CuVerro Antimicrobial Copper Lavatory Sinks

- 18-gauge, CuVerro antimicrobial copper.
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours.
- Continuously reduces bacterial contamination.
- Supplements routine cleaning and sanitizing.
- Lustrous Satin finish.
- Aesthetically pleasing soft rose hue.
- Sink drain opening measures 1-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

Undermount

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH9-CU 💈	11-3/8"	11-3/8"	4-3/4"	9"	9"
ELUH12-CU 💈	14-3/8"	14-3/8"	6"	12"	12"
ELUH16-CU 💈	18-3/8"	18-3/8"	8"	16"	16"

Undermount with overflow								
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width			
ELUH12LV-CU 🕱	14-3/8"	14-3/8"	6"	12"	12"			
ELUH16LV-CU 🕱	18-3/8"	18-3/8"	8"	16"	16"			

Drop-in with overflow						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LLVR1916-CU	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3

ELUH9-CU



LLVR1916CS3-CU

CuVerro Antimicrobial Copper Drop-in Sinks

- 18-gauge, CuVerro antimicrobial copper.
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours.
- Continuously reduces bacterial contamination.
- Supplements routine cleaning and sanitizing.
- Lustrous Satin finish.

~ I I I

- Aesthetically pleasing soft rose hue.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.



LR13163-CU

DLR2022103-CU

Single bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1316-CU 💈	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LR1522-CU 💈	15"	22"	7-5/8"	11-1/2"	16"	1, 2, 3, MR2
LR1722-CU 💈	17"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
DLR172210-CU 💈	17"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
LR1918-CU 💈	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2, OS4
LR1919-CU 💈	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2, OS4
DLR191910-CU 💈	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2, OS4
LR2022-CU 💈	19-1/2"	22"	7-5/8"	16"	16"	1, 2, 3, MR2, OS4
DLR202210-CU 💈	19-1/2"	22"	10-1/8"	16"	16"	1, 2, 3, MR2, OS4
LR2219-CU 💈	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, 5, MR2
DLR221910-CU 💈	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, 5, MR2
LR2222-CU 💈	22"	22"	7-5/8"	19"	16"	1, 2, 3, 4, 5, MR2

Stainless Steel Undermount Sinks

- 18-gauge, Type 304 stainless steel.
- Lustrous Satin finish.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

Single bowl					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH1316	16"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH2115	23-1/2"	18-1/4"	7-1/2"	21"	15-3/4"
ELUH211510	23-1/2"	18-1/4"	10"	21"	15-3/4"
ELUH281610	30-1/2"	18-1/2"	10"	28"	16"





Double bowl					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH3118	30-3/4"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH311810	30-3/4"	18-1/2"	10"	13-1/2"	16"
ELUH3120L	31-1/4"	20-1/2"	9-7/8"	13-1/2"	16"
ELUH3120R	31-1/4"	20-1/2"	9-7/8"	14"	18"



ELUH3118



Hospitality sin	ks

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12	14-3/8"	14-3/8"	6"	12"	12"
ELUH12FB	14-3/8"	14-3/8"	6"	12"	12"
ELUH16	18-3/8"	18-3/8"	8"	16"	16"
ELUH16FB	18-3/8"	18-3/8"	8"	16"	16"





ELUH16FB

Lavatory sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12LV	14-3/8"	14-3/8"	6"	12"	12"
ELUH1511	18"	14"	6"	15-1/2"	11-3/8"
ELUH16LV	18-3/8"	18-3/8"	8"	16"	16"





ELUH1511

Stainless Steel Drop-in Sinks

- 18-gauge, Type 304 stainless steel. Lustrous Satin finish.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

Single bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1316	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LR1517	15"	17-1/2"	7-5/8"	12"	12"	1, 2, 3, MR2
DLR151710	15"	17-1/2"	10"	12"	12"	1, 2, 3, MR2
LR1716	17"	16"	7-5/8"	14"	10"	1, 2, 3, MR2
LR1720	17"	20"	7-5/8"	14"	14"	1, 2, 3, MR2
LR1918	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2
LR1919	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2
DLR191910	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2
LR2219	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, MR2
DLR221910	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, MR2
LR2522	25"	22"	8-1/8"	21"	15-3/4"	1, 2, 3, 4, MR2
DLR252212	25"	22"	12-1/8"	21"	15-3/4"	1, 2, 3, 4, MR2
DLR252210	25"	22"	10-3/8"	21"	15-3/4"	1, 2, 3, 4, MR2





DLR1919103

ELKAY

Double bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR3319	33"	19-1/2"	7-5/8"	14"	14"	1, 2, 3, 4, MR2
LR3321	33"	21-1/4"	7-7/8"	13-1/2"	16"	1, 2, 3, 4, MR2
LR3322	33"	22"	8-1/8"	13-1/2"	16"	1, 2, 3, 4, MR2
DLR332210	33"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, 4, MR2



Triple bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LTR4622	46"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, 4, 6
LTR542210	54"	22"	10-1/8"	16"	16"	1, 2, 3, 4, 6







LTR46226

LTR5422106

Stainless Steel Drop-in Specialty Sinks

- 16-gauge, Type 316 stainless steel.
- Buffed Satin finish.
- 1-3/16" flat rim with crimped edges.
- Drain opening measures 1-1/2".



Specialty sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
CUPR4	6-3/8"	6-3/8"	4"	4"	4"
CUPR5	7-3/8"	7-3/8"	4"	5"	5"
CUPR6	8-7/8"	8-7/8"	5"	6-1/2"	6-1/2"

Stainless Steel Drop-in Lavatory Sinks

- Type 304 stainless steel.
- Drain opening measures 1-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.



LLVR19163

RLLVR12

18 gauge sinks with Lustrous Satin finish

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
RLLVR12	14-3/8"	14-3/8"	6"	12"	12"	
LLVR1310	16"	12-1/2"	5-13/16"	13-5/8"	10-1/8"	
RLLVR16	18-3/8"	18-3/8"	8"	16"	16"	
LLVR19	19"	19"	7"	14"	14"	1, 2, 3, CS3
LLVR1916	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3



LLVR1310	RLLVR12					
20 gauge sink with	Brushed Satin fin	ish 👶				
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options



ELKAY.

Waste fittings for	or 3-1/2" drain openings (4-1/2" top diameter)	
Model	Description	Image
LK173	Elkay Adjustable P-Trap with Cast Iron Enameled Inside	
LK18	Elkay 3-1/2" Drain Nickel Plated Brass Body, Strainer and Tailpiece	
LK18B	Elkay 3-1/2" Drain Type 304 Stainless Steel Body, Strainer and Tailpiece	
LK2	Elkay 3-1/2" Drain with Rubber Stopper	03
LK20	Elkay 3-1/2" Drain with Removable 13" (11-1/2" assembled) Standpipe 13" Rubber Stopper	3
LK24RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with 1-1/2" OD Tailpiece	
LK25RT	Elkay 3-1/2 Drain Fitting Rotary Lever Operated with 2" OD Tailpiece	
LK27	Elkay 3-1/2" Drain Fitting Lever Operated	
LK335	Elkay 3-1/2" Drain Fitting Type 316 Stainless Steel Body, Strainer Basket with rubber seal and Tailpiece	
LK35	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK35B	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK372	Elkay 3-1/2" Drain Type 316 Stainless Steel Body, Strainer and Tailpiece	

ELKAY

LK86RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with Overflow	
LK87RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with Overflow	
LK99	Elkay Deluxe 3-1/2" Drain Type 304 Stainless Steel Body, Strainer Basket Rubber Seal and Tailpiece	
LK995	Elkay Deluxe 3-1/2" Drain with Satin Finish Type 304, Stainless Steel Body Strainer Basket Rubber Seal and Tailpiece	
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	V
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece	Z
LKVR18	Elkay 3-1/2"Drain Nickel Plated Brass Body, Vandal-resistant Strainer and Tailpiece	
LKVR18-CU	Elkay 3-1/2" Drain CuVerro Antimicrobial Copper Body, Vandal-resistant Strainer and Tailpiece	

For 2" - 2-3/8" drain opening		
Model	Description	Image
LK177	Elkay 2" Drain Fitting Chrome Plated Brass Beehive Strainer	
LK337	Elkay Drain Fitting 2" Type 316 Stainless Steel Body, Grid Strainer and Tailpiece	() ()
LK8	Elkay 2" Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Tailpiece	

ELKAY.

LK9

Elkay Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Brass Tailpiece



	u drain openings (for lavatory sinks 2-1/4" top diameter)	
Model	Description	Image
LK174	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	9
LK174-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	
LK174LO	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	
LK174LO-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	H
LK175	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with, Rubber Stopper Ring and Chain	()
LK290	Elkay 3-1/2" Drain Fitting Center Outlet for Triple Bowl Sinks with Offset Center Drain])_
LK52	Elkay Drain Fitting Center Outlet for Double Bowl Sinks	
LK53	Elkay Drain Fitting End Outlet for Double Bowl Sinks	
LK60	Elkay Drain Fitting Center Outlet for Triple Bowl Sinks with Aligned Drains	
LK76	Elkay Drain Fitting end Outlet for Triple Bowl Sinks with Aligned Drains	



1

Г

LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	N
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	

Т

Installation har	dware	
Model	Description	Image
LK350	Elkay Screwdriver with Extra Long 10-1/4" Shank	
LK363	Elkay Installation Extra Long Screws and Clips, set of 14	٩ ٩
LK364	Elkay Installation Extra Long Screws, set of 14	Î
LK463	Elkay Installation Hex Head Screws Hex Nuts, and Clips	
LKUCLIP8	Elkay Sink Installation Undermount Bracket Clips - set of 8	
LKUMSK25	Elkay Sink Installation Undermount Support Kit 25" Long Rails	and a second
LKUMSK36	Elkay Sink Installation Undermount Support Kit 36" Long Rails	A CARDON CONTRACTOR

Cleaner		
Model	Description	Image
LK34	Elkay Stainless Steel Sink Restoration Kit	

ELKAY.

For EFS floor sink		
Model	Description	Image
LK43	Elkay Drain Fitting 5-1/2" Stainless Steel Dome / Flat Grid Strainer	00

Miscellaneous		
Model	Description	Image
LK402	Elkay 36" Black Heavy Duty Rubber Hose with Standard Female Faucet Hose Connection on One End	\bigcirc
LK403	Elkay Mop Holder, 3 Station Wall Mount	ar ar ar
LK404	Elkay Stainless Steel Hose Hanger	
LK80 వ	Elkay Stainless Steel Soap Dish for Back / Wall Mounting, 3-1/2" x 6"	
SSD24 వ్	Elkay Sturdibilt 24" Detachable Drainboard	7





CLASSROOM SINKS










Lustertone Classic Classroom Sinks, Double Bowl

- 18-gauge, Type 304 stainless steel.
- 1-3/4" radius coved corners.
- Exposed surfaces are hand blended to a Lustrous Highlighted Satin finish.
- Recessed bowls and faucet deck.
- 5/32" raised rim.
- 3-1/2" drain opening on large bowl.
- 2" drain opening on small bowl.
- LRAD models comply with ADA requirements.

Sink kits include LKD2439C faucet, LK1141A bubbler, LK35 strainer, and LK8 drain fitting

Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	Hole Options	Additional Depths
DRKAD371755LC Ω	\$2,722.00*	37-1/4" x 17" x 5-1/2"	9-1/4" x 12" x 5-3/8"	16" x 11-1/2" x 3-1/2"	4	^
DRKAD371755RC Ω	\$2,722.00*	37-1/4" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4	^
DRKR3717RC	\$2,744.00	37-1/4" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4	







Lustertone Classic Double Ledge Sinks, Single Bowl

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer

Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD251755C Ω	\$1,954.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	4	^
DRKAD311955C $\otimes \Omega$	\$1,934.00*	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	4	^
DRKR2517C ⊗	\$1,859.00	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	4	
DRKR3119C ⊗	\$2,088.00	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	4	



DRKAD251755C

Sink kits include LKD2432C faucet, LK1141A bubbler, LKJ35 strainer							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options			
DRKRC2220C O	\$1,890.00	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4			



Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer, EWF172 water filter 🔥							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options			
DRKAD251765FC 🕈	\$2,076.00*	25" x 17" x 6-1/2"	16" x 13-1/2" x 6-3/8"	4			



Lustertone Classic Double Ledge Sinks, Single Bowl

Sink only									
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths				
DRKAD251755 Ω	\$832.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^				
DRKAD311955 Ω	\$1,045.00*	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^				
DRKR2517 Ω	\$793.00*	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	2, 2FRM, 2LM, 4, FR4	^				
DRKR3119 Ω	\$995.00*	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	2, 2FRM, 2LM, 4	^				





Lustertone Classic Rear and Side Ledge Sinks, Single Bowl

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer.								
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths			
DRKAD222055C Ω	\$1,973.00*	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	4	^			
DRKR2220C $\otimes \Omega$	\$1,736.00*	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4				



Sink only

Shik only					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD222055 Ω	\$851.00*	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKAD222055L Ω	\$851.00*	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	^
DRKAD222055R Ω	\$851.00*	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	^
DRKAD252255 Ω	\$991.00*	25" x 22" x 5-1/2"	16" x 19" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKAD252255L Ω	\$991.00*	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^
DRKAD252255R Ω	\$991.00*	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^
DRKR2220	\$811.00*	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	2, 2FRM, 2LM, 4	
DRKR2220L	\$826.00*	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4	
DRKR2220R	\$826.00*	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4	
DRKR2522	\$944.00*	25" x 22" x 7-5/8"	16" x 19" x 7-1/2"	2, 2LM, 4	
DRKR2522L	\$944.00*	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4	
DRKR2522R	\$944.00*	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4	





Lustertone Classic Single Ledge Sinks, Single Bowl

Sink only							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths		
DRKAD221755 Ω	\$769.00*	22" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	1, 2	^		
DRKR2217	\$732.00*	22" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	1, 2			



DRKAD2217552

ELKAY

Lustertone Classic Sink Sets

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer, LK8 drain fitting								
Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	Hole Options			
DRKR23417LC	\$2,667.00*	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4			
DRKR23417RC	\$2,667.00*	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4			
DRKR24119LC	\$2,917.00*	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4			
DRKR24119RC	\$2,917.00*	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4			





DRKR23417LC

DRKR24119RC

Sink only

Model	List Price	Overall Dimensions	Left Bowl	Right Bowl	Hole Options
			Dimensions	Dimensions	-
DRKAD2341755L4	\$1,512.00	34" x 17" x 5-1/2"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 5-3/8"	4
DRKAD2341755R4	\$1,512.00	34" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4
DRKR23417L4	\$1,454.00*	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4
DRKR23417R4	\$1,454.00*	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4
DRKR24119L4	\$1,697.00*	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4
DRKR24119R4	\$1,697.00*	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4





DRKR23417R4

DRKR24119L4



Lustertone Classic Triple Ledge Sinks, Single Bowl

Sink kit includes LKF413945RS faucet, LK1141A bubbler, LKAD35 strainer 💰								
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths			
DRKAD282255LC O	\$1,937.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	^			
DRKAD282255RC ⊗	\$1,937.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	٨			



DRKAD282255RC

Sink only 👶					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD282255	\$991.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	L, R	^





Celebrity Classroom Sinks

- 20-gauge, Type 304 stainless steel.
- 1-3/4" radius coved corners.
- Exposed surfaces polished to a Brushed Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 3-1/2" drain opening.
- Top has 5/32" raised rims.
- PSDKAD models comply with ADA requirements.

Sink kit includes LKD208513LC faucet, LK35 drain, LK1141A bubbler				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
PSDKR2517C	\$1,550.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2



Sink kit includes LKDVR208513LC faucet, LKVR18 drain, LKVR1141A bubbler				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
PSDKR2517VRC	\$1,640.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2



PSDKR2517VRC

Sink only				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
PSDKAD251755	\$656.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2LM, 4
PSDKR2517	\$623.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2, 2LM, 4





Celebrity Classroom Sinks

- 20-gauge, Type 304 stainless steel.
- 3" corner radius
- Exposed surfaces polished to a Brushed Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 3-1/2" drain opening.
- Top has 5/32" raised rims.
- CDKAD models comply with ADA requirements.

Sink kit include	Sink kit includes LKD208513LC faucet, LK35 drain, LK1141A bubbler				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	
CDKAD251765C	\$1,449.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2	
CDKR2517C	\$1,426.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2	



Sink kit includes LKDVR208513LC faucet, LKVR18 drain, LKVR1141A bubbler				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
CDKAD2517VRC	\$1,539.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2
CDKR2517VRC	\$1,515.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2



CDKAD2517VRC

Sink kit includes LKD20858C faucet, LKJ35 drain, LK1141A bubbler				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
CDKRC2517C	\$1,288.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2





Celebrity Classroom Sinks

Sink only				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
CDKAD251765	\$526.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2, 2LM, 4
CDKR2517	\$503.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2, 2LM, 4








FAUCETS



3" - 8" Adjustable Centers Wall Mount Faucet

- Available with arc tube, double swing, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets with 2" offset.



don]
LK945AT12L2T	

L2 2" lever handle

T4 4" wristblade handle

T6 6" wristblade handle

LK945 with double swing spout 🔥					
Model	Spout Type	Handle Type			
LK945DS20L2T	19-1/2" Double Swing	2" Lever Handle			
LK945DS20T4T	19-1/2" Double Swing	4" Wristblade Handle			
LK945DS20T6T	19-1/2" Double Swing	6" Wristblade Handle			

LK945 with gooseneck spout 🛛 👶				
Model	Spout Type	Handle Type		
LK945GN04L2T	3-5/8" Gooseneck	2" Lever Handle		
LK945GN04T4T	3-5/8" Gooseneck	4" Wristblade Handle		
LK945GN04T6T	3-5/8" Gooseneck	6" Wristblade Handle		
LK945GN05L2T	5-1/8" Gooseneck	2" Lever Handle		
LK945GN05T4T	5-1/8" Gooseneck	4" Wristblade Handle		
LK945GN05T6T	5-1/8" Gooseneck	6" Wristblade Handle		
LK945GN08L2T	8" Gooseneck	2" Lever Handle		
LK945GN08T4T	8" Gooseneck	4" Wristblade Handle		
LK945GN08T6T	8" Gooseneck	6" Wristblade Handle		



LK945DS20T6T

LK945GN08T4T

ELKAY.

LK945 with high arc spout 🔥				
Model	Spout Type	Handle Type		
LK945HA08L2T	8" High Arc	2" Lever Handle		
LK945HA08T4T	8" High Arc	4" Wristblade Handle		
LK945HA08T6T	8" High Arc	6" Wristblade Handle		
LK945HA10L2T	10" High Arc	2" Lever Handle		
LK945HA10T4T	10" High Arc	4" Wristblade Handle		
LK945HA10T6T	10" High Arc	6" Wristblade Handle		






LK945 with tube spout 🔥				
Model	Spout Type	Handle Type		
LK945TS08L2T	8" Tube Spout	2" Lever Handle		
LK945TS08T4T	8" Tube Spout	4" Wristblade Handle		
LK945TS08T6T	8" Tube Spout	6" Wristblade Handle		

8" Centerset Wall Mount Faucet

- Available with arc tube, double swing, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM insert included.
- Chrome finish.

. .

- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with arc tube	spout 🖏		
Model	Spout Type	Handle Type	Shut-off Valve
LK940AT08L2H	8" Arc Tube	2" Lever Handle	
LK940AT08L2S	8" Arc Tube	2" Lever Handle	•
LK940AT08T4H	8" Arc Tube	4" Wristblade Handle	
LK940AT08T4S	8" Arc Tube	4" Wristblade Handle	•
LK940AT08T6H	8" Arc Tube	6" Wristblade Handle	
LK940AT08T6S	8" Arc Tube	6" Wristblade Handle	•
LK940AT10L2H	10" Arc Tube	2" Lever Handle	
LK940AT10L2S	10" Arc Tube	2" Lever Handle	•
LK940AT10T4H	10" Arc Tube	4" Wristblade Handle	
LK940AT10T4S	10" Arc Tube	4" Wristblade Handle	•
LK940AT10T6H	10" Arc Tube	6" Wristblade Handle	
LK940AT10T6S	10" Arc Tube	6" Wristblade Handle	•
LK940AT12L2H	12" Arc Tube	2" Lever Handle	
LK940AT12L2S	12" Arc Tube	2" Lever Handle	•
LK940AT12T4H	12" Arc Tube	4" Wristblade Handle	
LK940AT12T4S	12" Arc Tube	4" Wristblade Handle	•
LK940AT12T6H	12" Arc Tube	6" Wristblade Handle	
LK940AT12T6S	12" Arc Tube	6" Wristblade Handle	•
LK940AT14L2H	14" Arc Tube	2" Lever Handle	
LK940AT14L2S	14" Arc Tube	2" Lever Handle	•
LK940AT14T4H	14" Arc Tube	4" Wristblade Handle	
LK940AT14T4S	14" Arc Tube	4" Wristblade Handle	•
LK940AT14T6H	14" Arc Tube	6" Wristblade Handle	
LK940AT14T6S	14" Arc Tube	6" Wristblade Handle	•



LK940 with double swing spout 👶			
Model	Spout Type	Handle Type	Shut-off Valve
LK940DS20L2H	19-1/2" Double Swing	2" Lever Handle	
LK940DS20L2S	19-1/2" Double Swing	2" Lever Handle	•
LK940DS20T4H	19-1/2" Double Swing	4" Wristblade Handle	
LK940DS20T4S	19-1/2" Double Swing	4" Wristblade Handle	•
LK940DS20T6H	19-1/2" Double Swing	6" Wristblade Handle	
LK940DS20T6S	19-1/2" Double Swing	6" Wristblade Handle	•



LK940DS20L2H

LK940 with high arc s	pout 💰		
Model	Spout Type	Handle Type	Shut-off Valve
LK940HA08L2H	8" High Arc	2" Lever Handle	
LK940HA08L2S	8" High Arc	2" Lever Handle	•
LK940HA08T4H	8" High Arc	4" Wristblade Handle	
LK940HA08T4S	8" High Arc	4" Wristblade Handle	•
LK940HA08T6H	8" High Arc	6" Wristblade Handle	
LK940HA08T6S	8" High Arc	6" Wristblade Handle	•
LK940HA10L2H	10" High Arc	2" Lever Handle	
LK940HA10L2S	10" High Arc	2" Lever Handle	•
LK940HA10T4H	10" High Arc	4" Wristblade Handle	
LK940HA10T4S	10" High Arc	4" Wristblade Handle	•
LK940HA10T6H	10" High Arc	6" Wristblade Handle	
LK940HA10T6S	10" High Arc	6" Wristblade Handle	•



ELKAY.

LK940 with tube spout 🔥			
Model	Spout Type	Handle Type	Shut-off Valve
LK940TS08L2H	8" Tube Spout	2" Lever Handle	
LK940TS08L2S	8" Tube Spout	2" Lever Handle	•
LK940TS08T4H	8" Tube Spout	4" Wristblade Handle	
LK940TS08T4S	8" Tube Spout	4" Wristblade Handle	•
LK940TS08T6H	8" Tube Spout	6" Wristblade Handle	
LK940TS08T6S	8" Tube Spout	6" Wristblade Handle	•



8" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK810 with arc tube spout 👶		
Model	Spout Type	Handle Type
LK810AT08L2	8" Arc Tube	2" Lever Handle
LK810AT08T4	8" Arc Tube	4" Wristblade Handle
LK810AT08T6	8" Arc Tube	6" Wristblade Handle
LK810AT10L2	10" Arc Tube	2" Lever Handle
LK810AT10T4	10" Arc Tube	4" Wristblade Handle
LK810AT10T6	10" Arc Tube	6" Wristblade Handle
LK810AT12L2	12" Arc Tube	2" Lever Handle
LK810AT12T4	12" Arc Tube	4" Wristblade Handle
LK810AT12T6	12" Arc Tube	6" Wristblade Handle
LK810AT14L2	14" Arc Tube	2" Lever Handle
LK810AT14T4	14" Arc Tube	4" Wristblade Handle
LK810AT14T6	14" Arc Tube	6" Wristblade Handle



LK810 with 8" arc tu	ube spout with side spray 🛛 🔥		
Model	Spout Type	Handle Type	Side Spray
LK811AT08L2	8" Arc Tube	2" Lever Handle	•



LK810 with gooseneck spout 🔥		
Model	Spout Type	Handle Type
LK810GN04L2	3-5/8" Gooseneck	2" Lever Handle
LK810GN04T4	3-5/8" Gooseneck	4" Wristblade Handle
LK810GN04T6	3-5/8" Gooseneck	6" Wristblade Handle
LK810GN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810GN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810GN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810GN08L2	8" Gooseneck	2" Lever Handle
LK810GN08T4	8" Gooseneck	4" Wristblade Handle
LK810GN08T6	8" Gooseneck	6" Wristblade Handle



ELKAY.

LK810 with laminar flow gooseneck spout 🔥		
Model	Spout Type	Handle Type
LK810LGN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810LGN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810LGN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810LGN08L2	8" Gooseneck	2" Lever Handle
LK810LGN08T4	8" Gooseneck	4" Wristblade Handle
LK810LGN08T6	8" Gooseneck	6" Wristblade Handle



LK810LGN05L2

LK810 with high arc spout \delta		
Model	Spout Type	Handle Type
LK810HA08L2	8" High Arc	2" Lever Handle
LK810HA08T4	8" High Arc	4" Wristblade Handle
LK810HA08T6	8" High Arc	6" Wristblade Handle
LK810HA10L2	10" High Arc	2" Lever Handle
LK810HA10T4	10" High Arc	4" Wristblade Handle
LK810HA10T6	10" High Arc	6" Wristblade Handle



LK810 with tube spout 🔥		
Model	Spout Type	Handle Type
LK810TS08L2	8" Tube Spout	2" Lever Handle
LK810TS08T4	8" Tube Spout	4" Wristblade Handle
LK810TS08T6	8" Tube Spout	6" Wristblade Handle



8" Centerset Wall Mount Faucet With Flexible Stainless Steel Hose

- 2" Lever Handles
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.6 GPM spray head; 1.2 GPM spray head on Low Flow Models
- Chrome finish.
- 44" flexible stainless steel hose; 60" hose on LK960 models
- Insulated handle.
- Spouts come with 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included.

LK543		
Model	Spout Type	Handle Type
LK543C	30" Flexible Spout	Lever Handle
LK543LC	30" Flexible Spout	Lever Handle

LK543 with arc tube spout		
Model	Spout Type	Handle Type
LK543AF08C	30" Flexible Spout	Lever Handle
LK543AF10C	30" Flexible Spout	Lever Handle
LK543AF12C	30" Flexible Spout	Lever Handle
LK543AF14C	30" Flexible Spout	Lever Handle

LK543 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK543AF08LC	30" Flexible Spout	Lever Handle
LK543AF10LC	30" Flexible Spout	Lever Handle
LK543AF12LC	30" Flexible Spout	Lever Handle
LK543AF14LC	30" Flexible Spout	Lever Handle

LK843		
Model	Spout Type	Handle Type
LK843C	30" Flexible Spout	Lever Handle
LK843LC	30" Flexible Spout	Lever Handle









LK543AF08LC



Commerci	al Faucets	C-21

LK843 with arc tube spout		
Model	Spout Type	Handle Type
LK843AF08C	30" Flexible Spout	Lever Handle
LK843AF10C	30" Flexible Spout	Lever Handle
LK843AF12C	30" Flexible Spout	Lever Handle
LK843AF14C	30" Flexible Spout	Lever Handle

LK843 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK843AF08LC	30" Flexible Spout	Lever Handle
LK843AF10LC	30" Flexible Spout	Lever Handle
LK843AF12LC	30" Flexible Spout	Lever Handle
LK843AF14LC	30" Flexible Spout	Lever Handle

LK943		
Model	Spout Type	Handle Type
LK943C	30" Flexible Spout	Lever Handle
LK943LC	30" Flexible Spout	Lever Handle

LK943 with arc tube spout		
Model	Spout Type	Handle Type
LK943AF08C	30" Flexible Spout	Lever Handle
LK943AF10C	30" Flexible Spout	Lever Handle
LK943AF12C	30" Flexible Spout	Lever Handle
LK943AF14C	30" Flexible Spout	Lever Handle

LK943 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK943AF08LC	30" Flexible Spout	Lever Handle
LK943AF10LC	30" Flexible Spout	Lever Handle
LK943AF12LC	30" Flexible Spout	Lever Handle
LK943AF14LC	14" Flexible Spout	Lever Handle

LK960 with arc tube spout		
Model	Spout Type	Handle Type
LK960AF08C	30" Flexible Spout	Lever Handle
LK960AF10C	30" Flexible Spout	Lever Handle
LK960AF12C	30" Flexible Spout	Lever Handle
LK960AF14C	30" Flexible Spout	Lever Handle



LK943AF08LC

LK943AF08C 4







LK843AF10C

ELKAY

LK960 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK960AF08LC	30" Flexible Spout	Lever Handle
LK960AF10LC	30" Flexible Spout	Lever Handle
LK960AF12LC	30" Flexible Spout	Lever Handle
LK960AF14LC	30" Flexible Spout	Lever Handle



Metered, Deck Mount Faucet

- Self-closing metering ceramic cartridge.
- Polished chrome finish
- Solid brass construction.
- Vandal-resistant aerator with key.
- .5 GPM / 8.3L / min at 60 P.S.I.G.
- 0.25 gal / cycle max.

Cast fixed spout LK651 🔥		
Model	Spout Type	Handle Type
LK651	5" Fixed Spout	Push Button



Cast fixed spout LK652 🔥		
Model	Spout Type	Handle Type
LK652	4-1/8" Fixed Spout	Push Button

Cast fixed spout LK654 🔥		
Model	Spout Type	Handle Type
LK654	4-1/8" Fixed Spout	Push Button

Cast fixed spout LK656 🔥		
Model	Spout Type	Handle Type
LK656	4" Fixed Spout	Push Button



LK652







8" Centerset With Concealed Deck Faucet

- Cast fixed spout.
- 2" lever handle.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- .5 GPM aerator standard.
- Chrome finish.
- Adjustable mounting up to 8" spread.

Executive lavatory faucet 💰		
Model	Spout Type	Handle Type
LK804F	5-5/16" Fixed Spout	Lever Handle

Single Hole Wall Mount Faucet

- Cross arm handle
- Chrome plated brass.
- 1/2" NPT female inlets.

Chrome faucet with hose end		
Model	Spout Type	Handle Type
LK69CH	3-3/16" Fixed Spout	Cross Handle











Chrome faucet with plain end		
Model	Spout Type	Handle Type
LK69CP	3-3/16" Fixed Spout	Cross Handle

One pair chrome faucets		
Model	Spout Type	Handle Type
LK69C	3-3/16" Fixed Spout	Cross Handle

Commercial Faucets C-219







Electronic Deck Mount Faucet

- Adjustable hot and cold operation.
- Dual power (AC/battery).
- Adjustable sensor range.
- .5 GPM laminar flow aerator.
- Chrome plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay.
- Adjustable time-out feature.





LKB736C

Cast fixed spout	5	
Model	Spout Type	Handle Type
LKB736C	4-3/4" Fixed Spout	Sensor Operated (Hands Free)
LKB737C	5-1/16" Fixed Spout	Sensor Operated (Hands Free)

Electronic Deck Mount Faucet

- Dual power (AC/battery).
- Adjustable sensor range.
- .5 GPM laminar flow aerator.
- Chrome plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay.
- Adjustable time-out feature.



Cast fixed spout	5	
Model	Spout Type	Handle Type
LKB738C	5-13/16" Fixed Spout	Sensor Operated (Hands Free)

Electronic, Deck and Wall Mount Faucet

- Dual power (AC/battery).
- Gooseneck spout.
- Adjustable sensor range.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay
- Adjustable time-out feature.
- 1.5 GPM flow.

Deck mount - chrome plated finish 🔥		
Model	Spout Type	Handle Type
LKB721C	5-5/8" Gooseneck	Sensor Operated (Hands Free)



Deck mount - soft rose blush finish with CuVerro antimicrobial copper		
Model	Spout Type	Handle Type
LKB721CNC	5-5/8" Gooseneck	Sensor Operated (Hands Free)





Wall mount - chrome finish 🔥		
Model	Spout Type	Handle Type
LKB722C	7-1/2" Fixed Spout	Sensor Operated (Hands Free)

4" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK406 with arc tube spout 🔥		
Model	Spout Type	Handle Type
LK406AT08L2	8" Arc Tube	2" Lever Handle
LK406AT08T4	8" Arc Tube	4" Wristblade Handle
LK406AT08T6	8" Arc Tube	6" Wristblade Handle
LK406AT10L2	10" Arc Tube	2" Lever Handle
LK406AT10T4	10" Arc Tube	4" Wristblade Handle
LK406AT10T6	10" Arc Tube	6" Wristblade Handle
LK406AT12L2	12" Arc Tube	2" Lever Handle
LK406AT12T4	12" Arc Tube	4" Wristblade Handle
LK406AT12T6	12" Arc Tube	6" Wristblade Handle
LK406AT14L2	14" Arc Tube	2" Lever Handle
LK406AT14T4	14" Arc Tube	4" Wristblade Handle
LK406AT14T6	14" Arc Tube	6" Wristblade Handle



LK406 with gooseneck spout 👶			
Model	Spout Type	Handle Type	
LK406GN04L2	4" Gooseneck	2" Lever Handle	
LK406GN04T4	4" Gooseneck	4" Wristblade Handle	
LK406GN04T6	4" Gooseneck	6" Wristblade Handle	
LK406GN05L2	5" Gooseneck	2" Lever Handle	
LK406GN05T4	5" Gooseneck	4" Wristblade Handle	
LK406GN05T6	5" Gooseneck	6" Wristblade Handle	
LK406GN08L2	8" Gooseneck	2" Lever Handle	
LK406GN08T4	8" Gooseneck	4" Wristblade Handle	
LK406GN08T6	8" Gooseneck	6" Wristblade Handle	



LK406 with high arc spout 🛛 🕭		
Model	Spout Type	Handle Type
LK406HA08L2	8" High Arc	2" Lever Handle
LK406HA08T4	8" High Arc	4" Wristblade Handle
LK406HA08T6	8" High Arc	6" Wristblade Handle
LK406HA10L2	10" High Arc	2" Lever Handle
LK406HA10T4	10" High Arc	4" Wristblade Handle
LK406HA10T6	10" High Arc	6" Wristblade Handle



E	K	Δ	Y

LK406 with laminar flow gooseneck spout 🛛 💰			
Model	Spout Type	Handle Type	
LK406LGN05L2	5" Gooseneck	2" Lever Handle	
LK406LGN05T4	5" Gooseneck	4" Wristblade Handle	
LK406LGN05T6	5" Gooseneck	6" Wristblade Handle	
LK406LGN08L2	8" Gooseneck	2" Lever Handle	
LK406LGN08T4	8" Gooseneck	4" Wristblade Handle	
LK406LGN08T6	8" Gooseneck	6" Wristblade Handle	

LK406 with tube spe	out 💰	
Model	Spout Type	Handle Type
LK406TS08L2	8" Tube Spout	2" Lever Handle
LK406TS08T4	8" Tube Spout	4" Wristblade Handle
LK406TS08T6	8" Tube Spout	6" Wristblade Handle



LK406TS08L2

Single Hole With Concealed Deck Faucet

- Available with arc tube, gooseneck, or high arc spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Dual control.

LK500 with arc tube spout \delta			
Model	Spout Type	Handle Type	
LK500AT08L2	8" Arc Tube	2" Lever Handle	
LK500AT08T4	8" Arc Tube	4" Wristblade Handle	
LK500AT08T6	8" Arc Tube	6" Wristblade Handle	
LK500AT10L2	10" Arc Tube	2" Lever Handle	
LK500AT10T4	10" Arc Tube	4" Wristblade Handle	
LK500AT10T6	10" Arc Tube	6" Wristblade Handle	
LK500AT12L2	12" Arc Tube	2" Lever Handle	
LK500AT12T4	12" Arc Tube	4" Wristblade Handle	
LK500AT12T6	12" Arc Tube	6" Wristblade Handle	
LK500AT14L2	14" Arc Tube	2" Lever Handle	
LK500AT14T4	14" Arc Tube	4" Wristblade Handle	
LK500AT14T6	14" Arc Tube	6" Wristblade Handle	





ELKAY.

LK500 with gooseneck spout 🛛 🕭			
Model	Spout Type	Handle Type	
LK500GN04L2	4" Gooseneck	2" Lever Handle	
LK500GN04T4	4" Gooseneck	4" Wristblade Handle	
LK500GN04T6	4" Gooseneck	6" Wristblade Handle	
LK500GN05L2	5" Gooseneck	2" Lever Handle	
LK500GN05T4	5" Gooseneck	4" Wristblade Handle	
LK500GN05T6	5" Gooseneck	6" Wristblade Handle	
LK500GN08L2	8" Gooseneck	2" Lever Handle	
LK500GN08T4	8" Gooseneck	4" Wristblade Handle	
LK500GN08T6	8" Gooseneck	6" Wristblade Handle	



LK500 with high arc spout 🔥		
Model	Spout Type	Handle Type
LK500HA08L2	8" High Arc	2" Lever Handle
LK500HA08T4	8" High Arc	4" Wristblade Handle
LK500HA08T6	8" High Arc	6" Wristblade Handle
LK500HA10L2	10" High Arc	2" Lever Handle
LK500HA10T4	10" High Arc	4" Wristblade Handle
LK500HA10T6	10" High Arc	6" Wristblade Handle





8" Centerset Wall Mount Faucet

- Gooseneck spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with goosen	eck spout 💰		
Model	Spout Type	Handle Type	Shut-off Valve
LK940GN04L2H	3-5/8" Gooseneck	2" Lever Handle	
LK940GN04L2S	3-5/8" Gooseneck	2" Lever Handle	•
LK940GN04T4H	3-5/8" Gooseneck	4" Wristblade Handle	
LK940GN04T4S	3-5/8" Gooseneck	4" Wristblade Handle	•
LK940GN04T6H	3-5/8" Gooseneck	6" Wristblade Handle	
LK940GN04T6S	3-5/8" Gooseneck	6" Wristblade Handle	•
LK940GN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940GN05L2S	5-1/8" Gooseneck	2" Lever Handle	•
LK940GN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940GN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	•
LK940GN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940GN05T6S	5-1/8" Gooseneck	6" Wristblade Handle	•
LK940GN08L2H	8" Gooseneck	2" Lever Handle	
LK940GN08L2S	8" Gooseneck	2" Lever Handle	•
LK940GN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940GN08T4S	8" Gooseneck	4" Wristblade Handle	•
LK940GN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940GN08T6S	8" Gooseneck	6" Wristblade Handle	•



LK940 with laminar	flow gooseneck spout 🛛 💰		
Model	Spout Type	Handle Type	Shut-of Valve
LK940LGN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940LGN05L2S	5-1/8" Gooseneck	2" Lever Handle	•
LK940LGN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940LGN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	•
LK940LGN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940LGN05T6S	5-1/8" Gooseneck	6" Wristblade Handle	•
LK940LGN08L2H	8" Gooseneck	2" Lever Handle	
LK940LGN08L2S	8" Gooseneck	2" Lever Handle	•
LK940LGN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940LGN08T4S	8" Gooseneck	4" Wristblade Handle	•
LK940LGN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940LGN08T6S	8" Gooseneck	6" Wristblade Handle	•



8" Centerset With Concealed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Adjustable mounting up to 8" spread.



LK800 with arc tub	e spout 👶		
Model	Spout Type	Handle Type	Side Spray
LK800AT08L2	8" Arc Tube	2" Lever Handle	
LK800AT08T4	8" Arc Tube	4" Wristblade Handle	
LK800AT08T6	8" Arc Tube	6" Wristblade Handle	
LK800AT10L2	10" Arc Tube	2" Lever Handle	
LK800AT10T4	10" Arc Tube	4" Wristblade Handle	
LK800AT10T6	10" Arc Tube	6" Wristblade Handle	
LK800AT12L2	12" Arc Tube	2" Lever Handle	
LK800AT12T4	12" Arc Tube	4" Wristblade Handle	
LK800AT12T6	12" Arc Tube	6" Wristblade Handle	
LK800AT14L2	14" Arc Tube	2" Lever Handle	
LK800AT14T4	14" Arc Tube	4" Wristblade Handle	
LK800AT14T6	14" Arc Tube	6" Wristblade Handle	
LK801AT08L2	8" Arc Tube	2" Lever Handle	•



LK800 with gooseneck spout 🔥			
Model	Spout Type	Handle Type	Side Spray
LK800GN04L2	3-5/8" Gooseneck	2" Lever Handle	
LK800GN04T4	3-5/8" Gooseneck	4" Wristblade Handle	
LK800GN04T6	3-5/8" Gooseneck	6" Wristblade Handle	
LK800GN05L2	5" Gooseneck	2" Lever Handle	
LK800GN05T4	5" Gooseneck	4" Wristblade Handle	
LK800GN05T6	5" Gooseneck	6" Wristblade Handle	
LK800GN08L2	8" Gooseneck	2" Lever Handle	
LK800GN08T4	8" Gooseneck	4" Wristblade Handle	
LK800GN08T6	8" Gooseneck	6" Wristblade Handle	
LK801GN08L2	8" Gooseneck	2" Lever Handle	•



ELKAY.

LK800 with high arc spout 🔥			
Model	Spout Type	Handle Type	
LK800HA08L2	8" High Arc	2" Lever Handle	
LK800HA08T4	8" High Arc	4" Wristblade Handle	
LK800HA08T6	8" High Arc	6" Wristblade Handle	
LK800HA10L2	10" High Arc	2" Lever Handle	
LK800HA10T4	10" High Arc	4" Wristblade Handle	
LK800HA10T6	10" High Arc	6" Wristblade Handle	



LK800 with tube spout 🔥		
Model	Spout Type	Handle Type
LK800TS08L2	8" Tube Spout	2" Lever Handle
LK800TS08T4	8" Tube Spout	4" Wristblade Handle
LK800TS08T6	8" Tube Spout	6" Wristblade Handle



Spouts

- For use with Elkay knee and foot pedal valves.
- Solid brass construction.
- Chrome plated finish.
- Vandal-resistant anti-hose aerator.

Back mount spout
Model
LK395A
LK395A



LK395A

Deck mount spout	
Model	
LK394A	
LK396A	



Knee and Foot Pedal Valves

- Chrome plated finish.
- Hands-free operation for enhanced sanitation.
- Mounting package of stops, valves and wall flanges included with LK397C and LK398C.



Foot pedal	
Model	
LK398C	
LK399A	



LK399A

Knee pedal	(2)
Model	()
LK397C	1



8" Centerset Wall Mount Faucet

- Available with bucket hook, arc tube, or vented spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



	LK940 with bucket hook spout and polished chrome finish $~$ ${f 5}$		
Shut-off Valve	Handle Type	Spout Type	Model
	2" Lever Handle	3-5/16" Bucket Hook	LK940BP03L2H
•	2" Lever Handle	6" Bucket Hook	LK940BP03L2S
	4" Wristblade Handle	3-5/16" Bucket Hook	LK940BP03T4H
•	4" Wristblade Handle	3-5/16" Bucket Hook	LK940BP03T4S
	6" Wristblade Handle	3-5/16" Bucket Hook	LK940BP03T6H
•	6" Wristblade Handle	3-5/16" Bucket Hook	LK940BP03T6S
	2" Lever Handle	6-1/2" Bucket Hook	LK940BP07L2H
•	2" Lever Handle	6-1/2" Bucket Hook	LK940BP07L2S
	4" Wristblade Handle	6-1/2" Bucket Hook	LK940BP07T4H
•	4" Wristblade Handle	6-1/2" Bucket Hook	LK940BP07T4S
	6" Wristblade Handle	6-1/2" Bucket Hook	LK940BP07T6H
•	6" Wristblade Handle	6-1/2" Bucket Hook	LK940BP07T6S



LK940 with bucket hook spout and rough chrome finish 🕺			
Model	Spout Type	Handle Type	Shut-off Valve
LK940BR03L2H	6" Bucket Hook	2" Lever Handle	
LK940BR03L2S	6" Bucket Hook	2" Lever Handle	•
LK940BR03T4H	6" Bucket Hook	4" Wristblade Handle	
LK940BR03T4S	6" Bucket Hook	4" Wristblade Handle	•
LK940BR03T6H	6" Bucket Hook	6" Wristblade Handle	
LK940BR03T6S	6" Bucket Hook	6" Wristblade Handle	•
LK940BR07L2H	8-1/2" Bucket Hook	2" Lever Handle	
LK940BR07L2S	8-1/2" Bucket Hook	2" Lever Handle	•
LK940BR07T4H	8-1/2" Bucket Hook	4" Wristblade Handle	
LK940BR07T4S	8-1/2" Bucket Hook	4" Wristblade Handle	•
LK940BR07T6H	8-1/2" Bucket Hook	6" Wristblade Handle	
LK940BR07T6S	8-1/2" Bucket Hook	6" Wristblade Handle	•



LK940 with vented spout 🔥			
Model	Spout Type	Handle Type	Shut-off Valve
LK940VS07L2H	6-1/2" Vented Spout	2" Lever Handle	
LK940VS07L2S	6-1/2" Vented Spout	2" Lever Handle	•
LK940VS07T4H	6-1/2" Vented Spout	4" Wristblade Handle	
LK940VS07T4S	6-1/2" Vented Spout	4" Wristblade Handle	•
LK940VS07T6H	6-1/2" Vented Spout	6" Wristblade Handle	
LK940VS07T6S	6-1/2" Vented Spout	6" Wristblade Handle	•



ELKAY.

Single Hole Wall Mount Faucet

- Cross arm handle
- Chrome plated brass.
- 1/2" NPT female inlets.

Chrome faucet with hose end		
Model	Spout Type	Handle Type
LK69CH	3-3/16" Fixed Spout	Cross Handle



Chrome faucet with plain end		
Model	Spout Type	Handle Type
LK69CP	3-3/16" Fixed Spout	Cross Handle



LK69CP

One pair chrome faucets		
Model	Spout Type	Handle Type
LK69C	3-3/16" Fixed Spout	Cross Handle



3" - 8" Adjustable Centers Wall Mount Faucet

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.

LK945 with bucket hook spout 👶		
Model	Spout Type	Handle Type
LK945BP03L2T	3-5/16" Bucket Hook	2" Lever Handle
LK945BP03T4T	3-5/16" Bucket Hook	4" Wristblade Handle
LK945BP03T6T	3-5/16" Bucket Hook	6" Wristblade Handle
LK945BP07L2T	6-1/2" Bucket Hook	2" Lever Handle
LK945BP07T4T	6-1/2" Bucket Hook	4" Wristblade Handle
LK945BP07T6T	6-1/2" Bucket Hook	6" Wristblade Handle



LK945 with vented spout \delta		
Model	Spout Type	Handle Type
LK945VS07L2T	6-1/2" Vented Spout	2" Lever Handle
LK945VS07T4T	6-1/2" Vented Spout	4" Wristblade Handle
LK945VS07T6T	6-1/2" Vented Spout	6" Wristblade Handle



LK945VS07L2T

4" - 8-3/8" Adjustable Centers Wall Mount Faucet



- Bucket hook spout.
- 2" lever handles
- Solid brass construction.
- Rough chrome finish
- 1/2" NPT female inlets.

<u>&</u>		
Model	Spout Type	Handle Type
LK400	5-1/2" Bucket Hook	Lever Handle

8" Centerset Wall Mount Faucet

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Rough chrome finish.



<u>6</u>		
Model	Spout Type	Handle Type
LKB940C	6-1/2" Fixed Spout	2" Lever Handle



Single Hole With Single Control

- Available with arc tube, gooseneck, or high arc spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.

LK535 with arc tube spout 🛛 👶			
Model	Spout Type	Handle Type	
LK535AT08L2	8" Arc Tube	2" Lever Handle	
LK535AT08T4	8" Arc Tube	4" Wristblade Handle	
LK535AT08T6	8" Arc Tube	6" Wristblade Handle	
LK535AT10L2	10" Arc Tube	2" Lever Handle	
LK535AT10T4	10" Arc Tube	4" Wristblade Handle	
LK535AT10T6	10" Arc Tube	6" Wristblade Handle	
LK535AT12L2	12" Arc Tube	2" Lever Handle	
LK535AT12T4	12" Arc Tube	4" Wristblade Handle	
LK535AT12T6	12" Arc Tube	6" Wristblade Handle	
LK535AT14L2	14" Arc Tube	2" Lever Handle	
LK535AT14T4	14" Arc Tube	4" Wristblade Handle	
LK535AT14T6	14" Arc Tube	6" Wristblade Handle	

LK535 with gooseneck spout 🔥			
Model	Spout Type	Handle Type	
LK535GN04L2	4" Gooseneck	2" Lever Handle	
LK535GN04T4	4" Gooseneck	4" Wristblade Handle	
LK535GN04T6	4" Gooseneck	6" Wristblade Handle	
LK535GN05L2	5" Gooseneck	2" Lever Handle	
LK535GN05T4	5" Gooseneck	4" Wristblade Handle	
LK535GN05T6	5" Gooseneck	6" Wristblade Handle	
LK535GN08L2	8" Gooseneck	2" Lever Handle	
LK535GN08T4	8" Gooseneck	4" Wristblade Handle	
LK535GN08T6	8" Gooseneck	6" Wristblade Handle	

8

Spout Type

8" High Arc

8" High Arc

8" High Arc

10" High Arc

10" High Arc

10" High Arc

Handle Type

2" Lever Handle

4" Wristblade Handle

6" Wristblade Handle

2" Lever Handle

4" Wristblade Handle

6" Wristblade Handle

LK535 with high arc spout

Model

LK535HA08L2

LK535HA08T4

LK535HA08T6

LK535HA10L2

LK535HA10T4

LK535HA10T6

\bigcap
1
LK535GN04L2







LK535AT10T4



ELKAY

Classroom Bubblers

- Built-in adjustable water volume control and pressure regulator.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubblers feature chrome-plated integral hood guard to prevent contamination from other users, airborne deposits and tampering.
- 1/2" straight pipe thread connection.

LKVR1141A

Bubbler with remote pushbutton handle 🔥		
Model	Spout Type	Handle Type
LKR1141A	Bubblers + Other	Push Button

Stainless steel bubbler with pushbutton handle 🛛 👶			
Model	Spout Type	Handle Type	Vandal Resistant
LKSS1141A	Bubblers + Other	Push Button	
LKSSVR1141A	Bubblers + Other	Push Button	•

Bubbler with pushbutton handle 🔥			
Model	Spout Type	Handle Type	Vandal Resistant
LK1141A	Bubblers + Other	Push Button	
LKVR1141A	Bubblers + Other	Push Button	•

Bubbler with bat handle 🔥			
Model	Spout Type	Handle Type	Vandal Resistant
LKBH1141A	Bubblers + Other	2" Lever Handle	
LKVRBH1141A	Bubblers + Other	2" Lever Handle	•







LKVRBH1141A






8" Centerset, Concealed Deck, With Twin Handles Faucet

- Choice of 3 spout styles.
- Removable cartridge.
- Chrome plated finish.
- Swing spout with aerator.
- Water saving flow restrictor.

7" arc tube spout \delta			
Model	Spout Type	Handle Type	
LKD2439BHC	7" Arc Tube	4" Lever Handle	
LKD2439C	7" Arc Tube	2.6" Lever Handle	







C

7" gooseneck spout 🔥			
Model	Spout Type	Handle Type	
LKD232SBH5C	7" Gooseneck	4" Lever Handle	
LKD232SC	7" Gooseneck	2.6" Lever Handle	



8" Centerset, Exposed Deck Mount, With Twin Handles Faucet

- Available with arc tube or gooseneck spout.
- Removable cartridge.
- Chrome plated finish.
- Swing spout with aerator.
- Water saving flow restrictor.

Arc tube spout			
Model	Spout Type	Handle Type	Side Spray
LKD2442BHC	8" Arc Tube	4" Lever Handle	
LKD2442C	8" Arc Tube	2.6" Lever Handle	
LKD2443C	8" Arc Tube	2.6" Lever Handle	•



Gooseneck spout	Ś	
Model	Spout Type	Handle Type
LKD2423BHC	7" Gooseneck	4" Lever Handle

Single Handle, Bar/Hospitality Faucet

- Available with gooseneck or high arc spout.
- Circular brass base.
- Removable cartridge.
- Chrome plated finish.
- Water saving flow restrictor.

LKD20858C 👶		
Model	Spout Type	Handle Type
LKD20858C	5" Gooseneck	2.6" Lever Handle

LKD208513C 👶		
Model	Spout Type	Handle Type
LKD208513C	5" Gooseneck	2.6" Lever Handle





ELKAY.

LKD208513LC 👶		
Model	Spout Type	Handle Type
LKD208513LC	5" Gooseneck	2.6" Lever Handle



LKDVR208513C			
Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513C	5" Gooseneck	2.6" Lever Handle	•

LKDVR208513LC	A		
Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513LC	5" Gooseneck	2.6" Lever Handle	•





Twin Handle, Bar/Hospitality Faucet

- Choice of arc, gooseneck or standard spout.
- Removable cartridge.
- Chrome plated finish.
- Water saving flow restrictor.

ġ.

LKD24898BHC

LKD24898BHC

Model

LKD2437BHC 🔥		
Model	Spout Type	Handle Type
LKD2437BHC	6" Arc Tube	4" Lever Handle

LKDA2437C		
Model	Spout Type	Handle Type
LKDA2437C	6" Arc Tube	2.6" Lever Handle

LKD2223C 💍		
Model	Spout Type	Handle Type
LKD2223C	5" Gooseneck	2.6" Lever Handle

Spout Type

4" Gooseneck








LKD2223C





Handle Type

4" Lever Handle



LKB400		
Model	Spout Type	Handle Type
LKB400	3-1/2" Bubblers + Other	2" Lever Handle



Residential Model Reference List

Prefix

BCFR	Celebrity Bar Sinks
BCR	Celebrity Bar Sinks
BCRA	Celebrity Bar Sink and Faucet Kit
	Lustertone Bar Sinks
	Lustertone Classic Bar Sink and
DLII	
	Faucet Kit
	Lustertone Classic Bar Sinks
BPSFR	Celebrity Bar Sinks
BPSH	Celebrity Bar Sink and Faucet Kit
	Celebrity Sinks
	Celebrity Bar Sink and Faucet Kit
	Cutting Boards
	Cutting Boards
	Cutting Boards with Polymer Side
	Cutting Boards, Reversible
CBS	Cutting Boards with Strainer
CCR	Celebrity Corner Sink
	Celebrity Sinks
	Celebrity Sinks
	Celebrity Sinks
	Crosstown Bottom Grids
D	Lustertone Classic Sink Tops with
	Dual Work Areas
	Lustertone Classic Sink
	Lustertone Classic Sinks
DLH	Lustertone Classic Sink and Faucet Kits
DLR	Lustertone Classic Sinks
DLRS	Lustertone Classic Sinks
DLSR	Lustertone Classic Sinks with Slim Rim
	Lustertone Classic Sinks with Aqua Divide
	Lustertone Classic Farmhouse Sinks with
	Aqua Divide
FCC	Aqua Divide Calabrity Giale
	Celebrity Sinks
	Crosstown Sinks
	Crosstown Sinks
ECU	Copper Undermount Sinks
ECUF	Copper Farmhouse Undermount Sinks
	Copper Farmhouse Undermount Sinks
	Crosstown Undermount Sinks
	Crosstown Undermount Sinks
	Crosstown Undermount Sinks with
EFULD	
	Work Bench
	Crosstown Undermount Sinks
EGUH	Soft Highlighted Satin Finish
	Undermount Sinks
ELG	Quartz Classic Sinks
	Quartz Classic Sinks with Aqua Divide
	Quartz Classic Sinks
	Quartz Classic Sirks Quartz Classic Undermount Sinks
LLGU	עומו גב כומסטור טוועפו וווטעווג טוווגט

Prefix

ELGULB	Quartz Classic Undermount Sinks with
	Aqua Divide
	. Quartz Classic Undermount Sinks
	. Lustertone Classic Undermount Sinks
ELUHAQD	. Lustertone Classic Undermount Sinks
	with Aqua Divide
ELUHF	. Lustertone Classic Farmhouse
	Undermount Sinks
ELUHES	. Lustertone Classic Farmhouse
	Undermount Sinks
FLX	. Quartz Luxe Sinks
ERS	
	. Celebrity Laundry Sinks
	. Lustertone Iconix Undermount Sinks
GECR	
ILGR	. Lustertone Classic Sinks with
	Ribbed Drainboard
	. Lustertone Classic Sinks with Drainboard
LC	
LCR	. Lustertone Classic Sinks
LFGR	. Lustertone Classic Sinks
	. Lustertone Classic Sinks
	. Lustertone Classic Sinks
	. Lustertone Classic Bathroom Sink and
	Faucet Kit
	. Faucets, Drains, Accessories
	. Everyday Faucet
LKAD	
	. Avado Faucets, Soap/Lotion Dispenser
LKBG	
LKCB	
LKCBEG	. Cutting Boards for Quartz Sinks
LKCBF	. Cutting Boards for Crosstown Sinks
LKD	. Drains, Everyday Faucets
LKDT	
	. Explore Faucets
	. Bottom Grids for Zero Radius Sinks
	. Bottom Grids for Zero Radius Sinks with
	Off-center Drain Opening
	. Rinsing Baskets for Zero Radius Sinks
	. Gourmet Faucets, Soap/Lotion Dispenser
	. Harmony Faucets, Soap/Lotion Dispenser
	. Harmony Sinks with Slim Rim
	. Mystic Faucets, Soap/Lotion Dispenser
LKS	
	. Rinsing Baskets for Fireclay Sinks
LKTV	Trivet

Residential Model Reference List

Prefix

LKUCLIP	. Undermount Clips
	. Undermount Support Kits
LKVBG	
	. Bottom Grids with Off-center
	Drain Opening
LKVR	
LKWBG	
LKWEBG	
	. Bottom Grids with Off-center
	Drain Opening
LKWERBSS	. Expandable Rinsing Basket
	. Bottom Grids with Off-center
	Drain Opening
LKWRB	
	. Bottom Grids for Round Sinks
	. Bottom Grids for Round Sinks with
	Off-center Drain Opening
LKWS	
	. Utensil Caddy for Rinising Baskets
	Asana (Lustertone) Sinks
	. Lustertone Classic Sinks
	Lustertone Classic Sinks
	. Sinks with Slim Rim
	. Lustertone Sinks
	. Lustertone Sinks
	. Mystic/Asana Sinks
PFR	
	. Pursuit Utility Sinks
	. Pursuit Utility Undermount Sinks
	. Pursuit Utility Undermount Sinks
	. Pursuit Outdoor Sinks
	. Pursuit Outdoor Undermount Sinks
PSFR	
PSLVR	
PSMR	
PSR	
PSRS	
	. Asana (Lustertone) Sinks
	. Lustertone Sinks
	. Lustertone Sink Tops
SC	
	. Asana Dual Mount Sinks
	. Hammered Mirror Finish
5000	Undermount Sinks
STCR	
	. Fireclay Undermount Sinks
	. Fireclay Farmhouse
J # UT	Undermount Sinks

Suffix

С	. Packages
DBG	. Drain and Bottom Grid Kits
DCB	. Drain and Cutting Board Kits
DF	. Drain and Faucet Kits
PD	. Perfect Drain Sinks
PDBG	. Perfect Drain and Bottom Grid Kits

DAYTON

Prefix

D	Dayton Sinks
	Dayton Undermount Sinks
	Dayton Equal Double Drop-in Sinks
	Dayton Elite Sinks
	Dayton Elite Sinks
	Dayton Premium Sinks
	Dayton Premium Sinks with Slim Rim
	Dayton Elite Sinks
	Dayton Elite Sinks with Slim Rim
DXR	Dayton Sinks
	Dayton Undermount Sinks
GBG	Dayton Bottom Grids
GE	Dayton ADA Sinks
GOBG	Dayton Bottom Grids with Off-center
	Drain Opening
KP2	Dayton Bar Sink and Faucet Kit
Suffix	-

DF	Drain and Faucet Packages
DFBG	Drain, Faucet and Bottom Grid Packages

The index on the following pages reference page numbers where our products can be found in the Residential and Commercial Price Guides. Please note:

R-pg# is in the ELP-7R Residential Price Guide. C-pg# is in the ELP-7C Commercial Price Guide.

Commercial Model Reference List

Bottle Filling Stations Prefix

EZ*WS	ezH2O Non-filtered Models
EMABF*WS	ezH2O Non-filtered Models
LK44*BF	Outdoor Tubular Steel
LMABF*WS	ezH2O Filtered Models
LVRC*WS	ezH2O Filtered Models
LZ*WS	ezH2O Filtered Models
VRC*WS	ezH2O Non-filtered Models

ADA Water Coolers Prefix

FCDCD	
ECRSP	Slimline Soft Sides
EHFRA	Fully Recessed Wheelchair Access
EHFSA	Wall-mount Backsplash
EMABF	Wall-mount Mechanically Activated
ENOB	SwirlFlo Sensor Activated
ERFP	Soft Sides
ERO	Soft Sides Sensor Activated
ERPB	SwirlFlo
ERPBGRN	GreenSpec Listed SwirlFlo
EZO	Wall-mount Sensor Activated
EZS	Wall Mount
LCRSP	Slimline Soft Sides Filtered
LMABF	Wall-mount Mechanically Activated Filtered
LNFE	Soft Sides Filtered, Single
LNTE	Soft Sides Filtered, Bi-level
LRPB	SwirlFlo Filtered
LVRC	Vandal-resistant Filtered
LVRCGRN	GreenSpec Listed Filtered
LVRCGRN LZO	GreenSpec Listed Filtered Wall-mount Sensor Activated Filtered
LZO	Wall-mount Sensor Activated Filtered
LZO LZS	Wall-mount Sensor Activated Filtered Wall-mount Filtered
LZO LZS OHFAVR	Wall-mount Sensor Activated Filtered Wall-mount Filtered Outdoor Vandal-resistant Backsplash

Wall-mount Water Coolers Prefix

EFR(P)C	Fully Recessed
ESW(D)A	Simulated Semirecessed
EW(D)A	Deluxe
EWC(D)A	Compact
EWTLA	Deluxe Two-level
HEW	Slant Front
LJNE	Fully Recessed Filtered
LWAE	Deluxe Filtered
LWCE	Compact Filtered
LWTLA	Deluxe Two-level Filtered

Floor-mount Water Coolers Prefix

EF(D)A	Deluxe
EFHA	Hot and Cold
EFOA	Deluxe Sensor Activated
EFW	Deluxe Water Cooled
EFWC	Corrosion Resistant
EFY	Hazardous Locations
FD	Space-ette
LFAE	Deluxe Filtered
LFDE	Space-ette Filtered

ADA Fountains Prefix

ECDFPW	ADA Slimline Soft Sides
EDFP(VR)214	ADA Soft Sides, Single
EDFP(VR)217	ADA Soft Sides, Bi-level
EDFP*RC	ADA Premium Composite
EDFPB	ADA SwirlFlo
EHW	ADA 14 Gauge Soft Sides

Outdoor Fountains Prefix

LK44	Outdoor Fountain, Tubular Steel
LK45	Outdoor Fountain, Stone Aggregate

Commercial Model Reference List

Standard Fountains Prefix

DRKR	Countertop
EDF15R	Bracket
EDF210/EDF310	Stainless Steel Multistations
EDFB(C)(2)12	Fully Recessed
EDFP(VR)210	Soft Sides, Single
EDFP19	Simulated Semirecessed

Remote Chillers Prefix

ERS1	1 GPH Air Cooled
ER2	2 GPH Air Cooled
ER5	5 GPH Air Cooled
ECH8GRN	GreenSpec Listed 8 GPH Air Cooled
ECH8GRN	8 GPH Air Cooled
ECP8	8 GPH Air Cooled for EFR(P)C and LJNE models
ECU8	8 GPH Air Cooled for EHFRA Models
ER10	10 GPH Air Cooled
ER19	19 GPH Air Cooled
ER30	30 GPH Air Cooled
ERW32	32 GPH Water Cooled

Commercial Sinks and Faucets Prefix

CDKAD	Celebrity ADA Classroom Sink
CDKR	Celebrity Classroom Sink
CHS	Elkay Hand Wash Sink
CHSB	Elkay Hand Wash Sink
CHSP	Elkay Pedestal Hand Wash Sink
DRKAD	Lustertone ADA Classroom Sink
DRKR	Lustertone Classroom Sink
EFS	Floor Service Sink
ELUH	Lustertone Undermount
ELUHAD	Lustertone ADA Undermount
ELV	Elkay Lavatory Sink
ELVWO	Elkay Lavatory Sink with Overflow

ESLV	Elkay Surgeon's Lavatory
ESS	Elkay Wall Service Sink
EU	Elkay Urinal
EUH	Elkay Urinal with Hood
EWMA	Elkay Multistation Wash Sink
EWS	Elkay Wall Scrub-up Sink
EWSF	Elkay Sensor-operated Wash Sink
EWSFAD	Elkay ADA Sensor-operated Wash Sink
LR	Lustertone Sink
LRAD	Lustertone ADA Sink
LTR	Lustertone Triple Bowl Sink
PSDKR	Pacemaker Classroom Sink
RNSF	Rigidbuilt Scullery Sink
SS	Sturdibilt Scullery Sink
SSD	Sturdibilt Drainboard
WCL	Elkay ADA Lavatory Sink
WCLWO	Elkay ADA Lavatory Sink with Overflow
WNSF	Weldbilt Scullery Sink

Suffix

PD Perfect Drain Sink

Elkay Foodservice Products Prefix

14	14" Standard Series Sink
ADR	Aluminum Dunnage Rack
APR	Aluminum Pan Rack
В	Budget Utility Sink
CDT	Clean Dish Table
CT-11	Drawer
CT-19	Casters
DDT	Soiled Dish Table
DI	Drop-in Sink
DLW	Pot Rack, Double Line
E	Economy Series Sink
EHS	Economy Hand Sink

Commercial Model Reference List

Elkay Foodservice Products prefix (Continued)

EWMS	Economy Series Wall Shelf
EWT	Economy Series Work Table
FLR	Mop Sink
MS	Mixer Stand
RS	Rack Slide
RSPB	Rack Slide with Plastic Basket
RSSB	Rack Slide with Stainless Steel Basket
S	14" Super Economy Series Sink
SEHS	Super Economy Hand Sink
SES	Standard Equipment Stand
SLANT	Slant Rack
SL	Spec-line 14 Gauge
SLW	Pot Rack, Single Line
SLW-S	
JLVV-J	Pot Rack, Single Line with Shelf
UDT	Undercounter Dish Table
UDT	Undercounter Dish Table

Suffix

BG	Backsplash with Galvanized Undershelf
BS	Backsplash with Stainless Steel Undershelf
STG	Flat Top with Galvanized Undershelf
STS	Flat Top with Stainless Steel Undershelf

The index on the following pages reference page numbers where our products can be found in the Residential and Commerical Price Guides. Please note:

R-pg# is in the ELP-7R Residential Price Guide. C-pg# is in the ELP-7C Commercial Price Guide.

Model Number	Page #	Ship Wt (lbs)	Voltage	Model Number	Page #	Ship Wt (lbs)	Voltage
100000887	C-95	4		3C10X14-R-12X	C-143	111	
1000004539	C-95	24		3C12X16-0X	C-142	114	
1000005817	C-95	5		3C12X16-2-12X	C-143	134	
14-1C16X20-0X	C-140	100		3C12X16-2-16X	C-143	138	
14-1C16X20-2-18X	C-141	106		3C16X20-2-18X	C-143	186	
14-1C16X20-L-18X	C-141	96		3C18X18-0X	C-142	152	
14-1C16X20-R-18X	C-141	96		3C18X18-2-18X	C-143	191	
14-1C18X24-0X	C-140	92		3C18X18-2-24X	C-143	200	
14-1C18X24-L-18X	C-141	104		3C18X24-0X	C-142	165	
14-1C18X24-R-18X	C-141	104		3C18X24-2-18X	C-143	205	
14-1C22X22-0X	C-140	96		3C18X24-2-24X	C-143	219	
14-1C24X24-0X	C-140	101		3C24X24-2-24X	C-143	240	
14-2C16X20-0X	C-142	154		51299C	C-91	2	N/A
14-2C16X20-2-18X	C-142	154		51300C	C-90	2	N/A
14-2C18X24-0X	C-142	126		51300C_12PK	C-90	24	N/A
14-2C18X24-2-18X	C-142	167		S1300C_3PK	C-90	7	N/A
14-2C18X24-L-18X	C-142	147		56192C	C-91	1	N/A
14-2C24X24-2-24X	C-142	200		75520C	C-96	1	N/A
14-3C16X20-0X	C-143	154		75523C	C-96	1	N/A
14-3C16X20-2-18X	C-144	193		92715C	C-96	1	
14-3C16X20-2-24X	C-144	214		97258C	C-97	2	N/A
14-3C16X20-L-18X	C-143	174		97446C	C-96	5	N/A
14-3C16X20-R-18X	C-143	174		98032C	C-96	1	N/A
14-3C18X24-0X	C-143	174		98313C	C-97	3	N/A
14-3C18X24-2-18X	C-144	214		98324C	C-97	3	N/A
14-3C18X24-2-24X	C-144	225		98481C	C-96	1	N/A
14-3C20X20-2-20X	C-144	217		98498C	C-97	1	N/A
14-3C24X24-0X	C-143	200		98501C	C-96	1	11/74
14-3C24X24-2-24X	C-144	252		98551C	C-95	3	
1C18X18-0X	C-140	79		98568C	C-95	3	
1C18X18-2-18X	C-140	111		98669C	C-95	4	N/A
1C18X18-L-18X	C-140	95		-	C-95	4	N/A
1C18X18-R-18X	C-140	95		Α			
1C18X24-0X	C-140	89		ACCESS12X38-5	C-95	5	
1C18X24-2-24X	C-140	136		AP99	C-95	2	
				В			
1C24X24-0X	C-140	97		B1C18X18X	C-145	73	
1C24X24-2-24X	C-140	146		B1C18X21X	C-145	76	
1C24X24-L-24X 1C24X24-R-24X	C-140	128		B1C24X24X	C-145	87	
	C-140	124		B2C18X21X	C-147	106	
© 28410C	C-95	24	NIA	B2C24X24X	C-147	127	
© 28904C	C-95	2	N/A	B3C12X21X	C-148	110	
2C18X18-0X	C-141	113		B3C18X21X	C-148	135	
2C18X18-2-18X	C-141	151		BCR15	R-158	6	
2C18X18-2-24X	C-141	162		BLGR15151	R-157	8	
2C18X18-L-18X	C-141	130		BLR15	R-158	7	
2C18X18-L-24X	C-141	138		BLR1560	R-157	7	
2C18X24-0X	C-141	122		BPSR15	R-158	5	
2C18X24-2-18X	C-141	163		BPSR2317	R-165	12	
2C24X24-0X	C-141	143		C			
2C24X24-2-24X	C-141	184			D 007	r.	
36292C	C-96	1	N/A	CB1516	R-237	5	
3C10X14-0X	C-142	102		CB1613	R-237	5	
3C10X14-2-12X	C-143	120		CB1713 CB2213	R-237	6	
					R-237	8	

	Model Number	Page #	Ship Wt (lbs)	Voltage	Model	l Number	Page #	Ship Wt (lbs)	Voltage
	CB912	R-237	3		CTXAS	N	R-240	2	
	CBS1316	R-237	5		CTXAS	P	R-240	2	
	CBS1418	R-237	6		СТХВО	i1014	R-225	2	
	CBS715	R-237	3		СТХВО	i1015	R-228	2	
ę.	CDKAD251765	C-207	11		СТХВО	i1116	R-228	2	
ę.	CDKAD251765C	C-206	22		CTXBG	i118	R-225	1	
ę.	CDKAD2517VRC	C-206	22		CTXBG	i1214	R-228	2	
	CDKR2517	C-207	18		СТХВО	51215	R-228	2	
	CDKR2517C	C-206	22		СТХВО	1216	R-228	2	
	CDKR2517VRC	C-206	22		СТХВО	1314	R-228	2	
	CDKRC2517C	C-206	22		СТХВО	1315	R-228	2	
	CHS17161	C-163	12		СТХВО	i1316	R-228	2	
	CHS17162	C-163	12		СТХВО		R-225	2	
	CHS1716C	C-163	18		СТХВС		R-228	2	
	CHS1716LRS1	C-163	21		СТХВС		R-228	3	
	CHS1716LRS2	C-163	17		СТХВС		R-228	2	
	CHS1716LRSC	C-163	23	•	СТХВО		R-228	2	
	CHS1716LRSSACC	C-163	29	v	СТХВО		R-229	3	
	CHS1716LRSSACMC	C-163	30	•	СТХВС		R-225	3	
	CHS1716LRSSACTMC	C-163	31	•	СТХВС		R-229	3	
	CHS1716SACC	C-163	20	•	СТХВО		R-229	3	
	CHS1716SACMC	C-163	20	•	СТХВС		R-229	3	
			21	•				3	
	CHS1716SACTMC	C-163		•	CTXBG		R-229	3	
	CHSB17162	C-165	11				R-239		
	CHSB1716C	C-165	14				C-181	3	
	CHSP1716C	C-164	38		CTXBG		R-229	4	
	CHSP1716LRSC	C-164	52	•	CIXBG		R-239, C-181	7	
	CHSP1716LRSSACC	C-164	44	▼	СТХВО	52814	R-229	4	
	CHSP1716LRSSACMC	C-164	45	▼	СТХВО	i2815	R-229	4	
	CHSP1716LRSSACTMC	C-164	46	▼	СТХВО		R-229	4	
	CHSP1716SACC	C-164	32	▼	СТХВО		R-229	4	
	CHSP1716SACMC	C-164	30	▼	СТХВС		R-229	4	
	CHSP1716SACTMC	C-164	34	▼			R-239	3	
	CMR4322	R-182	23				C-181	3	
	CR1721	R-153	10		СТХВО		R-229	4	
	CR2521	R-145	14		СТХВС		R-225	1	
	CR2522	R-142	14		СТХВО		R-225	1	
	CR3122	R-138	15		СТХВС		R-225	1	
	CR3321	R-178	15					2	
	CR3322	R-176	16		CTXCO		R-239, C-181	Z	
	CR4322	R-169	21		CTXDC		R-239,	1	
	CS30BPK	R-30	60				C-181		
	CS30CWK	R-30	60		CTXF1	34179R	R-33	45	
	CS30WPK	R-30	60		CTXF1	34179RC	R-33	51	
	CS45BPK	R-29	76		CTXF2	34179	R-84	49	
	CS45CWK	R-28	95		CTXF2	34179C	R-83	56	
					CTXFA	34179	R-84	47	
	CS45WPK	R-29	76		CTXFA	34179C	R-83	55	
	CS60BPK	R-28	95		CTXFB	G1316	R-230	2	
	CS60CWK	R-27	95		CTXFB	G1516	R-230	3	
	CS60WPK	R-28	95		CTXFB	G1816	R-230	3	
	CTXACP	R-240	2		CTXFB	G3316	R-230	5	
	CTXAFCGL	R-240	2		СТХОЕ	3G1914	R-230	3	
	CTXAGT	R-240	2		CUPR4	ļ.	C-189	3	
	CTXAPL	R-240	2		CUPRE	5	C-189	3	
		R-240	2						

	Model Number	Page #	Ship Wt (lbs)	Voltage			Model Number	Page #	Ship Wt (lbs)	Voltage
	D				-		DLR251910	R-180	23	
	 D1125	R-265	1				DLR252110	R-143	18	
i.	D11515	R-258	4				DLR252110PD	R-133	21	
5.	D11516	R-259	4				DLR252210	R-140,	18	
5.	D11719	R-258	9					C-188		
5	D11721	R-257	10				DLR252210PD	R-140	22	
5	D12521	R-257	10				DLR252212	R-141, C-188	19	
5	D12522	R-254	10				DLR291810	R-180	16	
5	D22519	R-264	11				DLR312210	R-137	22	
5	D23317	R-264	12				DLR312210PD	R-137	26	
à	D23319	R-263	10				DLR312212	R-137	22	
							DLR331910	R-178	23	
à	D23321	R-262	12						25	
	D23322	R-260	12				DLR332210	R-175, C-189	25	
	D361125	R-265	1				DLR332210PD	R-175	30	
-	D5018A	R-265	1				DLR332212	R-176	25	
24	D66294	R-166	65				DLR372210	R-170	29	
	DCFU1210	R-248	6				DLR432210	R-168	33	
	DCFU12FB	R-248	6				DLR432212	R-168	33	
	DCFU1318	R-247	10				DLRS332210	R-135	28	
	DCFU1618	R-246	11				DLRS332210PD	R-132	26	
	DCFU2115	R-246	10				DLRS332212	R-135	22	
	DCFU2118	R-245	12				DLSR272210	R-45,	25	
	DCFU2416	R-244	23					R-139		
	DCFU2816	R-243	16				DLSR272210PD	R-32, R-82	25	
	DCFU3118	R-251	18				DPC1202010	R-257	10	
	DCFU31189	R-251	18				DPC1252210	R-255	17	
	DCFU3119L	R-252	19				DPXSR2250R	R-249,	23	
	DCFU3119R	R-252	19					R-261		
	DCFU312010L	R-250	20				DPXSR23322	R-248, R-260	23	
	DCFU312010R	R-250	20		ā	ġ.	DRKAD221755	C-202	13	
	DCR252210	R-142	14		ā	ė.	DRKAD222055	C-201	14	
	DCR252212	R-143	20		ā	ė,	DRKAD222055C	C-201	22	
	DD23322	R-260	13			ė.	DRKAD222055L	C-201	14	
	DE21732	R-264	19			ė.	DRKAD222055R	C-201	14	
	DI-1C-101410X	C-150	11			ė.	DRKAD2341755L4	C-203	17	
	DI-3C-101410X	C-150	22			ė.	DRKAD2341755R4	C-203	17	
à	DI10126X	C-150	9			ė.	DRKAD251755C	C-199,	22	
	DLR151710	R-156,	12				DIRIVIDZDT755C	C-200	22	
		C-188			ā	ġ.	DRKAD251765FC	C-199	22	
	DLR171610	R-155	12		ē	ė,	DRKAD252255	C-201	16	
	DLR172010	R-154	14		ā	ġ.	DRKAD252255L	C-201	16	
	DLR172210	R-153	15		ā	ġ.	DRKAD252255R	C-201	16	
	DLR172210-CU	C-186	16		ē	ė.	DRKAD282255	C-204	16	
	DLR172210PD	R-153	17		ē	is c	DRKAD282255LC	C-204	25	
	DLR191910	R-150,	21		ā	is c	DRKAD282255RC	C-204	25	
		C-188	21			ė.	DRKAD311955C	C-199,	25	
	DLR191910-CU	C-186	21					C-200	-	
	DLR191910PD	R-150	24		ė	ġ.	DRKAD371755L4	C-198	18	
	DLR202210	R-149	21		ð	ġ.	DRKAD371755LC	C-198	27	
	DLR202210-CU	C-186	21		đ	ġ.	DRKAD371755R4	C-198	18	
	DLR221910	R-147, C-188	14		ā	ġ.	DRKAD371755RC	C-198	27	
	DLR221910-CU	C-186	14				DRKR10C	C-80	5	
	DLR221910PD	R-147	17				DRKR14C	C-80	7	
	DLR222210	R-147 R-146	17				DRKR14RC	C-80	7	
	DENZZZZIU	R-140	15				DRKR2217	C-202	13	

	Model Number	Page #	Ship Wt (lbs)	Voltage				Model Number
	DRKR2220	C-201	14					E2C16X20-0X
\otimes	DRKR2220C	C-201	26					E2C16X20-2-18X
	DRKR2220L	C-201	18					E2C16X20-L-18X
	DRKR2220R	C-201	18					E2C16X20-R-18X
	DRKR23417L4	C-203	22					E2C20X20-0X
	DRKR23417LC	C-203	27					E2C20X20-2-20X
	DRKR23417R4	C-203	22					E2C24X24-0X
	DRKR23417RC	C-203	27					E2C24X24-2-24X
	DRKR24119L4	C-203	22					E3C16X20-0X
	DRKR24119LC	C-203	27					E3C16X20-2-18X
	DRKR24119R4	C-203	22					E3C16X20-L-18X
	DRKR24119RC	C-203	27					E3C16X20-R-18X
	DRKR2517C	C-199, C-200	22					E3C20X20-2-20X E3C24X24-0X
	DRKR2522	C-201	16					E3C24X24-2-24X
	DRKR2522L	C-201	16					
	DRKR2522R	C-201	16					EAQDUH3118
	DRKR3119C	C-199,	25					EBG1010
		C-200						EBG1214
	DRKR3717L4	C-198	22					EBG1216
	DRKR3717R4	C-198	22					EBG1315
	DRKR3717RC	C-198	27					EBG1414
	DRKRC2220C	C-199	22					EBG1914
	DRKRV14RC	C-80	7					EBG2815
	DSE12522	R-255	10			ġ.		ECDFPW314C
	DSE23319	R-263	13			ġ.	0	ECDFPW314FPK
	DSE23321	R-263	18			ġ.		ECDFPWVR314C
	DSE23322	R-261	14				0	ECH102Q
	DSESR12722	R-243, R-253	25				0	ECH8 ECH82
	DXR250R	R-261	25			R	0	ECH82Q
	DXR2522	R-255	18			10	\otimes	ECH82WR
	DXR3322	R-262	25					ECH83
	DXUH1210	R-247	6				\otimes	ECH83SA
	DXUH1318	R-247	13					ECH8GRN
	DXUH1618	R-246	8					ECP8
	DXUH2115	R-245	10					ECP82
	DXUH2118	R-244	12					ECP82Q
	DXUH21189	R-245	14					ECP83
	DXUH2416	R-244	23					ECP83SA
	DXUH2816	R-243	15					ECRSP8K
	DXUH3118	R-250	17					ECRSPM8K
	DXUH3119L	R-251	19					ECRSPVR8K
	DXUH3119R	R-252	19					
	DXUH312010L	R-249	18					ECRSPVRM8K
	DXUH312010R	R-249	18					ECTRU12179T
	E							ECTRU12179TC
	-		= -					ECTRU17179T
	E1C16X20-0X	C-145	70					ECTRU17179TC
	E1C16X20-L-18X	C-146	85					ECTRU21179T
	E1C16X20-R-18X	C-146	85					ECTRU21179TC
	E1C20X20-0X	C-145	77					ECTRU24169RTWC
	E1C20X20-L-20X	C-146	89					ECTRU24179RT
	E1C20X20-R-20X	C-146	89					ECTRU24179RTC
	E1C24X24-0X	C-145	86					ECTRU30169RTWC
	E1C24X24-L-24X	C-146	123					ECTRU30179RT
	E1C24X24-R-24X	C-146	123					ECTRU30179RTC

_				Ship		<u> </u>
		Model Number	Page #	Wt (lbs)		Voltage
		E2C16X20-0X	C-147	101		
		E2C16X20-2-18X	C-147	134		
		E2C16X20-L-18X	C-147	120		
		E2C16X20-R-18X	C-147	120		
		E2C20X20-0X	C-147	107		
		E2C20X20-2-20X	C-147	145		
		E2C24X24-0X	C-147	125		
		E2C24X24-2-24X	C-147	171		
		E3C16X20-0X	C-148	164		
		E3C16X20-2-18X	C-148	164		
		E3C16X20-L-18X	C-148	148		
		E3C16X20-R-18X	C-148	148		
		E3C20X20-2-20X	C-148	186		
		E3C24X24-0X	C-148	165		
		E3C24X24-2-24X	C-148	215		
		EAQDUH3118	R-101	24		
		EBG1010	R-230	3		
		EBG1214	R-230	3		
		EBG1216	R-230	3		
		EBG1315	R-230	3		
		EBG1414	R-230	3		
		EBG1914	R-230	3		
		EBG2815	R-230	3		
		ECDFPW314C	C-72	26		N/A
	\otimes	ECDFPW314FPK	C-72	41	▼	N/A
		ECDFPWVR314C	C-72	20		N/A
	\otimes	ECH102Q	C-81	75		240V/50Hz
		ECH8	C-80	43		115V/60Hz
	\otimes	ECH82	C-81	43		220V/50Hz
2	\otimes	ECH82Q	C-81	43		240V/50Hz
2	\otimes	ECH82WR	C-81	43		220V/50Hz
		ECH83	C-81	43		220V/60Hz
	\otimes	ECH83SA	C-81	43		220V/60Hz
		ECH8GRN	C-80	43		115V/60Hz
		ECP8	C-80			115V/60Hz
		ECP82	C-81			220V/50Hz
		ECP82Q	C-81			240V/50Hz
		ECP83	C-81			220V/60Hz
		ECP83SA	C-81			220V/60Hz
		ECRSP8K	C-52		▼	115V/60Hz
		ECRSPM8K	C-52		▼	115V/60Hz
		ECRSPVR8K	C-52		▼	115V/60Hz
		ECRSPVRM8K	C-52		▼	115V/60Hz
		ECTRU12179T	R-77	17		
		ECTRU12179TC	R-76	22		
		ECTRU17179T	R-62	25		
		ECTRU17179TC	R-62	30		
		ECTRU21179T	R-60	25		
		ECTRU21179TC	R-59	30		
		ECTRU24169RTWC	R-32, R-82			
		ECTRU24179RT	R-51	31		
		ECTRU24179RTC	R-51	36		
		ECTRU30169RTWC	R-31	46		
		ECTRU30179RT	R-31	37		
		ECTRU30179RTC	R-38	42		
		LEINUSUI/SKIL	0C-71	+ ∠		

	Model Number	Page #	Ship Wt (lbs)	Ň	/oltage
	ECTRU31179T	R-108	38		
	ECTRU31179TC	R-108	43		
	ECTRU32179LT	R-107	38		
	ECTRU32179LTC	R-106	43		
	ECTRU32179RT	R-107	38		
	ECTRU32179RTC	R-107	43		
	ECTRU35179T	R-36	37		
	ECTRU35179TC	R-36	42		
	ECTRUAQ31169TWC	R-87	46		
	ECTRUD31199L	R-100	38		
	ECTRUD31199LDBG	R-99	43		
	ECTRUD31199R	R-100	38		
	ECTRUD31199RDBG	R-100	43		
	ECTRUF30179R	R-34	40		
	ECTRUF30179RC	R-33	45		
	ECTRUF32179R	R-81	42		
	ECTRUF32179RC	R-81	47		
	ECTRUFA32179	R-89	42		
	ECTRUFA32179C	R-81	47		
	ECTSR13169TBG	R-77	15		
	ECTSR15159TBG	R-71, R-157	19		
	ECTSR25229TBG	R-157 R-52,	24		
	ECISR252291BG	R-141	24		
	ECTSR33229TBG	R-97,	24		
		R-171	24		
	ECTSRA33229TBG	R-98, R-172	34		
	ECTSRAD25226TBG	R-51,	24		
		C-109, C-117			
	ECTSRAD33226TBG	R-97,	34		
		R-171, C-114,			
		C-130			
	ECTSRO33229RTBG	R-86	34		
	ECTSRS33229TBG	R-36,	34		
	ECUR	R-135	40	1	15V/60Hz
	ECU8 ECU82	C-80 C-81	40 40		
	ECU82 ECU83	C-81	40 40		220V/50Hz 220V/60Hz
	EDF15R	C-79	40 5		1/A
	EDF13R EDF210C	C-79	29		N/A
	EDF310C	C-79	51		N/A
	EDFB12C	C-78	27		V/A
0	EDFB12C	C-78	29		N/A
9	EDFBC12PBC	C-78	29		N/A
	EDFBC212C	C-78	56		N/A
	EDFP19C	C-78	21		N/A
	EDFP210C	C-78	14		N/A
	EDFP210C EDFP210FPK	C-73	39	V N	
2	EDFP210FPK EDFP210RC	C-73	39		N/A N/A
-	EDFP210RC	C-73	16		N/A
	EDFP214C EDFP214FC	C-73	20		N/A N/A
	EDFP214FC	C-73	20 41	V N	
	EDFP214RC	C-73	35		N/A N/A
	EDFP214RC EDFP217C	C-73	42		N/A
	EDFP217C	C-73	42		N/A
	LUTI ZI/FC	C-/J	40	P	N// ⁻¹

	Model Number	Page #	Ship Wt (lbs)	Voltage		
0	EFA14S3YJOSA	C-66	80	220V/60Hz		0
\otimes	EFA14SF1Z	C-65	82	115V/60Hz		
\otimes	EFA14SFP1Z	C-65	83	115V/60Hz		0
\otimes	EFA14SP1Z	C-65	84	115V/60Hz		\otimes
\otimes	EFA14T1Z	C-65	81	115V/60Hz		\otimes
	EFA16L1Y	C-65	79	115V/60Hz		\otimes
\otimes	EFA16L2YJO	C-66	79	220V/50Hz		
\otimes	EFA16LF1Y	C-65	88	115V/60Hz		
\otimes	EFA16LFK1Y	C-65	91	115V/60Hz		
\otimes	EFA16LP1Y	C-65	93	115V/60Hz		
	EFA16S1Y	C-65	79	115V/60Hz		
\otimes	EFA16SFP2YJO	C-66	87	220V/50Hz		0
	EFA20L1Y	C-65	80	115V/60Hz		0
\otimes	EFA20L2YJO	C-66	80	220V/50Hz		0
\otimes	EFA20LF1Y	C-65	81	115V/60Hz		\otimes
\otimes	EFA20LFP1Y	C-65	82	115V/60Hz		\otimes
	EFA20LK1Y	C-65	91	115V/60Hz		0
\otimes	EFA20LP1Y	C-65	86	115V/60Hz		\otimes
\otimes	EFA20N3YJOSA	C-66	80	220V/60Hz		0
	EFA20S1Y	C-65	80	115V/60Hz		\otimes
0	EFA20S2YJO	C-66	80	220V/50Hz		0
0	EFA20S3YJOSA	C-66	80	220V/60Hz		\otimes
0	EFA20SF1Y	C-65	92	115V/60Hz		0
0	EFA20SFK1Y	C-65	91	115V/60Hz		
0	EFA20SP1Y	C-65	86	115V/60Hz		
0	EFA20SPK1Y	C-65	86	115V/60Hz		0
0	EFA25S4JO	C-57	122	220-240V/ 50Hz, 220-230V/ 60Hz		
	EFA4L1Z	C-64	71	115V/60Hz		
0	EFA4LF1Z	C-64	78	115V/60Hz		
0	EFA4LFK1Z	C-64	78	115V/60Hz		\otimes
0	EFA4LFP1Z	C-64	78	115V/60Hz		0
0	EFA4LK1Z	C-64	78	115V/60Hz		
0	EFA4LP1Z	C-64	78	115V/60Hz		
0	EFA4S1Z	C-64	71	115V/60Hz		\otimes
\otimes	EFA4SFK1Z	C-64	80	115V/60Hz		0
	EFA4T1Z	C-64	71	115V/60Hz		0
	EFA4TF1Z	C-64	79	115V/60Hz		
0	EFA8L1110P	C-64	78	115V/60Hz		0
~	EFA8L1Z	C-64	72	115V/60Hz		\otimes
	EFA8L2YJO	C-66	72	220V/50Hz	Z	0
	EFA8LF1Z	C-64	82	115V/60Hz		\odot
	EFA8LF2YJO	C-66	78	220V/50Hz		0
	EFA8LFK1Z	C-64	83	115V/60Hz		0
	EFA8LFP1Z	C-64	89	115V/60Hz		0
	EFA8LFP2YJO	C-66	78	220V/50Hz		
\otimes	EFA8LFPK1Z	C-64	89	115V/60Hz		
	EFA8LK1Z	C-64	83	115V/60Hz		\otimes
\otimes	EFA8LP1Z	C-64	78	115V/60Hz		0
\otimes	EFA8S1110P	C-64	91	115V/60Hz		0
	EFA8S1Z	C-64	72	115V/60Hz		0
\otimes	EFA8S2YJO	C-66	72	220V/50Hz		0
\otimes	EFA8S3YJOSA	C-66	78	220V/60Hz		
0	EFA8SF1Z	C-64	82	115V/60Hz		0

	_	1			
		Model Number	Page #	Ship Wt (lbs)	Voltage
	\otimes	EFA8SF2YJO	C-66	78	220V/50Hz
		EFA8SK1Z	C-64	83	115V/60Hz
	\otimes	EFA8SP1Z	C-64	82	115V/60Hz
	\otimes	EFA8SP2YJO	C-66	78	220V/50Hz
	\otimes	EFA8T1Z	C-64	72	115V/60Hz
	\otimes	EFA8TF1Z	C-64	82	115V/60Hz
		EFC1150D-A	C-92	74	220V/50Hz
		EFC1150D-B	C-92	1	220-240V/ 50Hz, 220-230V/ 60Hz
		EFDAL	C-65	55	N/A
	\otimes	EFHA14L1Z	C-68	93	115V/60Hz
	\otimes	EFHA14S1Z	C-68	93	115V/60Hz
	\otimes	EFHA8L1Z	C-68	82	115V/60Hz
	\otimes	EFHA8L2YJO	C-69	82	220V/50Hz
	\otimes	EFHA8LF1Z	C-68	91	115V/60Hz
	\otimes	EFHA8LFP1Z	C-68	94	115V/60Hz
	\otimes	EFHA8LP1Z	C-68	93	115V/60Hz
	\otimes	EFHA8S1Z	C-68	82	115V/60Hz
	\otimes	EFHA8S2YJO	C-69	82	220V/50Hz
	\otimes	EFHA8SFP1Z	C-68	94	115V/60Hz
	\otimes	EFHFA8L2YJO	C-69	93	220V/50Hz
	\otimes	EFHFA8S2YJO	C-69	93	220V/50Hz
		EFOA8L1Z	C-67	72	115V/60Hz
		EFOA8S1Z	C-67	72	115V/60Hz
	\otimes	EFOA8T1Z	C-67	72	115V/60Hz
		EFR2-CB-A	C-92	2	N/A
		EFR2-CF-A	C-93	4	N/A
		EFR2-RO75-A	C-93	4	N/A
		EFR2075D-A	C-92	33	110-240V/
	0	EFRC122K	C-62	80	50-60Hz 220V/50Hz
	0	EFRC122K	C-62	80	
	U				
		EFRC12CDK	C-61	110	1130/00112
	~	EFRC12K	C-61	00	1134/00112
	0	EFRC82K	C-62	00	2200/30112
	0	EFRC83K	C-62	79	2201700112
		EFRC8CDK	C-61	105 1	115V/60Hz
	0	EFRC8FK	C-61	0.	115V/60Hz
	_	EFRC8K	C-61	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	115V/60Hz
	0	EFRCM122CDK	C-62		220V/50Hz
	0	EFRCM122FK	C-62		220V/50Hz
94	0	EFRCM122FKWR	C-62		220V/50Hz
	0	EFRCM122K	C-62		220V/50Hz
	0	EFRCM123CDK	C-62		220V/60Hz
	0	EFRCM123FK	C-62		220V/60Hz
	0	EFRCM123K	C-62		220V/60Hz
		EFRCM12CDK	C-61		115V/60Hz
		EFRCM12K	C-61		115V/60Hz
	\otimes	EFRCM82CDK	C-62		220V/50Hz
	\otimes	EFRCM82FK	C-62		220V/50Hz
	\otimes	EFRCM82K	C-62		220V/50Hz
	\otimes	EFRCM82QCDK	C-62		240V/50Hz
	\otimes	EFRCM83FK	C-62	118	220V/60Hz
	\otimes	EFRCM83K	C-62	117	220V/60Hz

	Model Number	Page #	Ship Wt (lbs)		Voltage				Model Number	Page #	Ship Wt (lbs)		Voltage
0	EFRCM83KSA	C-62	117	▼	220V/60Hz	_			EFU471810DBT	R-90	47		
	EFRCM8CDK	C-61	144	▼	115V/60Hz				EFW16L1Z	C-67	82		115V/60Hz
\otimes	EFRCM8FK	C-61	116	▼	115V/60Hz				EFW16L2YJO	C-68	85		220V/50Hz
	EFRCM8K	C-61	114	▼	115V/60Hz				EFW16LP1Z	C-67	84		115V/60Hz
	EFRP8K	C-61	80	▼	115V/60Hz				EFW16N3YJOSA	C-68	85		220V/60Hz
	EFRPC8K	C-61	115	▼	115V/60Hz				EFW16S1Z	C-67	82		115V/60Hz
\otimes	EFRPCM82K	C-62	160	▼	220V/50Hz				EFW16S2YJO	C-68	85		220V/60Hz
	EFRPCM8K	C-61	161	▼	115V/60Hz				EFW16S3YJOSA	C-68	85		220V/60Hz
0	EFRPM122CDK	C-62	148	▼	220V/50Hz				EFW16T1Z	C-67	82		115V/60Hz
\otimes	EFRPM122K	C-62	117	▼	220V/50Hz				EFWC16S1Z	C-69	95		115V/60Hz
\otimes	EFRPM82K	C-62	117	▼	220V/50Hz				EFY8S1Z	C-69	81		115V/60Hz
	EFRU131610T	R-68	20						EG1	C-99	8		
	EFRU191610T	R-60	27						EG2	C-99	8		
	EFRU211510T	R-58	28						EG3	C-99	10		
	EFRU211510TC	R-58	32			ė	x.	\otimes	EHFRA72K	C-63	82	▼	220V/50Hz
	EFRU2115T	R-59	24			ė	à.	\otimes	EHFRA73K	C-63	82	▼	220V/60Hz
	EFRU2115TC	R-58	29			ė	à.	\odot	EHFRA7FK	C-61	82	•	115V/60Hz
	EFRU281610T	R-44	38			ė			EHFRA7K	C-61	82		115V/60Hz
	EFRU281610TC	R-44	43			ė			EHFRAM7K	C-61	119		115V/60Hz
	EFRU2816T	R-44	32			ė			EHFSA8L1Z	C-57	66		115V/60Hz
	EFRU2816TC	R-43	36			ė		0	EHFSA8L2ZJO	C-63	66		220V/50Hz
	EFRU30169RTWC	R-31	49			ė		0	EHFSA8L3ZJO	C-63	66		220V/60Hz
	EFRU311610T	R-37	36			ė			EHFSA8LF1Z	C-57	66		115V/60Hz
	EFRU311610TC	R-37	32			ė		0	EHFSA8S1Z	C-57	66		115V/60Hz
	EFRU311810T	R-117	42			ė		\otimes	EHFSA8S2ZJO	C-63	66		220V/50Hz
	EFRU311810TC	R-117	47			ė		0	EHFSA8S3ZJO	C-63	66		220V/50Hz
	EFRU321910T	R-102	40			ė		0	EHFSA8SF1Z	C-57	66		115V/60Hz
		R-78	40			ė				C-57			
	EFRU718T							0	EHFSA8T1Z		66		115V/60Hz
	EFRUAQ31169TWC	R-86	51			ė		0	EHFSADL	C-57	39		N/A
	EFRUFF23417	R-85	45			ė.		0	EHFSADLE	C-57	39		N/A
	EFRUFF23417DBG	R-85	59			ė.		~	EHFSADS	C-57	39		N/A
	EFRUFF3417R	R-27	45			ė		0	EHFSADT	C-57	39		N/A
	EFRUFF3417RDBG	R-27	59				94		EHS-14-PEDX	C-149	62		
	EFRUFFA3417	R-86	45						EHS-14X	C-149	14		
	EFRUFFA3417DBG	R-85	59						EHS-18-KVX	C-149	20		
	EFS2523C	C-175	39						EHS-18-PEDX	C-149	66		
	EFS3321C	C-175	44				24		EHS-18-SDX	C-149	21		
	EFSBP25	C-175	6						EHS-18-SSX	C-149	16		
	EFSBP33	C-175	8				8		EHS-18-STDX	C-150	21		
	EFSSP21	C-175	6						EHS-18X	C-149	16		
	EFSSP23	C-175	6			ė	à		EHW214C	C-71	25		N/A
	EFU131610T	R-68	19			ė	à	\otimes	EHW214FPK	C-71	46	▼	N/A
	EFU131610TC	R-68	24			ė	x.		EHW217C	C-71	61		N/A
	EFU211510T	R-32, R-82	30			ė	x.	\odot	EHW217FPK	C-71	91	▼	N/A
	EFU211510TC	R-57	34			ė	x.	\otimes	EHW217FPRAK	C-71	91	▼	N/A
	EFU23-A	C-93	14		N/A	ė	x.		EHW217RAC	C-71	70		N/A
	EFU23-MS-A	C-93	3		N/A	ė	x.		EHWM14C	C-70	30		N/A
	EFU23-PP-A	C-93	4		N/A	ė	x.	\otimes	EHWM14FPK	C-70	51	▼	N/A
	EFU23-UF-A	C-93	3		N/A	ė	x		EHWM17C	C-70	60		N/A
	EFU281610T	R-43	32			ė	x.	\otimes	EHWM17FPK	C-70	81	▼	N/A
	EFU281610TC	R-43	37			ė	i.		EHWM214C	C-71	39		N/A
	EFU311810T	R-117	37			ė	x.	\otimes	EHWM214FPK	C-71	56	▼	N/A
	EFU311810TC	R-116	42			ė	x.		EHWM217C	C-71	50		N/A
	EFU411510DBT	R-29	35			ė	x.	0	EHWM217FPK	C-71	71	▼	N/A
						1							

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number
ė	EHWM217RAC	C-71	50	N/A	2	ELUH16-CU
ġ.	ELDSSF30279DBG	C-104	60			ELUH1616
ė	ELDSSF33279DBG	C-103	65			ELUH1616DBG
ė	ELDSSF36279DBG	C-103	69			ELUH16FB
	ELG1616	R-191	18			
	ELG1616C	R-191	22			ELUH16FBDBG
	ELG2522	R-195	43			ELUH16LV
	ELG2522C	R-194	48		2	ELUH16LV-CU
	ELG3322	R-196	62		_	ELUH1811
	◎ ELGAD2522PD	C-118	34			ELUH1814
	⊗ ELGAD3322PD	C-129	46			ELUH1814PD
	ELGH3322R	R-195	62			ELUH191610
	ELGHU3322R	R-192	57		0	
	ELGHU3322RC	R-192	64			
	ELGR13322	R-194	57			ELUH2115
	ELGRU13322	R-189	45			ELUH211510
	ELGRU13322C	R-189	60			
	ELGU2522	R-190	41			ELUH211510DBG
	ELGU2522C	R-190	46			ELUH211510PD
			52			ELUH211512
	ELGU3322	R-193				ELUH2115DBG
	ELGU3322C	R-193	66			ELUH2115PD
ė.	ELGUAD2519PD	C-110	32			ELUH2118
ę.	ELGUAD3319PD	C-114	42			ELUH211810
Ġ.	ELUH1113	R-74	8			ELUH211810DBG
ġ.	ELUH1113DBG	R-74	10			ELUH211810PD
	ELUH1116	R-75	11			ELUH2118DBG
	ELUH1116DBG	R-75	14			ELUH2118PD
ę.	ELUH12	R-74, C-187	9			ELUH2317
\$ Z	ELUH12-CU	C-185	5			ELUH231710
	ELUH1212	R-72	10			ELUH231710L
	ELUH1212PD	R-72	13			ELUH231710PD
	ELUH129	R-73	7			ELUH231710R
	ELUH129DBG	R-72	9			ELUH231712
ę.	ELUH12FB	R-73,	10			ELUH231712L
		C-187				ELUH231712R
ę.	ELUH12FBDBG	R-73	9			ELUH2317L
ę	ELUH12LV	R-207, C-187	6			ELUH2317PD
£ 2	ELUH12LV-CU	C-185	6			ELUH2317R
	ELUH1316	R-71,	12			ELUH2416
		C-186				ELUH241610
	ELUH1316DBG	R-70	15			ELUH241610PD
	ELUH1316PD	R-70	13			ELUH2416PD
	ELUH1316PDBG	R-69	16			ELUH272010R
	ELUH1317	R-76	11			ELUH272010RDB
	ELUH1317DBG	R-76	13			ELUH2816
	ELUH1418	R-65	16			ELUH281610
	ELUH141810	R-66	17			
	ELUH141810DBG	R-66	17			ELUH281610DBG
	ELUH141810PD	R-66	15			ELUH281610PD
	ELUH1418DBG	R-65	17			ELUH281610PDB
	ELUH1418PD	R-65	17			ELUH281612
ę.	ELUH1511	R-206,	7			ELUH281612DBG
<i></i>	220.11311	C-187				ELUH2816DBG

	Model Number	Page #	Ship Wt (lbs)	Voltage
Z	ELUH16-CU	C-185	13	
	ELUH1616	R-63	12	
	ELUH1616DBG	R-63	19	
	ELUH16FB	R-64, C-187	15	
	ELUH16FBDBG	R-63	17	
	ELUH16LV	R-205, C-187	13	
8	ELUH16LV-CU	C-185	13	
	ELUH1811	R-205	8	
	ELUH1814	R-62	13	
	ELUH1814PD	R-61	17	
	ELUH191610	R-61	16	
\otimes	ELUH191612	R-61	17	
	ELUH2115	R-56, C-186	14	
	ELUH211510	R-57, C-186	17	
	ELUH211510DBG	R-56	23	
	ELUH211510PD	R-56	22	
	ELUH211512	R-57	18	
	ELUH2115DBG	R-55	20	
	ELUH2115PD	R-55	20	
	ELUH2118	R-53	14	
	ELUH211810	R-54	19	
	ELUH211810DBG	R-53	19	
	ELUH211810PD	R-53	19	
	ELUH2118DBG	R-52	19	
	ELUH2118PD	R-52	14	
	ELUH2317	R-38	20	
	ELUH231710	R-49	23	
	ELUH231710L	R-49	23	
	ELUH231710PD	R-48	25	
	ELUH231710R	R-49	23	
	ELUH231712	R-50	26	
	ELUH231712L	R-50	26	
	ELUH231712R	R-50	26	
	ELUH2317L	R-47	20	
	ELUH2317PD	R-47	25	
	ELUH2317R	R-48	20	
	ELUH2416	R-46	23	
	ELUH241610	R-47	23	
	ELUH241610PD	R-46	25	
	ELUH2416PD	R-46	25	
	ELUH272010R	R-121	21	
	ELUH272010RDBG	R-121	26	
	ELUH2816	R-40	22	
	ELUH281610	R-41, C-186	25	
	ELUH281610DBG	R-41	29	
	ELUH281610PD	R-40	26	
	ELUH281610PDBG	R-40	32	
	ELUH281612	R-42	27	
	ELUH281612DBG	R-41	29	
	ELUH2816DBG	R-39	25	
	ELUH2816PD	R-39	24	
	ELUH2816PDBG	R-39	29	

	Model Number	Page #	Ship Wt (lbs)	Voltage			Model Number	Page #	Ship Wt (lbs)	Voltage
	ELUH3116	R-103	19				ELUH362110L	R-93	26	
	ELUH3116DBG	R-103	22				ELUH362110LDBG	R-93	31	
	ELUH3118	R-118,	17				ELUH362110R	R-94	27	
		C-187					ELUH362110RDBG	R-94	31	
	ELUH311810	R-119, C-187	28				ELUH3621L	R-92	21	
	ELUH311810DBG	R-119	27				ELUH3621LDBG	R-92	26	
	ELUH311810L	R-120	23				ELUH3621R	R-93	21	
	ELUH311810LDBG	R-120	27				ELUH3621RDBG	R-92	26	
	ELUH311810PD	R-119	28				ELUH3920	R-123	30	
	ELUH311810R	R-121	23				ELUH3920DBG	R-122	38	
	ELUH311810RDBG	R-120	27				ELUH4020	R-122	32	
	ELUH3118DBG	R-118	25				ELUH4020DBG	R-122	38	
	ELUH3118PD	R-118	25				ELUH4221L	R-91	38	
							ELUH4221LDBG	R-90	40	
	ELUH311910L	R-115	21				ELUH4221R	R-91	38	
	ELUH311910LDBG	R-114	25				ELUH4221RDBG	R-91	40	
	ELUH311910R	R-115	21		ė	2	ELUH9-CU	C-185	3	
	ELUH311910RDBG	R-115	25		ė	-	ELUHAD111655	C-104	11	
	ELUH3119L	R-113	21		ė		ELUHAD111655PD	C-113	15	
	ELUH3119LDBG	R-113	26		ė		ELUHAD121255	C-113	9	
	ELUH3119R	R-114	21							
	ELUH3119RDBG	R-114	26		ė.		ELUHAD131655	C-113	11	
	ELUH3120L	R-112, C-187	27		ė.		ELUHAD131655PD	C-112	13	
	ELUH3120LDBG	R-112	27		ė.		ELUHAD141455	C-112	11	
	ELUH3120LPD	R-110	28		ė.		ELUHAD141455PD	C-112	15	
	ELUH3120LPDBG	R-110	32		ġ		ELUHAD141855	C-104	11	
	ELUH3120R	R-113,	22		ė		ELUHAD141855PD	C-111	14	
	LEONSTZOR	C-187	22		ė		ELUHAD161655	C-111	11	
	ELUH3120RDBG	R-112	27		ė		ELUHAD191655	C-111	17	
	ELUH3120RPD	R-111	28		ė		ELUHAD211555	C-110	12	
	ELUH3120RPDBG	R-111	31		ė		ELUHAD211555PD	C-110	19	
	ELUH3121L	R-116	25		ė		ELUHAD281655	C-109	21	
	ELUH3121R	R-116	25		ė		ELUHAD281655PD	C-109	26	
	ELUH31229RPD	R-99	21		ė		ELUHAD311855	C-115	21	
	ELUH3219	R-101	19		ė		ELUHAD311855PD	C-115	26	
	ELUH3219DBG	R-101	24		ę		ELUHAD312055R	C-107	21	
	ELUH3220	R-109	25		ė		ELUHAD312055RPD	C-115	26	
	ELUH322010	R-109	32		ė		ELUHAD321655	C-114	21	
	ELUH322010PD	R-108	35		ė		ELUHAD361855	C-106	27	
	ELUH3220PD	R-109	32				ELUHAQD32179	R-102	22	
	ELUH322110L	R-105	25				ELUHAQD3218	R-102	22	
	ELUH322110LDBG	R-105	28				ELUHF2520	R-35	25	
	ELUH322110EDBG	R-105	20				ELUHF2520DBG	R-35	28	
	ELUH322110RDBG	R-106	28				ELUHF3320	R-88	31	
	ELUH3221L	R-108	20 18				ELUHF332010	R-90	23	
							ELUHF332010DBG	R-88	26	
	ELUH3221LDBG	R-104	25 10				ELUHF3320DBG	R-88	33	
	ELUH3221R	R-105	19 25				ELUHFS2816	R-34	30	
~	ELUH3221RDBG	R-104	25				ELUHFS2816DBG	R-34	36	
0	ELUH3232	R-103	35				ELV18173	C-154	20	
	ELUH3520L	R-95	32				ELV1817CS3	C-154	20	
	ELUH3520LDBG	R-95	34				ELV22191	C-153	16	
	ELUH3520R	R-96	29				ELV22191	C-153	16	
	ELUH3520RDBG	R-96	34				ELV2219CS3	C-153	16	
	ELUH361710	R-95	27							
	ELUH361710DBG	R-94	32				ELV2219SACC	C-153	20	•

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
	ELV2219SACTMC	C-153	28	•		ER101Y	C-80	74	115V/60Hz
	ELVWO22191	C-153	16		6	ER102Y	C-81	74	220V/50Hz
	ELVWO22193	C-153	16		G	ER103Y	C-81	74	220V/60Hz
	ELVWO2219CS3	C-153	16			ER191	C-80	115	115V/60Hz
	ELVWO2219SACC	C-153	26	•	6	ER192	C-81	115	220V/50Hz
	ELVWO2219SACMC	C-153	27	•	6	ER193	C-81	115	220V/60Hz
	ELVWO2219SACTMC	C-153	28	•	Ξ	ER194H	C-82	112	220-240V/
	ELX1616	R-186	18						50Hz, 220-230V/
	ELX2522	R-187	43						60Hz
	ELX3322	R-188	62			ER21Y	C-80	44	115V/60Hz
	ELXH3322R	R-188	62		6	ER22Y	C-81	44	220V/50Hz
	ELXHU3322R	R-186	57			ER301	C-80	123	115V/60Hz
	ELXR13322	R-187	57		6	ER302	C-81	123	220V/50Hz
	ELXRU13322	R-185	55		6	ER303	C-81	123	220V/60Hz
	ELXU2522	R-185	41			ER51Y	C-80	66	115V/60Hz
	ELXU3322	R-187	58		6	ER52Y	C-81	66	220V/50Hz
ę.	EMABF8L	C-49	58	115V/60Hz	6	ER53Y	C-81	66	220V/60Hz
ę.	EMABF8S	C-49	58	115V/60Hz	ę c	ERFP282K	C-74	98	▼ 220V/50Hz
ę.	EMABF8WSLK	C-26	91	▼ 115V/60Hz	ė O	ERFP28FK	C-53	98	▼ 115V/60Hz
ė	EMABF8WSSK	C-26	91	▼ 115V/60Hz	ė	ERFP28K	C-53	98	▼ 115V/60Hz
ė	EMABFDL	C-49	36	N/A	ė	ERFP28RAK	C-53	98	▼ 115V/60Hz
ė	EMABFDS	C-49	36	N/A	ક ૯	ERFP82K	C-74	76	▼ 220V/50Hz
ė	EMABFDWSLK	C-26	54	▼ 115V/60Hz	ė O	ERFP8FK	C-53	76	▼ 115V/60Hz
ę.	EMABFDWSSK	C-26	54	115V/60Hz	ė	ERFP8K	C-53	76	▼ 115V/60Hz
ę.	EMABFTL8LC	C-49	94	115V/60Hz	ક હ	ERFPM282K	C-74	131	▼ 220V/50Hz
ė	EMABFTL8SC	C-49	94	115V/60Hz	ક ૯	ERFPM28FK	C-53	131	▼ 115V/60Hz
ė.	EMABFTL8WSLK	C-26	101	▼ 115V/60Hz	ė	ERFPM28K	C-53	122	▼ 115V/60Hz
ė	EMABFTL8WSSK	C-26		▼ 115V/60Hz	ė	ERFPM28RAK	C-53	131	▼ 115V/60Hz
ė.	EMABFTLDDLC	C-49	46	N/A	ė O	ERFPM82K	C-74	95	▼ 220V/50Hz
ę.	EMABFTLDDSC	C-49	46	N/A	ė.	ERFPM8K	C-53	95	▼ 115V/60Hz
ė	EMABFTLDDWSLK	C-26		▼ 115V/60Hz	ė	ERFPMVR28K	C-53	131	▼ 115V/60Hz
ė	EMABFTLDDWSSK	C-26	95	▼ 115V/60Hz	ė	ERFPMVR28RAK	C-53	131	▼ 115V/60Hz
ė	EMABFTLR8LC	C-50	94	115V/60Hz	ė	ERFPVR28K	C-53	98	▼ 115V/60Hz
ė	EMABFTLR8SC	C-50	94	115V/60Hz	ė	ERFPVR28RAK	C-53	98	▼ 115V/60Hz
ė	EMABFTLRDDLC	C-50	46	N/A	ė	ERFPVR8K	C-53	76	▼ 115V/60Hz
ė	EMABFTLRDDSC	C-50	46	N/A	ė	ERFPVRM8K	C-53	95	▼ 115V/60Hz
ė	EMABFTLVR8LC	C-49	94	115V/60Hz	ė.	ERO28K	C-53	102	▼ 115V/60Hz
ė	EMABFTLVR8SC	C-49	94	115V/60Hz	ė	ERO28RAK	C-53	102	▼ 115V/60Hz
ė	EMABFTLVRDDLC	C-49	46	N/A	ė	ERO8K	C-53	78	▼ 115V/60Hz
ė	EMABFTLVRDDSC	C-49	46	N/A	ė C	EROM282K	C-74	135	▼ 220V/50Hz
ė	EMABFVR8L	C-49	58	115V/60Hz	ė	EROM28K	C-53	135	▼ 115V/60Hz
ė	EMABFVR8S	C-49	58	115V/60Hz	ė	EROM28RAK	C-53	135	▼ 115V/60Hz
ė	EMABFVRDL	C-49	36	N/A	ė o	EROM82K	C-74	97	▼ 220V/50Hz
ė.	EMABFVRDS	C-49	36	N/A	ė	EROM8K	C-53	97	▼ 115V/60Hz
ė.	EMABFWS-RF	C-26, C-29	29	115V/60Hz	ė	ERPB28K	C-51	108	▼ 115V/60Hz
ė	EMASM	C-29	20	N/A	ė	ERPB28RAK	C-52	108	▼ 115V/60Hz
ė.	EMASMB	C-29	22	N/A	ė	ERPB8K	C-51	74	▼ 115V/60Hz
ė.	ENOB28K	C-51		▼ 115V/60Hz	ė	ERPBGRNM28K	C-50	141	▼ 115V/60Hz
ė.	ENOB28RAK	C-52		▼ 115V/60Hz	ė	ERPBGRNM28RAK	C-50	141	▼ 115V/60Hz
ė.	ENOB28KAK	C-52 C-51		▼ 115V/60Hz	ė	ERPBGRNM8K	C-50		▼ 115V/60Hz
6 Z 6		C-77		240V/50Hz	ė	ERPBGRNMV28K	C-50	141	▼ 115V/60Hz
i a c	ENOBM282QK ENOBM28K	C-51		 115V/60Hz 	ė	ERPBGRNMV28RAK	C-50		▼ 115V/60Hz
ė.	ENOBM28R	C-52		▼ 115V/60Hz	ė	ERPBGRNMV8K	C-50		▼ 115V/60Hz
		C-52 C-77		 240V/50Hz 		ERPBM282K	C-77		▼ 220V/50Hz
						ERPBM282RAK	C-78		▼ 220V/50Hz
ġ.	ENOBM8K	C-51	93 '	▼ 115V/60Hz			2.70		

			Model Number	Page #	Ship Wt (lbs)		Voltage
ę.		\otimes	ERPBM283K	C-77	141	▼	220V/60Hz
ġ		\otimes	ERPBM283RAK	C-78	141	▼	220V/60Hz
ę.			ERPBM28K	C-51	141	▼	115V/60Hz
ę			ERPBM28RAK	C-52	141	▼	115V/60Hz
ę.		\otimes	ERPBM82K	C-77	93	▼	220V/50Hz
ġ		\otimes	ERPBM83K	C-77	93	▼	220V/60Hz
ę.			ERPBM8K	C-51	93	▼	115V/60Hz
ġ			ERPBMV28K	C-51	141	▼	115V/60Hz
ġ			ERPBMV28RAK	C-52	141	▼	115V/60Hz
ġ			ERPBMV8K	C-51	93	▼	115V/60Hz
ę.			ERPBV28K	C-51	108	▼	115V/60Hz
ġ			ERPBV28RAK	C-52	108	▼	115V/60Hz
ġ			ERPBV8K	C-51	74	▼	115V/60Hz
			ERS11Y	R-240, C-80	33		115V/60Hz
		0	ERS12Y	C-81	33		220V/50Hz
			ERW321	C-80	120		115V/60Hz
			ESE202010	R-148	12		
	94		ESLV28201	C-158	30		
			ESLV28203	C-158	25		
	94		ESLV2820FC	C-157	43	▼	
	8		ESLV2820KC	C-157	43	▼	
	8		ESLV2820SACC	C-157	41	•	
	8		ESLV2820SACMC	C-157	41	•	
	04		ESLV2820SACTMC	C-157	43	•	
	D-0 D-0		ESLV2820W4C ESLV2820W6C	C-157	38 38	•	
	۲		ESR3100D-A	C-157 C-92	53	•	110-240V/
			ESS21182	C-174	26		50-60Hz
			ESS2118C	C-173	48	▼	
			ESS23192	C-174	44		
			ESS2319C	C-173	66	▼	
			ESS25202	C-174	44		
			ESS2520C	C-173	66	▼	
			ESS4220R	C-167	55		
	8		ESS4924R1	C-167	82		
	8	0	ESS4924R2	C-167	82		
	94		ESS4924RFC	C-166	95	▼	
	8		ESS4924RKC	C-166	100	•	
	8		ESS4924RSACC	C-166	90	•	
	64		ESS4924RSACMC	C-166	91	•	
	94 9	0	ESS4924RSACTMC	C-166	92	•	
	D4 D4		ESS4924RW4C ESS4924RW6C	C-166 C-166	82	•	
	\$	0	ESSB2118C	C-166	82 75	•	
			ESSB2319C	C-173	80	•	
			ESSB2520C	C-173	85	Ť	
			ESSW2118C	C-173	75	•	
			ESSW2319C	C-173	80	•	
			ESSW2520C	C-173	85	•	
			ESWA8S1Z	C-63	57		115V/60Hz
	DCI	\otimes	EU4814C	C-156	50		
	DCI		EU6014C	C-156	65		
	94		EUH4814C	C-156	55		
	R		EUH6014C	C-156	65		

	Model Number	Page #	Ship Wt (lbs)	Voltage
	EWA14L1Z	C-55	69	
	EWA14N3YJOSA	C-56	69	220V/60H
	EWA14S1Z	C-55	69	115V/60H
0	EWA14S2YJO	C-56	69	220V/50H
0	EWA14S3YJOSA	C-56	69	220V/60H
0	EWA16N3YJOSA	C-56	70	220V/60H
0	EWA16S3YJOSA	C-56	70	220V/60H
0	EWA20N3YJOSA	C-56	76	220V/60H
0	EWA20S3YJOSA	C-56	76	220V/60H
	EWA4S1Z	C-55	60	115V/60H
	EWA8L1Z	C-55	60	115V/60H
	EWA8S1Z	C-55	60	115V/60H
0	EWA8S3YJOSA	C-56	60	220V/60H
	EWCA14L1Z	C-54	64	115V/60H
	EWCA14S1Z	C-54	64	115V/60H
	EWCA14312	C-54	55	115V/60H
0	EWCA4S3YJO	C-54	55	220V/60H
0	EWCA4S3YJOSA	C-54	55	220V/60H
9	EWCA4551JOSA EWCA8L1Z	C-54	55	115V/60H
	EWCA8L1Z EWCA8S1Z	C-54 C-54	54 54	115V/60H
0	EWCA8512	C-54	54	220V/50H
U	EWCA8121JO	C-54	28	N/A
0	EWCDAL	C-54	28	N/A
0	EWDAL	C-54 C-55	28 44	N/A N/A
~	EWDAS	C-55	44	N/A
0	EWDAT	C-55	44	N/A
	EWF172	C-91	3	N/A
	EWF3000	C-90	3	N/A
	EWMA48202	C-168	76	
	EWMA48204	C-168	76	_
	EWMA4820C	C-168	85	•
	EWMA4820SACC	C-168	91	•
	EWMA4820SACMC	C-168	92	•
	EWMA4820SACTMC	C-168	95	•
	EWMA60203	C-168	90	
	EWMA60206	C-168	90	_
	EWMA6020C	C-168	103	•
	EWMA6020SACC	C-168	116	•
	EWMA6020SACMC	C-168	118	•
	EWMA6020SACTMC	C-168	122	▼
	EWMA72203	C-169	95	
	EWMA72206	C-169	95	
	EWMA7220C	C-169	110	•
	EWMA7220SACC	C-169	121	•
	EWMA7220SACMC	C-169	123	▼
	EWMA7220SACTMC	C-169	127	▼
	EWMA96204	C-169	132	
	EWMA96208	C-169	132	
	EWMA9620C	C-169	149	▼
	EWMA9620SACC	C-169	165	▼
	EWMA9620SACMC	C-169	167	▼
	EWMA9620SACTMC	C-169	173	▼
	EWS25201	C-160	38	
	EWS25202	C-160	38	
	EWS2520FC	C-159	55	

Voltage

220V/60Hz

115V/60Hz

220V/50Hz

220V/50Hz

220V/60Hz

115V/60Hz

220V/50Hz

220V/60Hz

115V/60Hz

220V/50Hz

220V/60Hz

115V/60Hz

220V/50Hz

220V/60Hz

115V/60Hz

115V/60Hz 115V/60Hz

115V/60Hz 115V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz 115V/60Hz

115V/60Hz

220V/50Hz

115V/60Hz 115V/60Hz

220V/50Hz

115V/60Hz

115V/60Hz

220V/50Hz 220V/60Hz

115V/60Hz

220V/50Hz

220V/60Hz

115V/60Hz

220V/50Hz

220V/60Hz 115V/60Hz

220V/50Hz

220V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz 115V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz

115V/60Hz

Ship Wt (lbs)

51

51

51

68 🔻

68 🔻

82 🔻

68 🔻

68 🔻

82 🔻

69

69 🔻

82 🔻

69

69 🔻

82 🔻

36

36

36

52

52 🔻

52 🔻

52 🔻

51

51

82 🔻

82 🔻

72

72

72 72

72

72

89 🔻

89 🔻

101 🔻

89

89 🔻

101 🔻

91

91 🔻

103 🔻

91 🔻

91 🔻

103 46

46

79

79 🔻

81 🔻

81 🔻

72

72

101

101 🔻

72

•

•

▼

▼

▼

•

•

•

Page #

C-42

C-40 C-42

C-19

C-19

C-21

C-19

C-19

C-21

C-19

C-19

C-21

C-19

C-19

C-21

C-40

C-40

C-40

C-21

C-21

C-21

C-21

C-37 C-37

C-22

C-22

C-42 C-41

C-41

C-42 C-41

C-41 C-20

C-20

C-21

C-20

C-20

C-21 C-20

C-20

C-21

C-20

C-20

C-21

C-41 C-41

C-21

C-21

C-21

C-21

C-37 C-37

C-22

C-22

C-41

		Model Number	Page #	Ship Wt (lbs)		Voltage	_			Model Number	
		EWS2520KC	C-160	55	▼		ę		0	EZS8S3JOSA	
		EWS2520SACC	C-159	49	▼		ġ.		\otimes	EZS8SF	
		EWS2520SACMC	C-159	49	▼		ģ		\otimes	EZS8SF2JO	
		EWS2520SACTMC	C-159	51	▼		ė		\otimes	EZS8WSL2K	
		EWS2520W4C	C-159	50	▼		ė		\otimes	EZS8WSL3K	
		EWS2520W6C	C-159	50	▼		ė			EZS8WSLK	
		EWS31201	C-162	42			ę.		\otimes	EZS8WSS2K	
		EWS31202	C-162	42			ę.		\otimes	EZS8WSS3K	
		EWS3120FC	C-161	42	▼		ė			EZS8WSSK	
		EWS3120KC	C-162	42	▼		ė		\otimes	EZS8WSVRL2K	
		EWS3120SACC	C-161	51	▼		ė		\otimes	EZS8WSVRL3K	
		EWS3120SACMC	C-161	51	▼		ė			EZS8WSVRLK	
		EWS3120SACTMC	C-161	53	▼		ė		\otimes	EZS8WSVRS2K	
		EWS3120W4C	C-161	42	▼		ė		\otimes	EZS8WSVRS3K	
		EWS3120W6C	C-161	42	•		ė			EZS8WSVRSK	
		EWSF130261	C-171	85			ė			EZSDL	
94		EWSF13026KWC	C-170	85			ė		\otimes	EZSDLF	
2		EWSF13026KWSC	C-170	85			ė		Ŭ	EZSDS	
-		EWSF13026SACC	C-171	96	•		ŕ			EZSDWSLK	
		EWSF260262	C-172	150	*		ę			EZSDWSEK	
Ā		EWSF26026KWC	C-172	150			ę.			EZSDWSVRLK	
â		EWSF26026KWSC	C-170	150						EZSDWSVRSK	
-					•		ę.				
		EWSF26026SACC	C-172	172	•		ę.			EZSG8L	
-		EWSF390263	C-172	210			ė.			EZSG8S	
8		EWSF39026KWC	C-170	210			ė.			EZSG8WSLK	
14		EWSF39026KWSC	C-170	210	_		ę.			EZSG8WSSK	
		EWSF39026SACC	C-172	243	▼		ę.		0	EZSTL8L2JOC	
ę.		EWSFAD136201	C-171	140			ę.			EZSTL8LC	
ę		EWSFAD13620SACC	C-171	146	▼		ė		0	EZSTL8LFC	
		EWTLA14LK	C-55	109	▼	115V/60Hz	ė		0	EZSTL8S2JOC	
		EZO8L	C-38	51		115V/60Hz	ģ			EZSTL8SC	
		EZO8S	C-38	51		115V/60Hz	ģ		\otimes	EZSTL8SFC	
		EZO8S3JOSA	C-39	51		220V/60Hz	ģ	94	0	EZSTL8WSL2K	
		EZO8WSLK	C-18	51		115V/60Hz	ģ	94	\otimes	EZSTL8WSL3K	
		EZO8WSSK	C-18	51		115V/60Hz	ė			EZSTL8WSLK	
ġ		EZODL	C-38	36		115V/60Hz	ė	94	\otimes	EZSTL8WSS2K	
ę		EZODS	C-38	36		115V/60Hz	ģ	94	\otimes	EZSTL8WSS3K	
ę		EZOOSTL8LC	C-38	36		115V/60Hz	ę			EZSTL8WSSK	
ę		EZOOSTL8SC	C-38	36		115V/60Hz	ę	94	\otimes	EZSTL8WSVRL2K	
ę.		EZOOTL8WSLK	C-18	36		115V/60Hz	ę.	8	\otimes	EZSTL8WSVRL3K	
ę		EZOOTL8WSSK	C-18	36		115V/60Hz	ę			EZSTL8WSVRLK	
ę		EZOSTL8LC	C-38	72		115V/60Hz	ģ	94	\otimes	EZSTL8WSVRS2K	
ę	\otimes	EZOSTL8S3JOCSA	C-39	72		220V/60Hz	ę	8	\otimes	EZSTL8WSVRS3K	
ę.		EZOSTL8SC	C-38	72		115V/60Hz	ę.			EZSTL8WSVRSK	
ę.		EZOTL8WSLK	C-21	72		115V/60Hz	ę.			EZSTLDDLC	
ę		EZOTL8WSSK	C-21	72		115V/60Hz	ę			EZSTLDDSC	
ę.		EZS8L	C-40	51		115V/60Hz	ę.			EZSTLDDWSLK	
ģ	0	EZS8L2JO	C-42	51		220V/50Hz	ę.			EZSTLDDWSSK	
ģ	\otimes	EZS8L3JO	C-42	51		220V/60Hz	ė			EZSTLDDWSVRLK	
ę.	0	EZS8LF	C-40	51		115V/60Hz	ę			EZSTLDDWSVRSK	
ę	\otimes	EZS8LF2JO	C-42	51		220V/50Hz	ę.			EZSTLG8LC	
		EZS8S	C-40	51		115V/60Hz	ę.			EZSTLG8SC	
ġ.						1					
ė.	\otimes	EZS8S2JO	C-42	51		220V/50Hz	ę			EZSTLG8WSLK	
	0	EZS8S2JO EZS8S2QJO	C-42 C-42	51 51		220V/50Hz 240V/50Hz	ė. ė			EZSTLG8WSLK EZSTLG8WSSK	

			Model Number	Page #	Ship Wt (lbs)		Voltage	
ę.			EZSTLVR8SC	C-41	72		115V/60Hz	
ġ			EZSVR8L	C-40	51		115V/60Hz	
ġ			EZSVR8S	C-40	51		115V/60Hz	
ę.			EZWS-EDFP217K	C-30	118	▼	115V/60Hz	
ġ			EZWS-EDFPBM114K	C-30	118	▼	115V/60Hz	
ę			EZWS-EDFPBM117K	C-30	118	▼	115V/60Hz	
ę			EZWS-ERFP8-RF	C-34	50		115V/60Hz	
ġ.			EZWS-ERPB8-RF	C-34	48		115V/60Hz	
ġ.			EZWS-ERPBM28K	C-30	170	▼	115V/60Hz	
ġ			EZWS-ERPBM8K	C-30	146	▼	115V/60Hz	
ġ			EZWS-SFGRN28K	C-31	164	▼	115V/60Hz	
ġ			EZWS-SFGRN8K	C-31	127	▼	115V/60Hz	
ġ			EZWS-SS28K	C-31	164	▼	115V/60Hz	
ġ			EZWS-SS8K	C-31	123	▼	115V/60Hz	
ġ			EZWS8K	C-32	63	▼	115V/60Hz	
Ģ.			EZWS8PK	C-32	63	▼	115V/60Hz	
ġ			EZWSGRN8K	C-32	63	▼	115V/60Hz	
ġ			EZWSGRN8PK	C-32	63	▼	115V/60Hz	
ę			EZWSGRNM8K	C-32	78	▼	115V/60Hz	
ę			EZWSGRNM8PK	C-32	78	▼	115V/60Hz	
Ġ		0	EZWSM82K	C-33	76	▼	220V/50Hz	
ę	R	0	EZWSM82PK	C-33	76	▼	220V/50Hz	
Ġ	14	0	EZWSM83K	C-33	76	▼	220V/60Hz	
Ġ	94	0	EZWSM83PK	C-33	76	▼	220V/60Hz	
ġ.			EZWSM8K	C-32	77	▼	115V/60Hz	
Ġ			EZWSM8PK	C-32	77	▼	115V/60Hz	
Ġ	94	0	EZWSMDJOK	C-33	33	•	220V/50- 60Hz	
ġ	94	0	EZWSMDJOPK	C-33	33	▼	220V/50- 60Hz	
ę			EZWSMDK	C-32	33	▼	115V/60Hz	
Ŷ			EZWSMDPK	C-32	33	▼	115V/60Hz	
Ŗ			EZWSRK	C-18, C-29	19		115V/60Hz	
ę			EZWSSM	C-28	32		115V/60Hz	
ġ		0	EZWSSMJO	C-28	32		220V/50- 60Hz	
			F					
			FD70010L1Z	C-59	65		115V/60Hz	
		\otimes	FD70010L2YJO	C-60	65		220V/50Hz	
		\otimes	FD70010L3YJO	C-60	65		220V/60Hz	
		\otimes	FD70010LF1Z	C-59	66		115V/60Hz	
		\otimes	FD70010LF2YJO	C-60	66		220V/50Hz	
			FD70010S1Z	C-59	65		115V/60Hz	
		\otimes	FD70010S2YJO	C-60	65		220V/50Hz	
		\otimes	FD70010S3YJO	C-60	65		220V/60Hz	
		\otimes	FD70010S3YJOSA	C-60	65		220V/60Hz	
		\otimes	FD70010SF1Z	C-59	66		115V/60Hz	ġ
		\otimes	FD70010SF2YJO	C-60	66		220V/50Hz	ė
		\otimes	FD70010T1Z	C-59	65		115V/60Hz	ė
		\otimes	FD70010T2YJO	C-60	65		220V/50Hz	ė
		\otimes	FD70010T3YJO	C-60	65		220V/60Hz	ė
		\otimes	FD70010TF1Z	C-59	66		115V/60Hz	ė
		\otimes	FD70010TF2YJO	C-60	66		220V/50Hz	ė
			FD7003L1Z	C-59	54		115V/60Hz	ė
		\otimes	FD7003L2YJO	C-60	54		220V/50Hz	ė
		0	FD7003L3YJO	C-60	54		220V/60Hz	I

	Model Number	Page #	Ship Wt (lbs)	Voltage
	FD7003L3YJOSA	C-60	54	220V/60Hz
0	FD7003LF1Z	C-59	55	115V/60Hz
0	FD7003LF2YJO	C-60	55	220V/50Hz
	FD7003S1Z	C-59	54	115V/60Hz
0	FD7003S2YJO	C-60	54	220V/50Hz
0	FD7003S3YJO	C-60	54	220V/60Hz
0	FD7003S3YJOSA	C-60	54	220V/60Hz
0	FD7003SF1Z	C-59	55	115V/60Hz
0	FD7003SF2YJO	C-60	55	220V/50Hz
	FD7003T1Z	C-59	54	115V/60Hz
0	FD7003T2YJO	C-60	54	220V/50Hz
0	FD7003T3YJO	C-60	54	220V/60Hz
0	FD7003TF1Z	C-59	55	115V/60Hz
0	FD7003TF2YJO	C-60	55	220V/50Hz
	FD7005L1Z	C-59	54	115V/60Hz
0	FD7005L2YJO	C-60	54	220V/50Hz
0	FD7005L3YJO	C-60	54	220V/60Hz
0	FD7005LF1Z	C-59	55	115V/60Hz
0	FD7005LF2YJO	C-60	55	220V/50Hz
	FD7005S1Z	C-59	54	115V/60Hz
0	FD7005S2YJO	C-60	54	220V/50Hz
0	FD7005S3YJO	C-60	54	220V/60Hz
0	FD7005S3YJOSA	C-60	54	220V/60Hz
0	FD7005SF1Z	C-59	55	115V/60Hz
0	FD7005SF2YJO	C-60	55	220V/50Hz
0	FD7005T1Z	C-59	54	115V/60Hz
0	FD7005T2YJO	C-60	54	220V/50Hz
0	FD7005T3YJO	C-60	54	220V/60Hz
\otimes	FD7005TF1Z	C-59	55	115V/60Hz
0	FD7005TF2YJO	C-60	55	220V/50Hz
	FD700DL	C-59	29	N/A
	FD700DS	C-59	29	N/A
0	FD700DT	C-59	29	N/A
	FLR-1X	C-150	28	
	FLR-2X	C-150	32	
	FLR-3X	C-150	30	
	FLR-4X	C-150	36	
	FS33-A	C-93	2	N/A
	G			
	GBG1318SS	R-265	1	
	GBG1414SS	R-265	1	
	GBG1415SS	R-265	1	
	GBG2115SS	R-265	2	
	GBG2416SS	R-265	2	
	GBG2816SS	R-265	3	
ę.	GE12521	R-256	10	
ę.	GE12521L	R-256	10	
ę.	GE12521R	R-256	10	
ę.	GE12522	R-253	10	
ę.	GE12522L	R-253	10	
ę.	GE12522R	R-254	10	
ę.	GE23321	R-262	13	
ę.	GE23322	R-259	12	
ę	GECR2521	R-145	11	

		Model Number	Page #	Ship Wt (lbs)	Voltage
à.		GECR2521L	R-144	11	
		GECR2521R	R-144	11	
		GECR3321	R-177	14	
		GFOBG1416SS	R-231	3	
		GFOBG1619SS	R-231	3	
		GOBG1115SS	R-265	1	
		GOBG1118SS	R-265	1	
		GOBG1415SS	R-266	1	
		GOBG1520LSS	R-266	2	
		GOBG1520RSS	R-266	2	
		GOBG1617SS	R-266	1	
		GOBG1819SS	R-266	2	
		GOBG2115SS	R-266	2	
		GOBG2118SS	R-266	2	
		GOBG2816SS	R-266	3	
		I			
		ILGR4322L	R-129	32	
		ILGR4322R	R-129	32	
		ILGR5422L	R-166	40	
		ILGR5422R	R-167	40	
		ILR3322L	R-130	23	
		ILR3322R	R-130	23	
		ILR4322L	R-128	29	
		ILR4322R	R-128	29	
		ILR4822L	R-167	35	
		ILR4822R	R-167	35	
		ILR5422DD	R-127	40	
		ILR6622DD	R-166	50	
		К			
			D 250	4	
		K11515	R-258	4	
		K12522	R-254	8	
		K23322	R-259	12	
		L			
		LBWDC00BKC	C-27	47	115V/60Hz
		LBWDC00WHC	C-27	47	115V/60Hz
		LCR4322	R-134, R-162	28	
		LCRSP8K	C-52	47	▼ 115V/60Hz
2	0		C-72		▼ 240V/50Hz
		LCRSPM8K	C-52	66	▼ 115V/60Hz
		LF2	C-91	1	N/A
		LFAE14L1Z	C-64	82	115V/60Hz
		LFAE14S1Z	C-64	82	115V/60Hz
	0	LFAE14SF1Z	C-64	85	115V/60Hz
	0	LFAE20S3YJOSA	C-66	83	220V/60Hz
	\otimes	LFAE20SF1Y	C-64	96	115V/60Hz
	\otimes	LFAE20SF3YJOSA	C-66	83	220V/60Hz
		LFAE8L1Z	C-64	83	115V/60Hz
	0	LFAE8L2YJO	C-66	83	220V/50Hz
	0	LFAE8LF1Z	C-64	86	115V/60Hz
		LFAE8S1Z	C-64	83	115V/60Hz
	0	LFAE8S2YJO	C-66	88	220V/50Hz
	0	LFAE8SF1Z	C-64	86	115V/60Hz
	0	LFAE8TF1Z	C-64	86	115V/60Hz
		LFDE10L1Z	C-59	68	115V/60Hz

	Model Number	Page #	Ship Wt (lbs)		Voltage
0	LFDE10L2YJO	C-60	68		220V/50Hz
$^{\circ}$	LFDE10LF1Z	C-59	69		115V/60Hz
	LFDE10S1Z	C-59	68		115V/60Hz
\otimes	LFDE10S2YJO	C-60	68		220V/50Hz
$^{\circ}$	LFDE10SF1Z	C-59	69		115V/60Hz
$^{\circ}$	LFDE10SF3YJO	C-60	69		220V/60Hz
\otimes	LFDE10SF3YJOSA	C-60	69		220V/60Hz
\otimes	LFDE10T1Z	C-59	68		115V/60Hz
$^{\circ}$	LFDE10T2YJO	C-60	68		220V/50Hz
$^{\circ}$	LFDE10TF1Z	C-59	69		115V/60Hz
$^{\circ}$	LFDE3T1Z	C-59	68		115V/60Hz
	LFGR3322	R-163	25		
	LFGR3722	R-169	28		
	LFRAD251955	C-105	18		
	LGR3322	R-173	25		
	LGR3722	R-170	28		
	LGR4322	R-182	25		
\otimes	LJNE122FK	C-62	84	▼	220V/50Hz
	LJNE12K	C-61	82	▼	115V/60Hz
0	LJNE82FK	C-62	83	▼	220V/50Hz
\otimes	LJNE8FK	C-61	83	▼	115V/60Hz
	LJNE8K	C-61	81	▼	115V/60Hz
	LJNEM102QCDK	C-62	168	▼	240V/50Hz
0	LJNEM122FK	C-62	121	▼	220V/50Hz
0	LJNEM122K	C-62	121	▼	220V/50Hz
0	LJNEM123K	C-62	121	▼	220V/60Hz
0	LJNEM123KSA	C-62	121	▼	220V/60Hz
0	LJNEM12FK	C-61	121	▼	115V/60Hz
0	LJNEM12K	C-61	119	▼	115V/60Hz
0	LJNEM82K	C-62	118	•	220V/50Hz
0	LJNEM83K	C-62	118	•	220V/60Hz
0	LJNEM83KSA	C-62	118	-	220V/60Hz
0	LJNEM8FK	C-61	120	-	115V/60Hz
	LJNEM8K	C-61	118	▼	115V/60Hz
	LK109A	C-97	1		N1 / A
	LK1110	R-224, C-98	1		N/A
	LK1114	C-98	1		N/A
	LK1141A	C-234	3		
	LK125A	R-223	1		
	LK126	R-223	1		
	LK142	C-97	1		
	LK173	C-191	19		
	LK174	R-222, C-193	1		
	LK174-CU	R-222, C-193	1		
	LK174LO	R-222, C-193	1		
	LK174LO-CU	R-222, C-193	1		
	LK175	R-222, C-193	1		
	LK177	C-192	1		
	LK18	R-213, C-191	1		
	LK18B	R-213, C-191	1		

	Model Number	Page #	Ship Wt (lbs)	Voltage					Model Number	Page #	Ship Wt (lbs)	Voltage
	LK2	R-213,	1		ė	ā.			LK406GN08T6	C-222	5	
		C-191	2		ė	ż			LK406HA08L2	C-222	5	
	LK20	R-213, C-191	2		ė	à			LK406HA08T4	C-222	5	
	LK24RT	C-191	4		ė	Ā			LK406HA08T6	C-222	5	
	LK25RT	C-191	4		ė	à			LK406HA10L2	C-222	5	
	LK27	C-191	2		ė	Ā			LK406HA10T4	C-222	5	
	LK290	R-222,	5		ė	à			LK406HA10T6	C-222	5	
	1.1/225	C-193			ė	ż			LK406LGN05L2	C-223	5	
	LK335	R-213, C-191	1		ė	Ā			LK406LGN05T4	C-223	5	
	LK337	R-221, C-192	1		ى بۇ				LK406LGN05T6 LK406LGN08L2	C-223 C-223	5 5	
	LK34	R-224,	1		ė	ż			LK406LGN08T4	C-223	5	
	1.1/25	C-194			ė	ż			LK406LGN08T6	C-223	5	
	LK35	R-213, C-191	1		ė	Ā			LK406TS08L2	C-223	5	
	LK350	R-223, C-194	1		ė				LK406TS08T4	C-223	5	
	LK35B	R-213,	1		ė	Ā			LK406TS08T6	C-223	5	
		C-191					~ ~	0	LK43 LK4400	C-195 C-86	2 179	N/A
	LK35L	R-213	2						LK4400BF	C-85	179	N/A
	LK36	R-213	1			, , , , , , , , , , , , , , , , , , ,			LK4400BFEVGWR	C-85	179	N/A
	LK363	R-223, C-194	1			, .			LK4400DB	C-86	88	1977
	LK364	R-223,	1			5			LK4405	C-86	91	N/A
		C-194				5			LK4405BF	C-85	91	N/A
	LK372	R-213, C-191	1			5			LK4405BFEVGWR	C-85	91	N/A
	LK373	R-213	2					0	LK4406	C-86	5.	
	LK394A	C-227	3		ė	5	Ċ	0	LK4408BF	C-85	176	N/A
	LK395A	C-227	3		ė				LK4409BF	C-85	176	N/A
	LK396A	C-227	3						LK4410	C-86		
	LK397C	C-228	14		ė	5			LK4410BF	C-85	203	N/A
	LK398C	C-228	9						LK4420	C-87		
	LK399A	C-228	3		ė	5			LK4420BF1L	C-85	147	N/A
	LK400	C-232	4		ė		S		LK4420BF1LDB	C-85	205	N/A
	LK402	C-195	1		ė	5	Ċ	0	LK4420BF1U	C-85	147	N/A
	LK403	C-195	2		ė	5	B		LK4420BF1UDB	C-85	205	N/A
	LK404	C-195	1						LK4420DB	C-87		
ė	LK406AT08L2	C-222	5		ė	5			LK4430BF1L	C-86	280	N/A
ė	LK406AT08T4	C-222	5		ė	5			LK4430BF1M	C-86	215	N/A
ė	LK406AT08T6	C-222	5		ė	5			LK4430BF1U	C-86	215	N/A
ė	LK406AT10L2	C-222	5		ė	5			LK4590	C-87	185	N/A
ė	LK406AT10T4	C-222	5		ė	5	Ċ	0	LK4590FR	C-87	205	N/A
ė	LK406AT10T6	C-222	5		ė	5	Ċ	0	LK4590SFR	C-87	205	N/A
ė	LK406AT12L2	C-222	5						LK4591	C-87	125	N/A
ė.	LK406AT12T4	C-222	5		ė	5			LK4593	C-87	46	N/A
ė	LK406AT12T6	C-222	5		ė	5	Ċ	0	LK4593FR	C-87	60	N/A
ė	LK406AT14L2	C-222	6		ė	5			LK4595	C-87	225	N/A
ė.	LK406AT14T4	C-222	6		ė	5	Ċ	0	LK4595FR	C-87	245	N/A
ę.	LK406AT14T6	C-222	6		ė	5	Ċ	0	LK4595SFR	C-87	245	N/A
ę.	LK406GN04L2	C-222	5						LK463	R-223, C-194	1	
ę.	LK406GN04T4	C-222	5		1						6	
ė	LK406GN04T6	C-222	5		ۇ. غ				LK500AT08L2 LK500AT08T4	C-223 C-223	6	
ė.	LK406GN05L2	C-222	5		ė				LK500AT08T6	C-223 C-223	6	
ġ.	LK406GN05T4	C-222	5		ė				LK500AT0818	C-223	6	
ġ.	LK406GN05T6	C-222	5		ė				LK500AT10T4	C-223	6	
ġ.	LK406GN08L2	C-222	5		ė				LK500AT10T6	C-223	6	
ę	LK406GN08T4	C-222	5						2	C 223	0	

	Model Number	Page #	Ship Wt (lbs)	Voltage			Model Number	Page #	Ship Wt (lbs)	Voltage
ė	LK500AT12L2	C-223	6				LK543AF10LC	C-216	13	
ė.	LK500AT12T4	C-223	6				LK543AF12C	C-216	13	
ę.	LK500AT12T6	C-223	6				LK543AF12LC	C-216	13	
ė.	LK500AT14L2	C-223	6				LK543AF14C	C-216	13	
ę.	LK500AT14T4	C-223	6				LK543AF14LC	C-216	13	
ę.	LK500AT14T6	C-223	6				LK543C	C-216	13	
ė	LK500GN04L2	C-224	6				LK543LC	C-216	13	
ę.	LK500GN04L2	C-224	6				LK58	R-213	1	
ė	LK500GN04T6	C-224	6				LK60	R-222,	5	
ę.	LK500GN05L2	C-224	6					C-193		
ė	LK500GN05T4	C-224	6			ė	LK651	C-218	6	
ė	LK500GN05T6	C-224	6			ę.	LK652	C-218	4	
ė	LK500GN08L2	C-224	5			Ġ.	LK654	C-218	2	
ė	LK500GN08T4	C-224	5			ė	LK656	C-218	4	
ė	LK500GN08T6	C-224	5				LK69C	C-219, C-230	2	
ė	LK500HA08L2	C-224	6				LK69CH	C-219,	1	
ė	LK500HA08T4	C-224	6					C-230		
ė	LK500HA08T6	C-224	6				LK69CP	C-219,	1	
ė	LK500HA10L2	C-224	6				LK76	C-230	4	
ė	LK500HA10T4	C-224	6				LN70	R-222, C-193	4	
ė	LK500HA10T6	C-224	6				LK8	R-221,	1	
	LK52	R-222,	3					C-192		
		C-193					LK80	C-195	1	
	LK53	R-222, C-193	2			ė	LK800AT08L2	C-226	6	
ė	LK535AT08L2	C-233	4			Ġ.	LK800AT08T4	C-226	6	
ė	LK535AT08T4	C-233	4			ę.	LK800AT08T6	C-226	6	
ė	LK535AT08T6	C-233	4			Ġ.	LK800AT10L2	C-226	6	
ė	LK535AT10L2	C-233	4			ę.	LK800AT10T4	C-226	6	
ė	LK535AT10T4	C-233	4			ė	LK800AT10T6	C-226	6	
ė	LK535AT10T6	C-233	4			ę.	LK800AT12L2	C-226	6	
ė.	LK535AT12L2	C-233	4			ę.	LK800AT12T4	C-226	6	
ė	LK535AT12T4	C-233	4			ė	LK800AT12T6	C-226	6	
ė	LK535AT12T6	C-233	4			ė	LK800AT14L2	C-226	6	
ė	LK535AT14L2	C-233	4			ė	LK800AT14T4	C-226	6	
ė	LK535AT14T4	C-233	4			ę.	LK800AT14T6	C-226	6	
ė	LK535AT14T6	C-233	4			ė.	LK800GN04L2	C-226	6	
ė	LK535GN04L2	C-233	4			ė	LK800GN04T4	C-226	6	
ė	LK535GN04T4	C-233	4			ė	LK800GN04T6	C-226	6	
ė	LK535GN04T6	C-233	4			ę.	LK800GN05L2	C-226	6	
ė	LK535GN05L2	C-233	5			Ġ.	LK800GN05T4	C-226	6	
ė	LK535GN05T4	C-233	5			ę.	LK800GN05T6	C-226	6	
ė	LK535GN05T6	C-233	5			Ġ.	LK800GN08L2	C-226	6	
ė	LK535GN08L2	C-233	4			ę.	LK800GN08T4	C-226	6	
ė	LK535GN08T4	C-233	4			Ġ.	LK800GN08T6	C-226	6	
ė	LK535GN08T6	C-233	4			ę.	LK800HA08L2	C-227	6	
ė	LK535HA08L2	C-233	4			Ġ.	LK800HA08T4	C-227	6	
ė	LK535HA08T4	C-233	4			ę.	LK800HA08T6	C-227	6	
ė	LK535HA08T6	C-233	4			ė.	LK800HA10L2	C-227	6	
ė.	LK535HA10L2	C-233	5			ė.	LK800HA10T4	C-227	6	
ė	LK535HA10T4	C-233	5			ė.	LK800HA10T6	C-227	6	
ė	LK535HA10T6	C-233	5			ė.	LK800TS08L2	C-227	6	
-	LK543AF08C	C-216	13			ė	LK800TS08T4	C-227	6	
	LK543AF08LC	C-216	13			ė.	LK800TS08T6	C-227	6	
	LK543AF10C	C-216	13			ė.	LK801AT08L2	C-226	6	
						ġ.	LK801GN08L2	C-226	6	

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
ę	LK804F	C-219	6		ė	LK940AT08T4S	C-212	7	
ġ.	LK810AT08L2	C-214	6		ę.	LK940AT08T6H	C-212	7	
5	LK810AT08T4	C-214	6		ę.	LK940AT08T6S	C-212	7	
5	LK810AT08T6	C-214	6		ę.	LK940AT10L2H	C-212	6	
5	LK810AT10L2	C-214	6		ę.	LK940AT10L2S	C-212	6	
5	LK810AT10T4	C-214	6		ę.	LK940AT10T4H	C-212	6	
5	LK810AT10T6	C-214	6		ę.	LK940AT10T4S	C-212	7	
5	LK810AT12L2	C-214	6		ę.	LK940AT10T6H	C-212	7	
5	LK810AT12T4	C-214	6		ę.	LK940AT10T6S	C-212	7	
5	LK810AT12T6	C-214	6		ę.	LK940AT12L2H	C-212	6	
5	LK810AT14L2	C-214	6		ę.	LK940AT12L2S	C-212	6	
Ā	LK810AT14T4	C-214	6		ę.	LK940AT12T4H	C-212	6	
5	LK810AT14T6	C-214	6		ę.	LK940AT12T4S	C-212	6	
5	LK810GN04L2	C-214	6		ę.	LK940AT12T6H	C-212	6	
5	LK810GN04T4	C-214	6		ę.	LK940AT12T6S	C-212	6	
5	LK810GN04T6	C-214	6		ę.	LK940AT14L2H	C-212	6	
5	LK810GN05L2	C-214	6		ė	LK940AT14L2S	C-212	6	
5	LK810GN05T4	C-214	6		ė	LK940AT14T4H	C-212	6	
5	LK810GN05T6	C-214	6		ę.	LK940AT14T4S	C-212	6	
5	LK810GN08L2	C-214	6		ė.	LK940AT14T6H	C-212	6	
5	LK810GN08T4	C-214	6		ė.	LK940AT14T6S	C-212	6	
5	LK810GN08T6	C-214	6		ė	LK940BP03L2H	C-228	7	
5	LK810HA08L2	C-215	6		ė	LK940BP03L2S	C-228	7	
5	LK810HA08T4	C-215	6		ė.	LK940BP03T4H	C-228	8	
λ λ	LK810HA08T6	C-215	6		ė.	LK940BP03T4S	C-228	8	
r Ā	LK810HA10L2	C-215	6		ė.	LK940BP03T6H	C-228	8	
л х	LK810HA10T4	C-215	6		ė.	LK940BP03T6S	C-228	8	
5		C-215	6		ė			8	
5	LK810HA10T6 LK810LGN05L2	C-215	6		હે	LK940BP07L2H LK940BP07L2S	C-228 C-228	8	
5									
	LK810LGN05T4 LK810LGN05T6	C-215	6 6		ě.	LK940BP07T4H	C-228	8 8	
5		C-215			ė.	LK940BP07T4S	C-228		
5	LK810LGN08L2	C-215	6		ě.	LK940BP07T6H	C-228	8	
5	LK810LGN08T4	C-215	6		ě.	LK940BP07T6S	C-228	8	
5	LK810LGN08T6	C-215	6		ė.	LK940BR03L2H	C-229	8	
5	LK810TS08L2	C-215	6		ė.	LK940BR03L2S	C-229	8	
5	LK810TS08T4	C-215	6		Ġ.	LK940BR03T4H	C-229	8	
5	LK810TS08T6	C-215	6		ė.	LK940BR03T4S	C-229	8	
5	LK811AT08L2	C-214	7		ė.	LK940BR03T6H	C-229	8	
	LK843AF08C	C-217	13		ė.	LK940BR03T6S	C-229	8	
	LK843AF08LC	C-217	13		ė.	LK940BR07L2H	C-229	9	
	LK843AF10C	C-217	13		ė.	LK940BR07L2S	C-229	9	
	LK843AF10LC	C-217	13		ę.	LK940BR07T4H	C-229	9	
	LK843AF12C	C-217	13		ę	LK940BR07T4S	C-229	9	
	LK843AF12LC	C-217	13		હે	LK940BR07T6H	C-229	9	
	LK843AF14C	C-217	13		હે	LK940BR07T6S	C-229	9	
	LK843AF14LC	C-217	13		હે	LK940DS20L2H	C-212	8	
	LK843C	C-216	13		હે	LK940DS20L2S	C-212	8	
	LK843LC	C-216	13		ę.	LK940DS20T4H	C-212	8	
	LK86RT	C-192	5		ę.	LK940DS20T4S	C-212	8	
	LK87RT	C-192	5		ė	LK940DS20T6H	C-212	8	
	LK9	R-221,	1		ę	LK940DS20T6S	C-212	8	
L		C-193	G		ġ	LK940GN04L2H	C-225	6	
5	LK940AT08L2H	C-212	6		ė	LK940GN04L2S	C-225	6	
5	LK940AT08L2S	C-212	6		ę.	LK940GN04T4H	C-225	6	
5	LK940AT08T4H	C-212	6		ę.	LK940GN04T4S	C-225	6	

Voltage

Ship Wt (lbs)

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #
ė	LK940GN04T6H	C-225	7			LK943AF12LC	C-217
i.	LK940GN04T6S	C-225	7			LK943AF14C	C-217
	LK940GN05L2H	C-225	6			LK943AF14LC	C-217
	LK940GN05L2S	C-225	6		ę	LK943C	C-217
	LK940GN05T4H	C-225	6			LK943LC	C-217
	LK940GN05T4S	C-225	6		ę	LK945AT08L2T	C-210
	LK940GN05T6H	C-225	6		ę	LK945AT08T4T	C-210
i.	LK940GN05T6S	C-225	6		ę	LK945AT08T6T	C-210
ā.	LK940GN08L2H	C-225	6		ę	LK945AT10L2T	C-210
5	LK940GN08L2S	C-225	6		ę	LK945AT10T4T	C-210
5	LK940GN08T4H	C-225	6		ė	LK945AT10T6T	C-210
5	LK940GN08T4S	C-225	6		ę	LK945AT12L2T	C-210
ż	LK940GN08T6H	C-225	6		ė	LK945AT12T4T	C-210
x.	LK940GN08T6S	C-225	6		ė	LK945AT12T6T	C-210
5.	LK940HA08L2H	C-213	6		ė	LK945AT14L2T	C-210
5	LK940HA08L2S	C-213	6		ė	LK945AT14T4T	C-210
i.	LK940HA08T4H	C-213	6		ė	LK945AT14T6T	C-210
	LK940HA08T4S	C-213	6		ė	LK945BP03L2T	C-231
5.	LK940HA08T6H	C-213	6		ė	LK945BP03T4T	C-231
5	LK940HA08T6S	C-213	6		ė	LK945BP03T6T	C-231
5	LK940HA10L2H	C-213	7		ė	LK945BP07L2T	C-231
5	LK940HA10L2S	C-213	7		ė	LK945BP07T4T	C-231
à	LK940HA10T4H	C-213	7		ė	LK945BP07T6T	C-231
5	LK940HA10T4S	C-213	7		ė	LK945DS20L2T	C-210
5.	LK940HA10T6H	C-213	7		ė	LK945DS20T4T	C-210
5	LK940HA10T6S	C-213	7		ė	LK945DS20T6T	C-210
	LK940LGN05L2H	C-225	6		ė	LK945GN04L2T	C-210
	LK940LGN05L2S	C-225	6		ė	LK945GN04T4T	C-210
	LK940LGN05T4H	C-225	6		ė	LK945GN04T6T	C-210
	LK940LGN05T4S	C-225	6		ė	LK945GN05L2T	C-210
	LK940LGN05T6H	C-225	6		ė	LK945GN05T4T	C-210
	LK940LGN05T6S	C-225	6		ė	LK945GN05T6T	C-210
	LK940LGN08L2H	C-225	6		ė	LK945GN08L2T	C-210
Â.	LK940LGN08L2S	C-225	6		ę.	LK945GN08T4T	C-210
r A	LK940LGN08T4H	C-225	6		ė.	LK945GN08T6T	C-210
5	LK940LGN08T4S	C-225	6		ė.	LK945HA08L2T	C-211
5	LK940LGN08T6H	C-225	6		ė.	LK945HA08T4T	C-211
5	LK940LGN08T6S	C-225	6		ė.	LK945HA08T6T	C-211
	LK940LGN08183	C-223 C-213	6		ė.	LK945HA10L2T	C-211
5			6		ė.		
5	LK940TS08L2S	C-213				LK945HA10T4T	C-211
5	LK940TS08T4H	C-213	6		ė.	LK945HA10T6T	C-211
5	LK940TS08T4S	C-213	6		ė.	LK945TS08L2T	C-211
5	LK940TS08T6H	C-213	6		ė.	LK945TS08T4T	C-211
5	LK940TS08T6S	C-213	6		ė.	LK945TS08T6T	C-211
5	LK940VS07L2H	C-229	8		ġ	LK945VS07L2T	C-231
5	LK940VS07L2S	C-229	8		ġ	LK945VS07T4T	C-231
5	LK940VS07T4H	C-229	8		ġ	LK945VS07T6T	C-231
5	LK940VS07T4S	C-229	8			LK960AF08C	C-217
ġ.	LK940VS07T6H	C-229	8			LK960AF08LC	C-218
ė,	LK940VS07T6S	C-229	8			LK960AF10C	C-217
	LK943AF08C	C-217	13			LK960AF10LC	C-218
	LK943AF08LC	C-217	13			LK960AF12C	C-217
	LK943AF10C	C-217	13			LK960AF12LC	C-218
	LK943AF10LC	C-217	13			LK960AF14C	C-217
	LK943AF12C	C-217	13			LK960AF14LC	C-218

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number
	LK99	R-214, C-192	1		ė	LKD232SC
	LK99FC	R-214	1		ė	LKD2423BHC
	LK99FCS	R-214	1		ė	LKD2432BHC
	LK99S	R-214,	1		ė	LKD2432C
	EROOS	C-192				LKD2433C
ġ.	LKAD174	R-222,	1		ė	LKD2437BHC
		C-180, C-194			ė	LKD2439BHC
5	LKAD174LO	R-222,	1		હં	LKD2439C
		C-180, C-194			ė	LKD2442BHC
5	LKAD18	R-214,	3		હં	LKD2442C
	LIVE IS	C-180,	5			LKD2443C
		C-192			ં	LKD24898BHC
5	LKAD35	R-214, C-180,	2			LKD35AS
		C-192				LKDA2437C
5	LKADOS	R-214, C-180	2			LKDD
			2	N/A		LKDR0717SS
	LKAPR1	C-97	3			LKDR1317RU
	LKAPR2	C-97	15	N/A		LKDS35
	LKAPREZL	C-97	2	N/A		LKDS99
	LKAPRVRCHD	C-97	5	N/A		LKDVR208513C
	LKB400	C-238	2			LKDVR208513L
	LKB721C	C-221	5			LKEG250
	LKB721CNC	C-221	5			LKHSR2509RPD
	LKB722C	C-221	5			
	LKB736C	C-220	5			LKHSR33229PD
	LKB737C	C-220	5			LKOBG1016SS
	LKB738C	C-220	7			
	LKB940C	C-232	6			LKOBG1114SS LKOBG1115SS
	LKBG1115SS	R-225	2			
	LKBG1417SS	R-225	2			LKOBG1216SS
	LKBG1715SS	R-225	2			LKOBG1315SS
	LKBG2217SS	R-225	2			LKOBG1415SS
	LKBG2616SS	R-225	2			LKOBG1417LSS
	LKBH1141A	C-234	5			LKOBG1417RSS
	LKC0717SS	R-236	4			LKOBG1516SS
	LKC0722LSS	R-236,	3			LKOBG1518SS
		R-239, C-181				LKOBG1616SS
	LKCB1216HW	R-237	7			LKOBG1617SS
	LKCB1217AC	R-237	2			LKOBG1618SS
	LKCB1217HW	R-237	8			LKOBG1717SS
	LKCB1223LWN	R-239,	6			LKOBG1718SS
		C-181	-			LKOBG2118SS
	LKCBF1316HW	R-238	5			LKOBG2217SS
	LKCBF1418HW	R-238	5			LKOBG2715SS
	LKCBF1616HW	R-238	4			LKOBG2915SS
	LKCBF17HW	R-238	3			LKOBG3014SS
	LKCBF1916HW	R-238	5			LKOBG3015SS
	LKCBF2115HW	R-238	5			LKOBG3016RSS
	LKCBF2816HW	R-238	8			LKOBG3017RSS
	LKCBF718HW	R-238	4			LKOBG3315SS
	LKCLKIT	R-224	1			LKPD1
5	LKD208513C	C-236	4			LKPDAD18B
5	LKD208513LC	C-237	4		1	LKPDQ1CR
5	LKD20858C	C-236	4			LKPDQ1LS
5	LKD2223C	C-238	6			LKPDQD1BK
		2-200	~		1	

	Model Number	Page #	Ship Wt (lbs)	Voltage
ė	LKD232SC	C-235	6	
ę.	LKD2423BHC	C-236	6	
ę.	LKD2432BHC	C-235	6	
ę.	LKD2432C	C-235	5	
	LKD2433C	C-235	6	
ę.	LKD2437BHC	C-238	5	
ę.	LKD2439BHC	C-235	6	
ę.	LKD2439C	C-235	5	
ę.	LKD2442BHC	C-236	5	
ę.	LKD2442C	C-236	4	
	LKD2443C	C-236	5	
ę.	LKD24898BHC	C-238	4	
	LKD35AS	R-214	1	
	LKDA2437C	C-238	4	
	LKDD	R-214	1	
	LKDR0717SS	R-238	3	
	LKDR1317RU	R-238	2	
	LKDS35	R-214	1	
	LKDS99	R-214	1	
	LKDVR208513C	C-237	4	
	LKDVR208513LC	C-237	4	
	LKEG250	R-224	1	
	LKHSR2509RPD	R-98, R-173	23	
	LKHSR33229PD	R-98, R-174	23	
	LKOBG1016SS	R-231	1	
	LKOBG1114SS	R-231	1	
	LKOBG1115SS	R-231	2	
	LKOBG1216SS	R-231	2	
	LKOBG1315SS	R-231	2	
	LKOBG1415SS	R-231	2	
	LKOBG1417LSS	R-231	2	
	LKOBG1417RSS	R-231	2	
	LKOBG1516SS	R-231	2	
	LKOBG1518SS	R-231	2	
	LKOBG1616SS	R-232	1	
	LKOBG1617SS	R-232	2	
	LKOBG1618SS	R-232	2	
	LKOBG1717SS	R-232	2	
	LKOBG1718SS	R-232	2	
	LKOBG2118SS	R-232	3	
	LKOBG2217SS	R-232	3	
	LKOBG2715SS	R-232	3	
	LKOBG2915SS	R-232	3	
	LKOBG3014SS	R-232	3	
	LKOBG3015SS	R-232	3	
	LKOBG3016RSS	R-232	5	
	LKOBG3017RSS	R-233	4	
	LKOBG3315SS	R-233	4	
	LKPD1	R-214	1	
	LKPDAD18B	R-215	2	
	LKPDQ1CR	R-215	1	
	LKPDQ1LS	R-215	1	
	LKPDQD1BK	R-215	1	
	LKPDQD1CA	R-215	1	

Voltage

Ship Wt (lbs)

1

1

1

1

1

1

1

1

4

1

4

4

1

2

3

4

1

1 5

2

1

2

2

2

2

3

3

3

4

4

3

1

1

2

2

2

2

2

2

2

2

2

2

2

2

2

2

4

3

4

3

3

Page #

R-220

R-220

R-220

R-220

R-220

R-220

R-220

R-220

C-234

R-220

C-234

C-234

R-223, C-194

R-223, C-194

R-223, C-194

C-234

R-220, C-192

R-220, C-192

C-234

R-226 R-226

R-226

R-226

R-226

R-226

R-226

R-226

R-226

R-226

R-226

R-236

R-233

R-234

 Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	
LKPDQD1CH	R-215	1			LKQS35MA	
LKPDQD1CN	R-215	1			LKQS35MC	
LKPDQD1GS	R-215	1			LKQS35MT	
LKPDQD1JB	R-215	1			LKQS35PA	
LKPDQD1MA	R-215	1			LKQS35PT	
LKPDQD1MC	R-215	1			LKQS35RT	
LKPDQD1MT	R-215	1			LKQS35SM	
LKPDQD1PA	R-216	1			LKQS35WH	
LKPDQD1RT	R-216	1			LKR1141A	
LKPDQD1SM	R-216	1			LKS35AS	
LKPDQD1WH	R-216	1		ė	LKSS1141A	
LKPDQSBK	R-216	1		ę.	LKSSVR1141A	
		1		6		
LKPDQSBQ	R-216 R-216				LKUCLIP8	
LKPDQSCA		1			LKUMSK25	
LKPDQSCH	R-216	1				
LKPDQSCN	R-216	1			LKUMSK36	
LKPDQSGR	R-216	1		ė		
LKPDQSGS	R-216	1		6	LKVR1141A	
LKPDQSGY	R-216	1			LKVR18	
LKPDQSJB	R-217	1			LKVR18-CU	
LKPDQSMA	R-217	1				
LKPDQSMC	R-217	1		ė	LKVRBH1141A	
LKPDQSMT	R-217	1			LKWBG1116SS	
LKPDQSPA	R-217	1			LKWBG1209SS	
LKPDQSPT	R-217	1			LKWBG1216SS	
LKPDQSRT	R-217	1			LKWBG1316SS	
LKPDQSSM	R-217	1			LKWBG1414SS	
LKPDQSWH	R-217	1			LKWBG1415SS	
LKPDVR18B	R-217	2			LKWBG1419SS	
LKQD35BK	R-217	1			LKWBG1719SS	
LKQD35BQ	R-217	1			LKWBG2115SS	
LKQD35CA	R-218	1			LKWBG2416SS	
LKQD35CH	R-218	1			LKWBG2816SS	
LKQD35CN	R-218	1			LKWERBSS	
LKQD35GR	R-218	1			LKWOBG1111SS	
					LKWOBG1113SS	
LKQD35GS	R-218	1			LKWOBG1115SS	
LKQD35GY	R-218	1				
LKQD35JB	R-218	1			LKWOBG1116SS	
LKQD35MA	R-218	1			LKWOBG1118SS	
LKQD35MC	R-218	1			LKWOBG1316SS	
LKQD35MT	R-218	1			LKWOBG1415SS	
LKQD35PA	R-218	1			LKWOBG1416SS	
LKQD35PT	R-218	1			LKWOBG1418SS	
LKQD35RT	R-219	1			LKWOBG1520LSS	
LKQD35SM	R-219	1			LKWOBG1520RSS	
LKQD35WH	R-219	1			LKWOBG1616SS	
LKQS35BK	R-219	1			LKWOBG1617SS	
LKQS35BQ	R-219	1			LKWOBG1618SS	
LKQS35CA	R-219	1			LKWOBG1716SS	
LKQS35CH	R-219	1			LKWOBG1819SS	
LKQS35CN	R-219	1			LKWOBG2018SS	
LKQS35GR	R-219	1			LKWOBG2115SS	
LKQS35GS	R-219	1			LKWOBG2118SS	
LKQS35GY	R-219	1			LKWOBG2317LSS	

	Model Number	Page #	Ship Wt (lbs)		Voltage	_	Model Number	Page #	Ship Wt (lbs)		Voltage
	LKWOBG2317SS	R-234	4				LNTE8RAK	C-53	98	▼	115V/60Hz
	LKWOBG2416SS	R-235	4			ė	LNTEM82K	C-74	131	▼	220V/50Hz
	LKWOBG2816SS	R-235	5			ė	LNTEM83K	C-74	131	▼	220V/60Hz
	LKWRB1209SS	R-236	2			ė	LNTEM8FK	C-53	131	▼	115V/60Hz
	LKWRB1316SS	R-236	4			ė	LNTEM8FRAK	C-53	131	▼	115V/60Hz
	LKWRB1414SS	R-236	4			ė	LNTEM8K	C-53	131	▼	115V/60Hz
	LKWRB1418SS	R-236	4			ė	LNTEM8RAK	C-53	131	▼	115V/60Hz
	LKWRB1516SS	R-236	4			ė	LR1316	C-188	10		
	LKWRB1518SS	R-236	2			ė	LR1316-CU	C-186	10		
	LKWRB2217SS	R-236	6			ė	LR1517	R-156,	10		
	LKWRBG12SS	R-226	1			-		C-188			
	LKWRBG14SS	R-227	2			ė	LR1522	R-133	12		
	LKWRBG16SS	R-227	2			ė	LR1522-CU	C-186	12		
	LKWROBG15SS	R-235	2			હં	LR1716	R-155,	8		
			2					C-188			
	LKWUCSS LLVR1310	R-236 R-209,	7			ė	LR1720	R-154, C-188	12		
		C-190	10			ė	LR1722	R-152	13		
	LLVR19	R-208, C-190	10			હે	LR1722-CU	C-186	13		
	LLVR1916	R-207,	12			ė	LR1722PD	R-152	18		
	LLVR1916-CU	C-190 C-185	16			હં	LR1918	R-151, C-188	10		
	LLVR2117	R-207	14			ė	LR1918-CU	C-186	10		
	LMABF8L	C-49	61		115V/60Hz	હં	LR1919	R-149, C-188	13		
	LMABF8S	C-49	61		115V/60Hz	ė	LR1919-CU	C-186	13		
	LMABF8WSLK	C-26	94	▼	115V/60Hz	ė	LR1919PD	R-149	17		
	LMABF8WSSK	C-26	94	▼	115V/60Hz	ė	LR2022	R-148	14		
	LMABFDL	C-49	39		N/A	ė	LR2022-CU	C-186	13		
	LMABFDS	C-49	39		N/A	ė	LR2219	R-147,	13		
	LMABFDWSLK	C-26	57	▼	115V/60Hz			C-188			
	LMABFDWSSK	C-26	57	▼	115V/60Hz	ė	LR2219-CU	C-186	13		
	LMABFTL8LC	C-49	97		115V/60Hz	ė	LR2219PD	R-146	18		
	LMABFTL8SC	C-49	97		115V/60Hz	ė	LR2222	R-145	19		
	LMABFTL8WSLK	C-26	104	•	115V/60Hz	ė	LR2222-CU	C-186	19		
	LMABFTL8WSSK	C-26	104		115V/60Hz	ė	LR250	R-172	21		
	LMABFTLDDLC	C-49	46	•	N/A	ė	LR250L	R-172	21		
	LMABETLDDWSLK	C-26	98	•	115V/60Hz	ė	LR2519	R-180	15		
	LMABFTLDDWSEK	C-26	98		115V/60Hz	ė	LR2521	R-143	15		
	LMABFTLVR8LC	C-20 C-49	97	•		ė	LR2521PD	R-132	19		
	LMABFTLVR8LC	C-49 C-49	97 97		115V/60Hz	ė	LR2522	R-140,	15		
					115V/60Hz			C-188			
	LMABEVR8L	C-49	61 22		115V/60Hz	ė	LR2522PD	R-139	19		
	LMABFWS-RF	C-26, C-29	32			ė	LR2918	R-179	16		
	LMASMB	C-29	25			ė	LR2922	R-179	17		
	LMR2013	R-133	8			ė	LR3122	R-136	19		
	LMR3322	R-134, R-162	21			ė	LR3122PD	R-136	24		
	LNFE82K	C-74	76		220V/50Hz	ė	LR3319	R-178, C-189	20		
0	LNFE8FK	C-53	76	▼	115V/60Hz	ė	LR3321	R-177,	22		
	LNFE8K	C-53	76	▼	115V/60Hz			C-189			
0	LNFEM82K	C-74	95	▼	220V/50Hz	ė	LR3322	R-175, C-189	23		
	LNFEM83K	C-74	95	▼	220V/60Hz	4	חחררככם ו		20		
	LNFEM8FK	C-53	95	▼	115V/60Hz	ė. i	LR3322PD	R-174	29		
0	LNFEM8K	C-53	95	▼	115V/60Hz	<u>خ</u>	LR3722	R-170	24		
	LNFEM8VRK	C-53	95	▼	115V/60Hz	<u>خ</u>	LR4322	R-168	26		
	LNTE82K	C-74	98	▼	220V/50Hz	ė	LRAD131655	C-128	10		
0	LNTE8FK	C-53	98		115V/60Hz	ė	LRAD131655-CU	C-128	10		
	LNTE8K	C-53	98		115V/60Hz	ં	LRAD131665PD	C-129	10		

	Model Number	Page #	Ship Wt (lbs)	Voltage
ę.	LRAD151755	C-127	10	
x.	LRAD151765PD	C-128	10	
à	LRAD152255	C-126	10	
à	LRAD152255-CU	C-127	10	
à	LRAD152265PD	C-127	109	
à	LRAD171655	C-126	8	
ż	LRAD171665PD	C-126	8	
ā.	LRAD172055	C-125	12	
x.	LRAD172065PD	C-125	12	
ż	LRAD172255	C-124	13	
x.	LRAD172255-CU	C-124	13	
à	LRAD172265PD	C-125	13	
à	LRAD191855	C-123	10	
x.	LRAD191855-CU	C-123	10	
à	LRAD191855L	C-106	10	
i.	LRAD191855R	C-106	10	
	LRAD191865PD	C-124	10	
à.	LRAD191955	C-121	13	
x.	LRAD191955-CU	C-122	13	
i.	LRAD191965PD	C-122	13	
à	LRAD202255	C-120	14	
5.	LRAD202255-CU	C-121	14	
	LRAD202265PD	C-121	18	
	LRAD221955	C-120	12	
	LRAD221955-CU	C-120	13	
	LRAD221955L	C-105	13	
	LRAD221955R	C-105	13	
	LRAD2227555K	C-119	14	
x x	LRAD222255	C-119 C-119	14	
	LRAD25055	C-108	21	
	LRAD252155	C-118	15	
Å	LRAD252155-CU	C-118	15	
à	LRAD252165PD	C-119	17	
	LRAD252255	C-116	15	
	LRAD252255-CU	C-117	15	
	LRAD252265PD	C-117	17	
Ā	LRAD291855	C-132	16	
x.	LRAD291865PD	C-182	16	
x.	LRAD292255	C-132	17	
	LRAD292265PD	C-132	17	
x.	LRAD312255	C-116	19	
à	LRAD312265PD	C-116	19	
Ā	LRAD331955	C-131	20	
x.	LRAD331965PD	C-131	20	
x.	LRAD332155	C-131	23	
i.	LRAD332255	C-130	23	
	LRAD332265PD	C-130	23	
	LRAD372255	C-107	24	
x.	LRPB28K	C-51	108	▼ 115V/60Hz
à.	LRPB28RAK	C-52	108	▼ 115V/60Hz
x.	LRPB8K	C-51	74	▼ 115V/60Hz
i.	LRPBGRNM28K	C-50		▼ 115V/60Hz
à	LRPBGRNM28RAK	C-50		▼ 115V/60Hz
λ.	LRPBGRNM8K	C-50		▼ 115V/60Hz
	LRPBGRNMV28K	C-50	141	▼ 115V/60Hz

			Model Number	Page #	Ship Wt (lbs)		Voltage
ę			LRPBGRNMV28RAK	C-50	141	•	115V/60Hz
ġ			LRPBGRNMV8K	C-50	93	•	115V/60Hz
ę		\otimes	LRPBM282K	C-77	141	•	220V/50Hz
ę.		\otimes	LRPBM282QK	C-77	141	•	240V/50Hz
ŝ		0	LRPBM282RAK	C-78	141	•	220V/50Hz
ŝ			LRPBM28K	C-51	141		115V/60Hz
ŝ			LRPBM28RAK	C-52	141	•	115V/60Hz
ŝ		0	LRPBM82K	C-77	93	•	220V/50Hz
ŝ		0	LRPBM82QK	C-77	93		240V/50Hz
ę.			LRPBM8K	C-51	93		115V/60Hz
ę.			LRPBMV28K	C-51	141		115V/60Hz
ę.			LRPBMV8K	C-51	93	•	115V/60Hz
0.			LRS3322	R-130	20	•	1150/00112
			LRS3322PD	R-130	25		
			LSR2722	R-45,	25		
				R-138			
			LTR4622	R-181, C-189	29		
			LTR542210	R-181, C-189	33		
			LTR632210	R-134, R-162	44		
			LVRC8S	C-46	62		
Ŗ		\otimes	LVRC8S2JO	C-48	62		220V/60Hz
Ŗ		\otimes	LVRC8S3JO	C-48	62		220V/60Hz
Ŗ		\otimes	LVRC8S3JOSA	C-48	62		220V/60Hz
Ŗ		\otimes	LVRC8WS2K	C-25	91	▼	220V/50Hz
Ŗ	8	\otimes	LVRC8WS2KWR	C-25	91	▼	220V/50Hz
ġ		\otimes	LVRC8WS3K	C-25	91	▼	220V/60Hz
Ŗ		\otimes	LVRC8WS3KSA	C-25	88	▼	220V/60Hz
ġ			LVRC8WSK	C-23	89	▼	115V/60Hz
Ŗ			LVRCDS	C-46	39		N/A
Ŗ		\otimes	LVRCDWS2K	C-25	59	▼	220V/50Hz
Ŗ		\otimes	LVRCDWS3K	C-25	59	▼	220V/60Hz
Ŗ			LVRCDWSK	C-23	89	▼	115V/60Hz
Ŗ			LVRCGRN8	C-45	62		115V/60Hz
Ŗ			LVRCGRN8F	C-45	62		115V/60Hz
Ŗ			LVRCGRN8WSK	C-24	94	▼	115V/60Hz
Ŗ			LVRCGRNTL8C	C-45	97		115V/60Hz
Ŗ			LVRCGRNTL8FC	C-45	97		115V/60Hz
Ŗ			LVRCGRNTL8WSK	C-24	115	▼	115V/60Hz
ġ			LVRCHD8S	C-43	76		115V/60Hz
Ŗ		\otimes	LVRCHD8S2JO	C-44	76		220V/50Hz
ġ		\otimes	LVRCHD8S2QJO	C-44	76		240V/50Hz
ġ		\otimes	LVRCHD8S3JO	C-44	76		220V/60Hz
ę			LVRCHDDS	C-43	76		N/A
ę		\otimes	LVRCHDTL8S2JOC	C-44	113		220V/50Hz
ġ		0	LVRCHDTL8S3JOC	C-44	113		220V/60Hz
ę.			LVRCHDTL8SC	C-43	113		115V/60Hz
ę.			LVRCHDTLDDSC	C-43	113		N/A
ę.			LVRCSC8S	C-46	62		115V/60Hz
ę.		\otimes	LVRCSC8S2JO	C-48	62		220V/50Hz
ŝ		0	LVRCSC8S3JO	C-48	62		220V/60Hz
ŝ		2	LVRCSCDS	C-46	36		N/A
ŝ		\otimes	LVRCTL8S2JO	C-48	62		220V/50Hz
ŝ		0	LVRCTL8S2JOC	C-48	97		220V/50Hz
ę.	94	0	LVRCTL8S2QJOC	C-48	97		240V/50Hz

		Model Number	Page #	Ship Wt (lbs)	Voltage				Model Number	Page #
ę.	0	LVRCTL8S3JO	C-48	62	220V/60Hz		ę.	0	LZS8SF	C-40
ę.	\otimes	LVRCTL8S3JOC	C-48	97	220V/60Hz		ę.	\otimes	LZS8WSL2K	C-20
ę.		LVRCTL8SC	C-46	97	115V/60Hz		ę.	\otimes	LZS8WSL3K	C-20
ę.	\otimes	LVRCTL8WS2K	C-25	119	220V/50Hz		ę.		LZS8WSLK	C-21
ę.	\otimes	LVRCTL8WS3K	C-25	119	220V/60Hz		ę.	\otimes	LZS8WSS2K	C-20
ę.	\otimes	LVRCTL8WS3KSA	C-25	119	220V/60Hz		\$ Z	\otimes	LZS8WSS2KWR	C-20
ę.		LVRCTL8WSK	C-23	121	115V/60Hz		ę.	\otimes	LZS8WSS2QK	C-20
ę.		LVRCTLDDSC	C-46	74	N/A		ę.	\otimes	LZS8WSS3K	C-20
ę.	\otimes	LVRCTLDDWS2K	C-25	50	220V/50Hz		ę.	$^{\circ}$	LZS8WSS3KSA	C-20
ę.	\otimes	LVRCTLDDWS3K	C-25	50	220V/60Hz		ę.		LZS8WSSK	C-21
ę.		LVRCTLDDWSK	C-23	115	115V/60Hz		ę.	\otimes	LZS8WSVRL2K	C-20
ę.	\otimes	LVRCTLSC8S2JOC	C-48	97	220V/50Hz		ę.	\otimes	LZS8WSVRL3K	C-20
ę.	\otimes	LVRCTLSC8S3JOC	C-48	97	220V/60Hz		ę.		LZS8WSVRLK	C-21
ę.		LVRCTLSC8SC	C-46	97	115V/60Hz		ę.	\otimes	LZS8WSVRS2K	C-20
ġ		LVRCTLSCDDSC	C-46	74	N/A		ę.	\otimes	LZS8WSVRS3K	C-19
	\otimes	LWAE20L3YJOSA	C-56	79	220V/60Hz		ę		LZS8WSVRSK	C-21
8	\otimes	LWAE20S3YJOSA	C-56	79	220V/60Hz		ę		LZSDL	C-40
	\otimes	LWAE8LF2YJO	C-56	75	220V/50Hz		ę.		LZSDS	C-40
		LWAE8S1Z	C-55	74	115V/60Hz		ę.	\otimes	LZSDWSL2K	C-19
	\otimes	LWCE14LF3YJOSA	C-54	72	220V/60Hz		ę.	\otimes	LZSDWSL3K	C-19
		LWCE4L1Z	C-54	59	115V/60Hz		ę.		LZSDWSLK	C-21
	\otimes	LWTLA14S3K	C-56	115	220V/60Hz		ę.	\otimes	LZSDWSS2K	C-19
ę.		LZO8L	C-38	54	115V/60Hz		ę.	\otimes	LZSDWSS3K	C-19
ę.		LZO8L2JO	C-39	18	115V/60Hz		ę.		LZSDWSSK	C-21
ę		LZO8L3JO	C-39	18	115V/60Hz		ė.		LZSDWSVRLK	C-21
ė	\otimes	LZO8S	C-38	54	220V/50Hz		ę.		LZSDWSVRSK	C-21
ę.	\otimes	LZO8S2JO	C-39	54	220V/60Hz		ę.		LZSG8L	C-37
ė.		LZO8S3JO	C-39	54	115V/60Hz		ę.		LZSG8S	C-37
£	\otimes	LZO8WSLK	C-18	54	220V/50Hz		ę.		LZSG8WSLK	C-22
5	\otimes	LZO8WSSK	C-18	54	220V/60Hz		ę.		LZSG8WSSK	C-22
5		LZODL	C-38	39	115V/60Hz		ę.	\otimes	LZSTL8L2JOC	C-42
ė.		LZODS	C-38	39	115V/60Hz		ę.	\otimes	LZSTL8LC	C-41
ŝ.		LZOOSTL8LC	C-38	39	115V/60Hz		ġ		LZSTL8LFC	C-41
ė.		LZOOSTL8SC	C-38	39	115V/60Hz		ę.	\otimes	LZSTL8S2JOC	C-42
5		LZOOTL8WSLK	C-18	39	115V/60Hz		ę.	\otimes	LZSTL8S3JOCSA	C-42
ė.		LZOOTL8WSSK	C-18	39	115V/60Hz		ę.		LZSTL8SC	C-41
ę.	\otimes	LZOSTL8L2JOC	C-39	74	220V/50Hz		ė.	\odot	LZSTL8SFC	C-41
ę	\otimes	LZOSTL8L3JOC	C-39	74	220V/60Hz		ġ	\otimes	LZSTL8WSL2K	C-20
ę		LZOSTL8LC	C-38	74	115V/60Hz		ė.		LZSTL8WSL3K	C-20
ę.	\otimes	LZOSTL8S2JOC	C-39	74	220V/50Hz		ġ		LZSTL8WSLK	C-21
ę.		LZOSTL8S3JOC	C-39	74	220V/60Hz		ė.	\otimes	LZSTL8WSS2K	C-20
£		LZOSTL8S3JOCSA	C-39	74	220V/60Hz		ė.	\otimes	LZSTL8WSS3K	C-20
£		LZOSTL8SC	C-38	74	115V/60Hz		ė.	\otimes	LZSTL8WSS3KSA	C-20
ė		LZOTL8WSLK	C-21	74	115V/60Hz		ė.		LZSTL8WSSK	C-21
ė		LZOTL8WSSK	C-21	74	115V/60Hz		ę.	0	LZSTL8WSVRL2K	C-20
ė.		LZS8L	C-40	54	115V/60Hz		ė.		LZSTL8WSVRL3K	C-20
ė.	0	LZS8L2JO	C-42	54	220V/50Hz		ę.		LZSTL8WSVRLK	C-21
č.		LZS8L3JO	C-42	54	220V/60Hz	1		0	LZSTL8WSVRS2K	C-20
ę.		LZS8L3JOSA	C-42	54	220V/60Hz		ę z		LZSTL8WSVRS3K	C-20
ė.		LZS8LF	C-42	54	115V/60Hz		ę.	5	LZSTL8WSVRSK	C-20
e.	9	LZS85	C-40	54	115V/60Hz		é.		LZSTLDDLC	C-41
5	0	LZS8S2JO	C-40 C-42	54	220V/50Hz	1	é.		LZSTLDDLC	C-41
		LZS8S2QJO	C-42	54	240V/50Hz		ė.		LZSTLDDSC	C-41 C-21
	S	52002QJU	C-+2	J+	2-TOV/JULIZ		~		LEDIEDUVUJEN	
5 5	\otimes	LZS8S3JO	C-42	54	220V/60Hz		ę.		LZSTLDDWSSK	C-21

Ship Wt

(lbs)

71

71

85

71 🔻

71

71

71

71 🔻

85 72

72

85

72

72

85

39 36

45 ▼ 45 ▼

55

45

45

55 🔻

55

55

54 54

85

85 74

74 74

74 74

74

74

92

92

104

92

92 92

104

94 ▼ 94 ▼

106 🔻

94

94 106

49

49

82 **V** 82 **V**

84

•

▼

▼

▼

Voltage

▼ 220V/50Hz

▼ 220V/60Hz

▼ 115V/60Hz

▼ 220V/50Hz

▼ 240V/50Hz

▼ 220V/60Hz

▼ 220V/50Hz

▼ 220V/60Hz

▼ 220V/50Hz

▼ 220V/60Hz

115V/60Hz
 115V/60Hz

115V/60Hz ▼ 220V/50Hz

220V/60Hz

▼ 115V/60Hz

▼ 220V/50Hz

▼ 220V/60Hz

▼ 115V/60Hz

115V/60Hz
 115V/60Hz

115V/60Hz
 115V/60Hz

115V/60Hz

220V/50Hz 220V/50Hz

115V/60Hz 115V/60Hz

220V/60Hz

115V/60Hz

115V/60Hz

220V/60Hz

220V/60Hz

220V/60Hz

▼ 115V/60Hz

▼ 220V/50Hz

220V/60Hz

115V/60Hz

▼ 220V/50Hz▼ 220V/60Hz

▼ 115V/60Hz

115V/60Hz

115V/60Hz ▼ 115V/60Hz

115V/60Hz

▼ 115V/60Hz

▼ 220V/50Hz

115V/60Hz
220V/50Hz

115V/60Hz

115V/60Hz

▼ 220V/60Hz▼ 115V/60Hz

220V/50Hz

115V/60Hz

		Model Number	Page #	Ship Wt (lbs)		Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
ę.		LZSTLDDWSVRSK	C-21	84	▼	115V/60Hz		MF100	C-100	18	
ę.		LZSTLG8LC	C-37	74		115V/60Hz		MF200	C-100	32	
ę		LZSTLG8SC	C-37	74		115V/60Hz		MFC100	C-100	18	
ę		LZSTLG8WSLK	C-22	104	▼	115V/60Hz		MFWS100	C-100	15	
ę		LZSTLG8WSSK	C-22	104	▼	115V/60Hz		MFWS200	C-100	28	
ŝ		LZSTLVR8LC	C-41	74		115V/60Hz		MFWS210	C-100	35	
ę		LZSTLVR8SC	C-41	74		115V/60Hz		MFWSF100	C-100	28	
ę		LZSVR8L	C-40	54		115V/60Hz		MFWSF110	C-100	35	
ę		LZSVR8S	C-40	54		115V/60Hz		MFWSF120	C-100	28	N/A
ę		LZWS-EDFP217K	C-30	121	▼	115V/60Hz		MFWSF130	C-100	35	N/A
ę		LZWS-EDFPBM114K	C-30	121	▼	115V/60Hz		ML100	C-98	26	N/A
ġ		LZWS-EDFPBM117K	C-30	121	▼	115V/60Hz		MLP100	C-98	36	N/A
ę.		LZWS-ERFP8-RF	C-34	50		115V/60Hz		MLP200	C-98	54	N/A
ę.		LZWS-ERPB8-RF	C-34	50		115V/60Hz		MP20	C-98	18	
ė		LZWS-LRPBM28K	C-30	173	▼	115V/60Hz		MP20RA	C-98	18	
ė		LZWS-LRPBM8K	C-30	149	▼	115V/60Hz		MPW100	C-98	11	N/A
ę.		LZWS-SFGRN28K	C-31	167	▼	115V/60Hz		MPW101	C-98	10	N/A
ġ		LZWS-SFGRN8K	C-31	130	▼	115V/60Hz		MPW200	C-98	40	N/A
ġ		LZWS-SS28K	C-31	167	▼	115V/60Hz		MPW201	C-98	32	N/A
ė		LZWS-SS8K	C-31	126		115V/60Hz		0			
ė		LZWS8K	C-32	66		115V/60Hz			6.50	70	1451//6011
ė		LZWS8PK	C-32	66		115V/60Hz	ė	OHFAVR8S1Z	C-58	78	115V/60Hz
ę.		LZWSDK	C-32	15		115V/60Hz		Р			
ę.		LZWSDPK	C-32	45		115V/60Hz		PLA191910	R-151	14	
ŝ		LZWSGRN8K	C-32	66		115V/60Hz		PLA252212	R-141	19	
ę.		LZWSGRN8PK	C-32	66		115V/60Hz		PLAFRU191610	R-60	28	
ę.		LZWSGRNM8K	C-32	81		115V/60Hz		PLAFRU281610	R-42	32	
ę.		LZWSGRNM8PK	C-32	81		115V/60Hz		PLAUH2115	R-54	15	
ę.	0	LZWSGRINNOPK	C-32	80	•			PLAUH211510	R-55	18	
						220V/50Hz		PLAUH281612	R-42	23	
ė ∑ ,		LZWSM82KWR	C-33	80		220V/50Hz		PM3	C-99	13	
ė.	0	LZWSM82PK	C-33	80		220V/50Hz	0	PM4	C-99	15	
ġ.	0	LZWSM83K	C-33	80	-	220V/60Hz		PODUH141810	R-64	13	
ė.	0	LZWSM83KSA	C-33	80	•	220V/60Hz		PODUH2816	R-38	19	
ġ.	0	LZWSM83PK	C-33	80	•	220V/60Hz	ė	PSDKAD251755	C-205	12	
ę.		LZWSM8K	C-32	80		115V/60Hz		PSDKR2517	C-205	12	
ġ		LZWSM8PK	C-32	80		115V/60Hz		PSDKR2517C	C-205	23	
Ġ.	0	LZWSMDJOK	C-33	33	▼	220V/50- 60Hz		PSDKR2517VRC	C-205	23	
ė	0	LZWSMDJOPK	C-33	33	▼	220V/50- 60Hz	ė	PSLVR1917	R-208, C-190	10	
ę.		LZWSMDK	C-32	36	▼	115V/60Hz	ė	PSLVR1917LO	R-208	8	
ġ		LZWSMDPK	C-32	36		115V/60Hz		PSMR4322	R-182	20	
ę.		LZWSRK	C-18, C-29	22		115V/60Hz		PSR1517	R-156	8	
ę.		LZWSSM	C-28	35		115V/60Hz		PSR1716	R-155	7	
ŝ	\otimes	LZWSSMIO	C-28	35		220V/50-		PSR1720	R-154	10	
6	0	LZWSSINJO	C-20	55		60Hz		PSR1918	R-151	9	
		Μ						PSR2219	R-148	11	
	0	MB232A	C-99	35		220V/50-		PSR2521	R-144	13	
	0		0.55	55		60Hz		PSR2522	R-144	14	
		MB232AL	C-99	35		220V/50-					
						60Hz		PSR3122	R-138	17	
		MB23A	C-99	35		N/A		PSR3319	R-179	17	
		MB23AL	C-99	35		220V/50- 60Hz		PSR3321	R-177	20	
		MB24	C-99	10		N/A		PSR3322	R-176	20	
		MB30	C-100	34		N/A		PSR4322	R-169	21	
	0	MB302	C-100	34		220V/50-	ė	PSRADQ191955L	C-122	13	
	9		2.00			60Hz	l &	PSRADQ191955R	C-123	13	

	Model Number	Page #	Ship Wt (lbs)	Voltage
	PSRS3322	R-136	16	
	R			
	RLLVR12	R-209, C-190	7	
	RLLVR16	R-209,	13	
	NLLTHIO	C-190	10	
	RLR12	R-210	6	
	RLR9	R-210	7	
	RNSF81182	C-138	89	
	RNSF8118LR2	C-138	127	
	RNSF81242	C-138	95	
	RNSF8124LR2	C-138	149	
	RNSF82362	C-138	129	
	RNSF8236LR2	C-138	174	
94	RNSF82482	C-138	157	
94	RNSF8248LR2	C-138	200	
94	RNSF83544	C-139	168	
-	RNSF8354LR4	C-139	211	
24	RNSF83724	C-139	193	
14	RNSF8372LR4	C-139	239	
	RP2130	C-96	4	
	S			
	S1C18X18-0X	C-146	74	
	S1C18X18-2-18X	C-146	102	
	S1C18X18-L-18X	C-146	87	
	S1C18X18-R-18X	C-146	87	
	S1C24X24-0X	C-146	96	
	S2C18X18-2-18X	C-147	142	
	S2C18X18-L-18X	C-147	119	
	S3C18X18-2-18X S3C24X24-2-24X	C-148	119	
	S4819L	C-148 R-126	237 50	
	S4819E	R-120	50	
z	S60194	R-126	60	
ě.	SCF1611SH	R-206	8	
	SCF16FBSH	R-200	14	
		R-159	-	
	SCF16FBSM	R-67, R-159	10	
	SCF16FBSR	R-67,	9	
		R-159	-	
	SCF16SH	R-206	8	
	SCUH1012SH	R-77	6	
	SCUH1212SH	R-75	8	
	SCUH1416SH	R-71	10	
	SE1C18X18-0X	C-145	71	
	SE1C18X18-L-18X	C-145	93	
	SE1C18X18-R-18X	C-145	93	
	SE1C24X24-0X	C-145	83	
	SE2C18X18-2-18X	C-147	135	
	SE3C18X18-2-18X	C-148	162	
	SE3C24X24-2-24X	C-148	207	
ę.	SEHS-17X	C-149	14	
	SS81242	C-176	80	
_	SS8124L2	C-176	105	
×	SS8124LR2	C-176	187	
	SS8124R2	C-176	105	

Voltage

N/A

115V/60Hz

220V/50Hz

220V/60Hz

115V/60Hz 113 **V** 220V/50Hz

> ▼ 220V/60Hz 115V/60Hz

> > N/A

▼

220V/50Hz

▼ 220V/60Hz

▼ 115V/60Hz

115V/60Hz 220V/50Hz

220V/60Hz

115V/60Hz

115V/60Hz

220V/50Hz

220V/60Hz

115V/60Hz

N/A 115V/60Hz

N/A

Ship Wt (lbs)

94

46

94

94

94

115

118 ▼

71

48

48

112

94

94

94

94

71

94

94

94

94

71

94

17

17

17

27 ▼

28 ▼

29 ▼

17

17

17

27 ▼

28 ▼

29 •

80

105

187

105

89

112

172

112

96

121

208

121

95

120

198

120

104

130

		Model Number	Page #	Ship Wt (lbs)	Voltage				Model Number	Page #
		SWUF28179C	R-199	91		ė			VRCTLFR8SC	C-46
		SWUF32189	R-202	115		ė		0	VRCTLFRDDSC	C-46
		SWUF32189WHC	R-202	122		ė		0	VRCTLR8S2JOC	C-48
		SWUF3320	R-203	111		ė		0	VRCTLR8S3JOC	C-48
		V				ė			VRCTLR8SC	C-47
5		VRC8S	C-46	59	115V/60Hz	ė		0	VRCTLR8WS2K	C-25
5	0	VRC8S2JO	C-48	59	220V/50Hz	ė		0	VRCTLR8WS3K	C-25
5	0	VRC8S3JO	C-48	59	220V/60Hz	ė			VRCTLR8WSK	C-23
5	\otimes	VRC8S3JOSA	C-48	59	220V/60Hz	ė			VRCTLRDDSC	C-47
5	0	VRC8WS2K	C-25	87	220V/50Hz	ė		0	VRCTLRDDWS2K	C-25
5	0	VRC8WS3K	C-25	87	220V/60Hz	ė		0	VRCTLRDDWS3K	C-25
5		VRC8WSK	C-23	86	115V/60Hz	ė			VRCTLRDDWSK	C-23
5		VRCDS	C-46	36	N/A	ė		0	VRCTLRFR8SC	C-47
5	Ø	VRCDWS2K	C-25	56	220V/50Hz	ė		0	VRCTLRSC8S2JOC	C-48
5	0	VRCDWS3K	C-25		220V/60Hz	ė		0	VRCTLRSC8S3JOC	C-48
5		VRCDWSK	C-23		115V/60Hz	ė			VRCTLRSC8SC	C-47
5	0	VRCFR8S	C-46	59	115V/60Hz	ė			VRCTLRSCDDSC	C-47
5	0	VRCFRDS	C-46	36	N/A	ė		0	VRCTLRSCFR8SC	C-47
5	0	VRCGRN8	C-45	59	115V/60Hz	ė		0	VRCTLSC8S2JOC	C-48
5		VRCGRN8F	C-45	59	115V/60Hz	ė		0	VRCTLSC8S3JOC	C-48
5		VRCGRN8WSK	C-24		115V/60Hz	ė			VRCTLSC8SC	C-46
5		VRCGRNTL8C	C-45	94	115V/60Hz	ė			VRCTLSCDDSC	C-46
5		VRCGRNTL8FC	C-45	94	115V/60Hz	ė		0	VRCTLSCFR8SC	C-46
5		VRCGRNTL8WSK	C-24		115V/60Hz				W	
5		VRCHD8S	C-24 C-43	76	115V/60Hz	ė			WCL1923OSD1	C-155
5	0	VRCHD852QJO	C-43	76	240V/50Hz	ė			WCL1923OSD3	C-155
5	0	-	C-44	76	220V/60Hz	ė			WCL1923OSDC	C-155
		VRCHD8S3JO	C-44 C-44	76	220V/60Hz	ė			WCL1923OSDSACC	C-155
5	0	VRCHD8S3JOSA		76	220V/50Hz	ė.			WCL1923OSDSACC	C-155
	0	VRCHD8SF2JO	C-44 C-44	76	220V/50Hz	ė			WCL1923OSDSACINC	C-155
5	0	VRCHD8SF2JO				ė.			WCLWO1923OSD1	C-155
5	0	VRCHDDS	C-43	46	N/A					
5	0	VRCHDTL8S2JOC	C-44	113	220V/50Hz	i.			WCLWO1923OSD3 WCLWO1923OSDC	C-155
5	0	VRCHDTL8S3JOC	C-44	113	220V/60Hz	i i				C-155
5	0	VRCHDTL8S3JOCSA	C-44	113	220V/60Hz				WCLWO1923OSDSACC	C-155
5	~	VRCHDTL8SC	C-43	113	115V/60Hz	ė.			WCLWO1923OSDSACMC	C-155
5		VRCHDTL8SF2JOC	C-44	113	220V/50Hz	ė			WCLWO1923OSDSACTMC	C-155
5	0	VRCHDTL8SF3JOC	C-44	113	220V/60Hz				WNSF81242	C-135
Ā		VRCHDTLDDSC	C-43	113	N/A				WNSF8124L2	C-135
5		VRCSC8S	C-46	59	115V/60Hz				WNSF8124LR2	C-135
5		VRCSC8S2JO	C-48	59	220V/50Hz				WNSF8124R2	C-135
5	0	VRCSC8S3JO	C-48	59	220V/60Hz		_	_	WNSF81302	C-135
5		VRCSCDS	C-46	36	N/A				WNSF8130L2	C-135
5		VRCSCFR8S	C-46	59	115V/60Hz		94	0	WNSF8130LR2	C-135
5	0	VRCTL8S2JOC	C-48	94	220V/50Hz				WNSF8130R2	C-135
5 2	0	VRCTL8S2QJOC	C-48	94	240V/50Hz				WNSF81362	C-135
5	0	VRCTL8S3JOC	C-48	94	220V/60Hz		90		WNSF8136L2	C-135
5		VRCTL8SC	C-46	94	115V/60Hz		90		WNSF8136LR2	C-135
5	0	VRCTL8WS2K	C-25	113	220V/50Hz		90		WNSF8136R2	C-135
5	\otimes	VRCTL8WS3K	C-25	113	220V/60Hz		84	0	WNSF82302	C-136
5		VRCTL8WSK	C-23	118	115V/60Hz		94	0	WNSF8230L2	C-136
5		VRCTLDDSC	C-46	71	N/A		94		WNSF8230LR2	C-136
5	\otimes	VRCTLDDWS2K	C-25	48	220V/50Hz		84		WNSF8230R2	C-136
Ā	$^{\circ}$	VRCTLDDWS3K	C-25	48	220V/60Hz		8		WNSF82362	C-136
5		VRCTLDDWSK	C-23	112	115V/60Hz	1	8	0	WNSF8236L2	C-136

		Model Number	Page #	Ship Wt (lbs)	Voltage	Model Number	Page #	Ship Wt (lbs)	Volta
	0	WNSF8236LR2	C-136	216					
		WNSF8236R2	C-136	130					
	0	WNSF82422	C-136	150					
		WNSF82482	C-136	121					
R	0	WNSF8248L2	C-136	201					
8		WNSF8248LR2	C-136	224					
2		WNSF8248R2	C-136	201					
2	0	WNSF82542	C-136	130					
8	0	WNSF8254L2	C-136	165					
8		WNSF8254LR2	C-136	246					
8	0	WNSF8254R2	C-136	165					
8		WNSF82602	C-136	138					
2	0	WNSF8260L2	C-136	222					
2		WNSF8260LR2	C-136	267					
2	0	WNSF8260R2	C-136	222					
2		WNSF83454	C-136	125					
8	0	WNSF8345L4	C-137	151					
8		WNSF8345LR4	C-137	241					
2	0	WNSF8345R4	C-137	151					
8		WNSF83544	C-136	140					
8	0	WNSF8354L4	C-137	166					
8		WNSF8354LR4	C-137	256					
2		WNSF8354R4	C-137	166					
2	0	WNSF83604	C-136	160					
2		WNSF8360LR4	C-137	280					
2		WNSF83724	C-136	227					
2	0	WNSF8372L4	C-137	253					
2		WNSF8372LR4	C-137	304					
2	0	WNSF8372R4	C-137	253					
		WP2	C-96	3					
		WSF6000R-2PK	C-91	5					
		WSP35000	C-94	8					
		WSP35000R	C-94	2					
		WSP35000SR	C-94	5					
		WT24S36-STSX	C-152	72					
		WT24S48-STSX	C-152	82					
		WT24S60-STSX	C-152	92					
		WT24S72-STSX	C-152	102					
		WT30S120-STSX	C-152	151					
		WT30S48-STSX	C-152	92					
		WT30S60-STSX	C-152	102					
		WT30S72-STSX	C-152	111					
		WT30S84-STSX	C-152	121					
		WT30X84-STSX	C-152	130					

Terms and Conditions

Pricing

Elkay reserves the right at its sole discretion to change the prices (provided by way of a Quotation or a Price List) of any Elkay product at any time and with advance notice. Elkay further reserves the right to make any corrections to prices quoted due to clerical errors or errors of omission. In the event of any specific actions representing a price change, Elkay or one of its representatives will notify Buyer by posting a new published Price List and giving Buyer advanced notice. All orders received and accepted by Elkay prior to the effective date of the price change will be billed at the prices in effect at the time of Elkay's acceptance of the order.

Terms

As standard.

Taxes

All federal, state and local taxes will be added when applicable.

Limited Warranty

Warranties vary by product family. Please see website, specification sheet and/or installation instructions for further detail. Warranties do not cover transportation or installation charges. Contact Elkay Customer Care at (630) 574-8484 for complete details and conditions.

Loss and/or Damage in Transit

Our liability ceases upon delivery of the goods to the carrier at our factory. Claims for damage and/or loss in transit to be made by the consignee against the carrier. We will assist and cooperate in the processing of such claims upon customer's request.

Freight

Prices are FOB factory.

Overpack

For a nominal charge, a sink will be repackaged to reduce damage that could occur during shipment. Overpack is offered for sinks with an overall dimension of 43" x 22" or less, and must be requested when the order is submitted.

Returned Goods

Returns will not be accepted without prior written authorization from Elkay. Handling and reconditioning charges will be assessed as may be required to restore the items to salable condition.

Cancellation

On custom-made or standard models designed to customer's specifications, orders can be canceled before fabrication has commenced. Cancellation after fabrication is started will result in a charge commensurate with the extent of work completed.

EDI

Elkay supports the following EDI transaction sets: Inbound Purchase Orders (850), Outbound Invoices (810), Advanced Ship Notice (856), Inbound Remittance Advice (820) and Outbound Order Acknowledgment (855). Please contact Elkay's EDI coordinator at (630) 574-8484 to discuss the list of current transaction set versions and your implementation requirements.



About Elkay

Family owned since 1920, Elkay has been making innovative products and delivering exceptional customer care for almost a century. Elkay expanded its commercial offerings more than four decades ago, and today delivers faucets, foodservice fixtures, water coolers, drinking fountains and award-winning ezH2O[®] bottle filling stations, in addition to world-class stainless steel and quartz sinks.

Like your family, Elkay has values and traditions that endure; like a commitment to sustainability and to community. Headquartered in Oak Brook, Illinois, Elkay is American-owned and -operated.











©2020 Elkay Manufacturing Company