

**ELKAY**

Elkay Drinking Solutions  
**Asia**



**ELKAY®**

**Innovating Drinking Water Solutions**



# Table of Contents

EZH2O® Bottle Filling Station	01
Bottle Filling Station w/ ADA Cooler	03
In-wall Bottle Filling Station	06
Surface Mount Bottle Filling Station	07
EZ ADA Water Cooler	09
Vandal-Resistant Water Cooler	13
Classic Water Cooler	14
Wall Mount Water Cooler	14
Floor Mount Space-ette™ Water Cooler	16
Remote Chiller	18
Drinking Fountain	21

## EZH2O® RAPID WATER BOTTLE FILLING STATIONS

Elkay's EZH2O bottle filling stations deliver a clean, quick water bottle fill and enhance sustainability by minimizing our dependency on disposable plastic bottles. They are ideal for education, healthcare, fitness clubs and hospitality settings.

The EZH2O bottle filling stations are good for the earth and great for facility managers, with installation and maintenance made stunningly simple.

Plastic bottles  
of water served...  
without the  
plastic bottles.

**7,503,318,003**

March, 2019

### CLEAN WATER WITHIN REACH

Filter is NSF certified to help put cleaner, healthier water within reach by reducing lead and other contaminants.

### HANDS-FREE OPERATION

The touchless, sensor-activated bottle filler is designed for easy use. There's no need to hold the bottle; just place and fill.

### REAL DRAIN

The basin includes a real drain system to help with drainage and eliminate standing water.



### SEE BOTTLES SAVED

Exclusive Green Ticker™ informs user of the number of 20 oz. plastic water bottles saved from waste by using refillable bottles at the bottle filling station.

### ANTIMICROBIAL PROTECTION

Key plastic components on the unit have a special silver ion antimicrobial protection that inhibits the growth of mold and mildew.

### MINIMAL SPLASHING

Bottle filler dispenses a clean, laminar flow of water so there is minimal splashing when filling reusable bottles and cups.





## EZH2O® Bottle Filling Station with Single ADA Cooler

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Dual-Function:** Complete cooler and bottle filling station in a consolidated space saving ADA compliant design
- **Filter:** WaterSentry® Plus™ 3000 gallon /11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary
- **Hands-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** Counts the quantity of bottles saved from waste
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Quick Fill Rate:** 1.1-1.5 GPM / 4.2-5.7 LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18-3/8" \* (W) 19" \* (H) 39-1/16"  
**Dimensions (mm):** (L) 467 \* (W) 483 \* (H) 992



MODEL #	MATERIAL cabinet	FINISH cabinet	FILTER	REFRIGERATION	SHIPPING WEIGHT
EZS8WSL2K	Vinyl	Light Grey Granite	Optional	8 GPH/30 LPH	68 lbs/30.8 kg
EZS8WSS2K	Stainless Steel	Stainless Steel	Optional	8 GPH/30 LPH	68 lbs/30.8 kg
LZS8WSL2K	Vinyl	Light Grey Granite	✓	8 GPH/30 LPH	71 lbs/32.2 kg
LZS8WSS2K	Stainless Steel	Stainless Steel	✓	8 GPH/30 LPH	71 lbs/32.2 kg
LZSDWSL2K	Vinyl	Light Grey Granite	✓	—	45 lbs/20.4 kg
LZSDWSS2K	Stainless Steel	Stainless Steel	✓	—	45 lbs/20.4 kg

## EZH2O® Bottle Filling Station with Single Vandal-Resistant ADA Cooler

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Dual-Function:** Complete cooler and bottle filling station in a consolidated space saving ADA compliant design
- **Filter:** WaterSentry® Plus™ 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary
- **Hands-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** counts the quantity of bottles saved from waste
- **Bubbler:** Vandal-Resistant StreamSaver™ bubbler reduces water usage by 40% and is keyed-in to prevent rotation
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Quick Fill Rate:** 1.1-1.5 GPM / 4.2-5.7 LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18-3/8" \* (W) 19" \* (H) 39-1/16"
- **Dimensions (mm):** (L) 467 \* (W) 483 \* (H) 992



MODEL #	MATERIAL cabinet	FINISH cabinet	FILTER	REFRIGERATION	SHIPPING WEIGHT
EZS8WSVRL2K	Vinyl	Light Grey Granite	Optional	8 GPH/30 LPH	69 lbs/31.3 kg
EZS8WSVRS2K	Stainless Steel	Stainless Steel	Optional	8 GPH/30 LPH	69 lbs/31.3 kg
LZS8WSVRL2K	Vinyl	Light Grey Granite	✓	8 GPH/30 LPH	72 lbs/32.7 kg
LZS8WSVRS2K	Stainless Steel	Stainless Steel	✓	8 GPH/30 LPH	72 lbs/32.7 kg

## EZH2O® Bottle Filling Station with Versatile Bi-Level ADA Cooler

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Dual-Function:** Complete cooler and bottle filling station in a consolidated space saving ADA compliant design
- **Versatile Bi-Level Design:** Allows for standard high-left/low-right or alternative low-left/high-right installation
- **Filter:** WaterSentry® Plus™ 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with visual LED Filter Monitor to indicate when replacement is necessary
- **Hands-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** Counts the quantity of bottles saved from waste
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Quick Fill Rate:** 1.1-1.5 GPM / 4.2-5.7 LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 36-3/4" \* (W) 19" \* (H) 39-1/16"
- **Dimensions (mm):** (L) 933 \* (W) 483 \* (H) 992



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	FILTER	REFRIGERATION	SHIPPING WEIGHT
LZSTL8WSL2K	Vinyl	Light Grey Granite	Flexi-Guard *	✓	8 GPH/30 LPH	92 lbs/41.7 kg
LZSTL8WSS2K	Stainless Steel	Stainless Steel	Flexi-Guard *	✓	8 GPH/30 LPH	92 lbs/41.7 kg
LZSTL8WSVRL2K	Vinyl	Light Grey Granite	Vandal-Resistant**	✓	8 GPH/30 LPH	94 lbs/42.6 kg
LZSTL8WSVRS2K	Stainless Steel	Stainless Steel	Vandal-Resistant**	✓	8 GPH/30 LPH	94 lbs/42.6 kg

\*Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation

\*\*Vandal-Resistant StreamSaver™ bubbler reduces water usage by 40% and keyed-in to prevent rotation



## EZH2O® In-Wall Bottle Filling Station

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Filter:** WaterSentry® Plus™ 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary
- **Hands-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** Counts the quantity of bottles saved from waste
- **Location:** Rated for indoor service
- **Installation:** Fully-recessed in-wall design
- **Quick Fill Rate:** 1.1-1.5 GPM / 4.2-5.7 LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 19-3/4" \* (W) 3-1/2" \* (H) 40-13/16"
- **Dimensions (mm):** (L) 502 \* (W) 89 \* (H) 1037



MODEL #	MATERIAL cabinet	FINISH cabinet	FILTER	REFRIGERATION	SHIPPING WEIGHT
EZWSM82K	Stainless Steel	Stainless Steel	Optional	8 GPH/30 LPH	76 lbs/34.5 kg
LZWSM82K	Stainless Steel	Stainless Steel	✓	8 GPH/30 LPH	80 lbs/36.3 kg

## EZH2O® Surface-Mount Bottle Filling Station

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Hand-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** Counts the quantity of bottles saved from waste
- **Location:** Rated for indoor service
- **Installation:** Surface mount design - ideal for installations with limited wall depth
- **Quick Fill Rate:** 1.1-1.5 GPM / 4.2-5.7 LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 17-15/16" \* (W) 8-3/16" \* (H) 25-7/16"
- **Dimensions (mm):** (L) 456 \* (W) 208 \* (H) 646



MODEL #	MATERIAL cabinet	FINISH cabinet	FILTER	REFRIGERATION	SHIPPING WEIGHT
EZWSSMJO	Stainless Steel	Stainless Steel	—	—	32 lbs/14.5 kg

## EZH2O® Mechanical Surface-Mount Bottle Filling Station

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Push-Button Activation:** Ideal for installations where electrical wiring is not easily accessible or locations looking to reduce electrical usage
- **Filtration:** 500 gallon/1,893 liter capacity AquaSentry filtration with battery powered Visual LED Filter Monitor to indicate when replacement is necessary
- **Green Ticker™:** Battery powered, counts the quantity of bottles saved from waste
- **Anti-Bacterial:** Integrated silver ion antimicrobial protection in key areas
- **Location:** Rated for indoor service
- **Installation:** Surface mount design - ideal for installations with limited wall depth
- **Power:** 220V-230V
- **Dimensions (in):** (L) 17-7/8" \* (W) 6-1/4" \* (H) 25-7/8"
- **Dimensions (mm):** (L) 454 \* (W) 159 \* (H) 657



MODEL #	MATERIAL cabinet	FINISH cabinet	FILL RATE	FILTER	REFRIGERATION	SHIPPING WEIGHT
EMASMB	Stainless Steel	Stainless Steel	1.0 GPH/3.8 LPM	Optional	—	22 lbs/10.0 kg
LMASMB	Stainless Steel	Stainless Steel	0.5 GPH/1.9 LPM	✓	—	24 lbs/10.9 kg

## EZ WATER COOLERS WITH EFFICIENT REFRIGERATION SYSTEMS

Choose from a wide array of indoor and outdoor water coolers in a variety of styles and finishes, including many ADA compliant models. Elkay water coolers offer efficient refrigeration systems; waterway systems utilizing copper components and lead-free material; and a Filtrex System to prevent large impurities from entering the cooler.

The Elkay EZ models are our most popular water cooler series. These models offer easy-touch push bar or sensor-activated and come standard with a Flexi-Guard® Safety Bubbler. The extra deep basin minimizes splashing and features an integral drain.

Find the perfect water cooler for any application including medical facilities, schools, office buildings, malls and other high-traffic venues.







## EZ ADA Water Cooler

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Easy-To-Install:** Universal Design adapts easily to existing plumbing systems
- **Glass Filler:** Prepped for separate order
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18-3/8" \* (W) 19" \* (H) 19-13/16"
- **Dimensions (mm):** (L) 467 \* (W) 483 \* (H) 503



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	GLASS FILLER	REFRIGERATION	SHIPPING WEIGHT
EZS8L2JO	Vinyl	Light Grey Granite	Flexi-Guard	–	8 GPH/30 LPH	51 lbs/23.1 kg
EZS8LF2JO	Vinyl	Light Grey Granite	Flexi-Guard	✓	8 GPH/30 LPH	51 lbs/23.1 kg
EZS8S2JO	Stainless Steel	Stainless Steel	Flexi-Guard	–	8 GPH/30 LPH	51 lbs/23.1 kg
EZS8SF2JO	Stainless Steel	Stainless Steel	Flexi-Guard	✓	8 GPH/30 LPH	51 lbs/23.1 kg

## EZ Versatile ADA Bi-Level Water Cooler

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Bi-Level Design:** Allows for standard high-left/low-right or alternative low-left/high-right installation
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Easy-To-Install:** Universal design adapts easily to existing plumbing systems
- **Optional Filtration:** 1500 gallon capacity WaterSentry® filtration
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 36-3/4" \* (W) 19" \* (H) 25-5/16"  
**Dimensions (mm):** (L) 933 \* (W) 483 \* (H) 643



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	REFRIGERATION	SHIPPING WEIGHT
EZSTL8L2JOC	Vinyl	Light Grey Granite	Flexi-Guard	8 GPH/30 LPH	72 lbs/32.7 kg
EZSTL8S2JOC	Stainless Steel	Stainless Steel	Flexi-Guard	8 GPH/30 LPH	72 lbs/32.7 kg

## Vandal-Resistant ADA Bi-Level Water Cooler

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Bi-Level Design:** Allows for standard high-left/low-right or alternative low-left/high-right installation
- **Bubbler:** One piece Vandal-Resistant StreamSaver™ bubbler reduces water usage by 40% and keyed-in to prevent rotation
- **Activation:** Temper-resistant push button activation
- **Easy-To-Install:** Universal design adapts easily to existing plumbing systems
- **Location:** Rated for indoor / outdoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 36-5/16" \* (W) 18-5/8" \* (H) 27-1/8"
- **Dimensions (mm):** (L) 922 \* (W) 473 \* (H) 689



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	REFRIGERATION	LOUVER SCREEN	SHIPPING WEIGHT
VRCTL8S2JOC	Stainless Steel	Stainless Steel	Vandal-Resistant	8 GPH/30 LPH	–	94 lbs/42.6 kg
VRCTLSC8S2JOC	Stainless Steel	Stainless Steel	Vandal-Resistant	8 GPH/30 LPH	✓	94 lbs/42.6 kg



## Classic Wall Mount ADA Water Cooler

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **One-Piece Design:** One-piece stainless steel basin with backsplash
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Easy-To-Install:** Universal design adapts easily to existing plumbing systems
- **Push Bar Activation:** Located on front and sides with raised letters to assist the visually impaired
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18" \* (W) 18-3/4" \* (H) 23-7/8"  
**Dimensions (mm):** (L) 457 \* (W) 476 \* (H) 606



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	REFRIGERATION	SHIPPING WEIGHT
EHFSA8L2ZJO	Vinyl	Light Grey Granite	Flexi-Guard	8 GPH/30 LPH	66 lbs/29.9 kg
EHFSA8S2ZJO	Stainless Steel	Stainless Steel	Flexi-Guard	8 GPH/30 LPH	66 lbs/29.9 kg

## Classic Wall Mount Water Cooler

- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Easy-To-Install:** Universal design adapts easily to existing plumbing systems
- **Glass Filler:** Prepped for separate order
- **Activation:** Push button
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18" \* (W) 14-1/2" \* (H) 22"  
**Dimensions (mm):** (L) 457 \* (W) 368 \* (H) 559



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	GLASS FILLER	REFRIGERATION	SHIPPING WEIGHT
EWCA8L2YJO	Vinyl	Light Grey Granite	Flexi-Guard	–	8 GPH/30 LPH	54 lbs/24,5 kg
EWCA8LF2YJO	Vinyl	Light Grey Granite	Flexi-Guard	✓	8 GPH/30 LPH	68 lbs/30,8 kg
EWCA8S2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	–	8 GPH/30 LPH	54 lbs/24,5 kg
EWCA8SF2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	✓	8 GPH/30 LPH	76 lbs/34,5 kg
EWCA8T2YJO	Vinyl	Sandalwood	Flexi-Guard	–	8 GPH/30 LPH	54 lbs/24,5 kg
EWCA8TF2YJO	Vinyl	Sandalwood	Flexi-Guard	✓	8 GPH/30 LPH	68 lbs/30,8 kg

## Classic Floor Mount Space-ette® Water Cooler

- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Filtration:** Optional 1,500 gallon/5,678 liter capacity WaterSentry™ VII filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction)
- **Glass Filler:** Prepped for separate order
- **Strainer:** Integral vandal-resistant strainer
- **Activation:** Push button and optional foot pedal activation
- **Maintenance:** Removable front panel for easy access
- **Location:** Rated for indoor service
- **Installation:** Floor-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18" \* (W) 14-1/2" \* (H) 41-1/2"  
**Dimensions (mm):** (L) 457 \* (W) 368 \* (H) 1054



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	GLASS FILLER	REFRIGERATION	FILTER	FOOT PEDAL	SHIPPING WEIGHT
EFA14LF2YJO	Vinyl	Light Grey Granite	Flexi-Guard	✓	14 GPH/53 LPH	Optional	–	82 lbs / 37.2 kg
EFA14SF2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	✓	14 GPH/53 LPH	Optional	–	82 lbs / 37.2 kg
EFA8L2YJO	Vinyl	Light Grey Granite	Flexi-Guard	–	8 GPH/30 LPH	Optional	–	72 lbs / 37.2 kg
EFA8LF2YJO	Vinyl	Light Grey Granite	Flexi-Guard	✓	8 GPH/30 LPH	Optional	–	78 lbs / 35.4 kg
EFA8LFP2YJO	Vinyl	Light Grey Granite	Flexi-Guard	✓	8 GPH/30 LPH	Optional	✓	78 lbs / 35.4 kg
EFA8LP2YJO	Vinyl	Light Grey Granite	Flexi-Guard	–	8 GPH/30 LPH	Optional	✓	78 lbs / 35.4 kg
EFA8S2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	–	8 GPH/30 LPH	Optional	–	72 lbs / 37.2 kg
EFA8SF2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	✓	8 GPH/30 LPH	Optional	–	78 lbs / 35.4 kg
EFA8SP2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	–	8 GPH/30 LPH	Optional	✓	78 lbs / 35.4 kg
EFA8T2YJO	Vinyl	Sandalwood	Flexi-Guard	–	8 GPH/30 LPH	Optional	–	72 lbs / 37.2 kg

## Classic Floor Mount Space-ette® Water Cooler

- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Filtration:** Optional 1,500 gallon/5,678 liter capacity WaterSentry™ VII filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction)
- **Glass Filler:** Prepped for separate order
- **Strainer:** Integral vandal-resistant strainer
- **Activation:** Push button
- **Maintenance:** Removable front panel for easy access
- **Location:** Rated for indoor service
- **Installation:** Floor-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 12" \* (W) 12" \* (H) 38"  
**Dimensions (mm):** (L) 305 \* (W) 305 \* (H) 965



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	GLASS FILLER	REFRIGERATION	FILTER	SHIPPING WEIGHT
FD70010L2YJO	Vinyl	Light Grey Granite	Flexi-Guard	–	10 GPH/38 LPH	Optional	65 lbs / 29,5 kg
FD70010LF2YJO	Vinyl	Light Grey Granite	Flexi-Guard	✓	10 GPH/38 LPH	Optional	66 lbs / 30,0 kg
FD70010S2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	–	10 GPH/38 LPH	Optional	65 lbs / 29,5 kg
FD70010SF2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	✓	10 GPH/38 LPH	Optional	66 lbs / 30,0 kg
FD70010T2YJO	Vinyl	Sandalwood	Flexi-Guard	–	10 GPH/38 LPH	Optional	65 lbs / 29,5 kg
FD70010TF2YJO	Vinyl	Sandalwood	Flexi-Guard	✓	10 GPH/38 LPH	Optional	66 lbs / 30,0 kg
FD7003L2YJO	Vinyl	Light Grey Granite	Flexi-Guard	–	3 GPH/11 LPH	Optional	54 lbs / 24,5 kg
FD7003LF2YJO	Vinyl	Light Grey Granite	Flexi-Guard	✓	3 GPH/11 LPH	Optional	55 lbs / 25,0 kg
FD7003S2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	–	3 GPH/11 LPH	Optional	54 lbs / 24,5 kg
FD7003SF2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	✓	3 GPH/11 LPH	Optional	55 lbs / 25,0 kg
FD7003T2YJO	Vinyl	Sandalwood	Flexi-Guard	–	3 GPH/11 LPH	Optional	54 lbs / 24,5 kg
FD7003TF2YJO	Vinyl	Sandalwood	Flexi-Guard	✓	3 GPH/11 LPH	Optional	55 lbs / 25,0 kg
FD7005L2YJO	Vinyl	Light Grey Granite	Flexi-Guard	–	5 GPH/19 LPH	Optional	54 lbs / 24,5 kg
FD7005LF2YJO	Vinyl	Light Grey Granite	Flexi-Guard	✓	5 GPH/19 LPH	Optional	55 lbs / 25,0 kg
FD7005S2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	–	5 GPH/19 LPH	Optional	54 lbs / 24,5 kg
FD7005SF2YJO	Stainless Steel	Stainless Steel	Flexi-Guard	✓	5 GPH/19 LPH	Optional	55 lbs / 25,0 kg
FD7005T2YJO	Vinyl	Sandalwood	Flexi-Guard	–	5 GPH/19 LPH	Optional	54 lbs / 24,5 kg
FD7005TF2YJO	Vinyl	Sandalwood	Flexi-Guard	✓	5 GPH/19 LPH	Optional	55 lbs / 25,0 kg



## Remote Chiller – Convert drinking fountains into a water cooler

---

### ERS12Y Remote Chiller – 1 GPH/3.8 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 1 GPH/3.8 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 17" \* (W) 7" \* (H) 14"  
**Dimensions (mm):** (L) 432 \* (W) 178 \* (H) 356
- **Shipping Weight:** 33 lbs/15 kg

---

### ER22Y Remote Chiller – 2 GPH/7.6 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 2 GPH/7.6 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 13-1/2" \* (W) 10-1/2" \* (H) 17-1/2"  
**Dimensions (mm):** (L) 343 \* (W) 267 \* (H) 445
- **Shipping Weight:** 44 lbs/20 kg

## Remote Chiller – Convert drinking fountains into a water cooler

---

### ER52Y Remote Chiller – 5 GPH/19 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 5 GPH/19 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 19-9/16" \* (W) 7-15/16" \* (H) 22-1/16"  
**Dimensions (mm):** (L) 497 \* (W) 202 \* (H) 560
- **Shipping Weight:** 66 lbs/30 kg

---

### ECH82 Remote Chiller – 8 GPH/34 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 8 GPH/34 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 13-1/4" \* (W) 10-1/4" \* (H) 17-3/8"  
**Dimensions (mm):** (L) 337 \* (W) 260 \* (H) 441
- **Shipping Weight:** 43 lbs/19.5 kg

## Remote Chiller – Convert drinking fountains into a water cooler

---

### ER192 Remote Chiller – 19 GPH/72 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 19 GPH/72 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 23" \* (W) 10-1/4" \* (H) 25-3/4"  
**Dimensions (mm):** (L) 584 \* (W) 260 \* (H) 654
- **Shipping Weight:** 115 lbs/52 kg

# SwirlFlo® ADA Single Fountains

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Wall-mount
- **Location:** Rated for indoor use
- **Power:** No electrical required
- **Dimensions (in):** (L) 14" \* (W) 18-3/8" \* (H) 11-5/16"
- **Dimensions (mm):** (L) 356 \* (W) 467 \* (H) 288



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	REFRIGERATION	SHIPPING WEIGHT
EDFPB114C	Stainless Steel	Stainless Steel	Flexi-Guard	–	19 lbs/8.6 kg
EDFPBV114C	Stainless Steel	Stainless Steel	Vandal-Resistant	–	18 lbs/8.2 kg



## SwirFlo® ADA Bi-Level Fountains

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Bi-Level Design:** Available in bi-level (high-left/low-right) or bi-level reverse alternative (low-left/high-right) installation
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Wall-mount
- **Location:** Rated for indoor use
- **Power:** No electrical required
- **Dimensions (in):** (L) 38-1/2" \* (W) 19" \* (H) 21-15/16"
- **Dimensions (mm):** (L) 978 \* (W) 483 \* (H) 557



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	DESIGN	REFRIGERATION	SHIPPING WEIGHT
EDFPBM117C	Stainless Steel	Stainless Steel	Flexi-Guard	Bi-Level	–	72 lbs/32.6 kg
EDFPBM117RAC	Stainless Steel	Stainless Steel	Flexi-Guard	Bi-Level Reverse	–	72 lbs/32.6 kg

## Soft Sides® ADA Single Drinking Fountains

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Wall-mount
- **Location:** Rated for indoor use
- **Power:** No electrical required
- **Dimensions (in):** (L) 12-1/8" \* (W) 18-3/4" \* (H) 6-1/2"
- **Dimensions (mm):** (L) 308 \* (W) 476 \* (H) 165



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	REFRIGERATION	SHIPPING WEIGHT
EDFP214C	Stainless Steel	Stainless Steel	Flexi-Guard	–	16 lbs/7.3 kg
EDFPVR214C	Stainless Steel	Stainless Steel	Vandal-Resistant	–	20 lbs/9.1 kg

## Soft Sides® ADA Bi-Level Fountains

- **Barrier-Free ADA:** Meets ADA standards when properly installed
- **Bi-Level Design:** Available in bi-level (high-left/low-right) or bi-level reverse alternative (low-left/high-right) installation
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Wall-mount
- **Location:** Rated for indoor use
- **Power:** No electrical required
- **Dimensions (in):** (L) 38-1/2" \* (W) 19-3/8" \* (H) 20-3/8"  
**Dimensions (mm):** (L) 978 \* (W) 492 \* (H) 518



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	DESIGN	REFRIGERATION	SHIPPING WEIGHT
EDFP217C	Stainless Steel	Stainless Steel	Flexi-Guard	Bi-Level	–	42 lbs/19.1 kg
EDFP217RAC	Stainless Steel	Stainless Steel	Flexi-Guard	Bi-Level	–	48 lbs/22 kg

## Outdoor EZH2O® Bottle Filling Stations - Pedestal

- **Bubbler:** Vandal-resistant bubbler is keyed in to prevent rotation
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Floor Mount/Freestanding
- **Location:** Rated for indoor/outdoor service
- **Quick Fill Rate:** 1.1 GPM / 4.2 LPM
- **Power:** No electrical required
- **Dimensions (in):** (L) 14" \* (W) 14" \* (H) 64"
- **Dimensions (mm):** (L) 356 \* (W) 356 \* (H) 1626

### AVAILABLE FINISHES / MATERIALS



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	FREEZE RESISTANT	REFRIGERATION	SHIPPING WEIGHT
*LK4400BF	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	–	–	179 lbs/81.2 kg
*LK4400BFFRK	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	✓	–	203 lbs/92.1 kg

\*SKU number will vary by color. Please contact customer service for more details.

## Outdoor EZH2O® Bi-Level Bottle Filling Stations with Pet Station

- **Multifunctional:** Includes bottle filling station, drinking fountain and pet station; available in 12 colors
- **Bubbler:** Vandal-resistant bubbler is keyed in to prevent rotation
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Floor Mount/Freestanding
- **Location:** Rated for indoor/outdoor service
- **Power:** No electrical required
- **Dimensions (in):** (L) 26" \* (W) 31" \* (H) 64"
- **Dimensions (mm):** (L) 660 \* (W) 787 \* (H) 1626

### AVAILABLE FINISHES / MATERIALS



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	FREEZE RESISTANT	REFRIGERATION	SHIPPING WEIGHT
*LK4420BF1UDB	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	–	–	205 lbs/93 kg
*LK4420BF1UDBFRK	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	✓	–	224 lbs/102 kg

\*SKU number will vary by color. Please contact customer service for more details.



# Outdoor Bi-Level ADA Pedestal Fountain

- **Multifunctional:** Includes two drinking fountain stations
- **Bubbler:** Vandal-resistant bubbler is keyed in to prevent rotation
- **Activation:** Vandal-resistant pushbuttons provide easy operation
- **Installation:** Floor Mount/Freestanding
- **Location:** Rated for indoor/outdoor service
- **Power:** No electrical required
- **Dimensions (in):** (L) 14" \* (W) 31" \* (H) 40-5/16"
- **Dimensions (mm):** (L) 356 \* (W) 787 \* (H) 1024

AVAILABLE FINISHES / MATERIALS



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	FREEZE RESISTANT	REFRIGERATION	SHIPPING WEIGHT
*LK4420	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	–	–	155 lbs/70.3 kg
*LK4420FRK	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	✓	–	176 lbs/80 kg

\*SKU number will vary by color. Please contact customer service for more details.

# INDEX


Model #	Page
ECH82	19
EDFPB114C	21
EDFPBV114C	21
EDFPBM117C	22
EDFPBM117RAC	22
EDFP214C	23
EDFPVR214C	23
EDFP217C	24
EDFP217RAC	24
EFA14LF2YJO	16
EFA14SF2YJO	16
EFA8L2YJO	16
EFA8LF2YJO	16
EFA8LFP2YJO	16
EFA8LP2YJO	16
EFA8S2YJO	16
EFA8SF2YJO	16
EFA8SP2YJO	16
EFA8T2YJO	16
EHFSA8L2ZJO	14
EHFSA8S2ZJO	14
EMASMB	8
ER192	20
ER22Y	18
ER52Y	19
ERS12Y	18
EWCA8L2YJO	15
EWCA8LF2YJO	15
EWCA8S2YJO	15
EWCA8SF2YJO	15
EWCA8T2YJO	15
EWCA8TF2YJO	15
EZS8L2JO	11
EZS8LF2JO	11
EZS8S2JO	11
EZS8SF2JO	11
EZS8WSL2K	3
EZS8WSS2K	3
EZS8WSVRL2K	4
EZS8WSVRS2K	4
EZSTL8L2JOC	12

Model #	Page
EZSTL8S2JOC	12
EZWSM82K	6
EZWSSMJO	7
FD70010L2YJO	17
FD70010LF2YJO	17
FD70010S2YJO	17
FD70010SF2YJO	17
FD70010T2YJO	17
FD70010TF2YJO	17
FD7003L2YJO	17
FD7003LF2YJO	17
FD7003S2YJO	17
FD7003SF2YJO	17
FD7003T2YJO	17
FD7003TF2YJO	17
FD7005L2YJO	17
FD7005LF2YJO	17
FD7005S2YJO	17
FD7005SF2YJO	17
FD7005T2YJO	17
FD7005TF2YJO	17
*LK4400BF	25
*LK4400BFFRK	25
*LK4420BF1UDB	26
*LK4420BF1UDBFRK	26
*LK4420	27
*LK4420FRK	27
LMASMB	8
LZS8WSL2K	3
LZS8WSS2K	3
LZS8WSVRL2K	4
LZS8WSVRS2K	4
LZSDWSL2K	3
LZSDWSS2K	3
LZSTL8WSL2K	5
LZSTL8WSS2K	5
LZSTL8WSVRL2K	5
LZSTL8WSVRS2K	5
LZWSM82K	6
VRCTL8S2JOC	13
VRCTLSC8S2JOC	13

\*ALL PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

**ELKAY®**

Elkay Distributor



**ELKAY®**

2222 Camden Court Oak Brook, IL 60523 | 630.574.8484  
elkay.com | ©2019 Elkay Manufacturing Company



(rev. 3/19) F-4941-ELK